

Literature Cited

Robert W. Kiger, Editor

This is a consolidated list of all works cited in volume 8, whether as selected references, in text, or in nomenclatural contexts. In citations of articles, both here and in the taxonomic treatments, and also in nomenclatural citations, the titles of serials are rendered in the forms recommended in G. D. R. Bridson and E. R. Smith (1991). When those forms are abbreviated, as most are, cross references to the corresponding full serial titles are interpolated here alphabetically by abbreviated form. In nomenclatural citations (only), book titles are rendered in the abbreviated forms recommended in F. A. Stafleu and R. S. Cowan (1976–1988) and F. A. Stafleu et al. (1992–2009). Here, those abbreviated forms are indicated parenthetically following the full citations of the corresponding works, and cross references to the full citations are interpolated in the list alphabetically by abbreviated form. Two or more works published in the same year by the same author or group of coauthors will be distinguished uniquely and consistently throughout all volumes of *Flora of North America* by lower-case letters (b, c, d, ...) suffixed to the date for the second and subsequent works in the set. The suffixes are assigned in order of editorial encounter and do not reflect chronological sequence of publication. The first work by any particular author or group from any given year carries the implicit date suffix “a”; thus, the sequence of explicit suffixes begins with “b”. There may be citations in this list that have dates suffixed “b” but that are not preceded by citations of “[a]” works for the same year, or that have dates suffixed “c,” “d,” or “e” but that are not preceded by citations of “[a],” “b,” “c,” and/or “d” works for that year. In such cases, the missing “[a],” “b,” “c,” and/or “d” works are ones cited (and encountered first from) elsewhere in the *Flora* that are not pertinent in this volume.

Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. =
Abhandlungen der Mathematisch-physikalischen
Classe der Königlich bayerischen Akademie der
Wissenschaften.

Acevedo-Rosas, R. et al. 2004. Phylogenetic relationships
and morphological patterns in *Graptopetalum*
(Crassulaceae). *Brittonia* 56: 185–194.

Acevedo-Rosas, R. et al. 2004b. A molecular phylogenetic
study of *Graptopetalum* (Crassulaceae) based on ETS,
ITS, *rpl116*, and *trnL-F* nucleotide sequences. *Amer. J.
Bot.* 91: 1099–1104.

Acta Acad. Sci. Imp. Petrop. = Acta Academiae Scientiarum
Imperialis Petropolitanae.

Acta Bot. Gallica = Acta Botanica Gallica; *Bulletin dela
Société Botanique de France*.

- Acta Bot. Neerl. = Acta Botanica Nederlandica.
- Acta Horti Gothob. = Acta Horti Gothoburgensis; Meddelanden från Göteborgs Botaniska Trädgård.
- Acta Phytotax. Geobot. = Acta Phytotaxonomica et Geobotanica. [Shokubutsu Bunrui Chiri.]
- Adanson, M. 1763[–1764]. Familles des Plantes. 2 vols. Paris. [Vol. 1, 1764; vol. 2, 1763.] (Fam. Pl.)
- Addisonia = Addisonia; Colored Illustrations and Popular Descriptions of Plants.
- Ahles, H. E. 1967. *Monotropis lehmaniae*, a seasonal phase of *M. odorata*. Sida 3: 186–187.
- Airy Shaw, H. K. 1936. Notes on the genus *Schima* and on the classification of the Theaceae–Camellioidae. Bull. Misc. Inform. Kew 1936: 496–500.
- Aiton, W. 1789. Hortus Kewensis; or, a Catalogue of the Plants Cultivated in the Royal Botanic Garden at Kew. 3 vols. London. (Hort. Kew.)
- Albert, T., O. Raspe, and A. L. Jacquemart. 2003. Clonal structure in *Vaccinium myrtillus* L. revealed by RAPD and AFLP markers. Int. J. Pl. Sci. 164: 649–655.
- Allard, H. A. 1940. *Sedum telephium* in the Bull Run Mountain area, Virginia. Castanea 5: 17–19.
- Allg. Naturgesch.—See: L. Oken 1833–1841
- Amer. Bot. Fl.—See: A. Wood 1870
- Amer. J. Bot. = American Journal of Botany.
- Amer. J. Sci. Arts = American Journal of Science, and Arts.
- Amer. Midl. Naturalist = American Midland Naturalist; Devoted to Natural History, Primarily That of the Prairie States.
- Amer. Monthly Mag. & Crit. Rev. = American Monthly Magazine and Critical Review.
- Amer. Naturalist = American Naturalist....
- Amer. Nurseryman = American Nurseryman.
- Amer. Sci. = American Scientist.... [Subtitle varies.]
- Anderberg, A. A. 1993. Cladistic interrelationships and major clades of Ericaceae. Pl. Syst. Evol. 184: 207–231.
- Anderberg, A. A. 1994c. Phylogeny of the Empetraceae, with special emphasis on character evolution in the genus *Empetrum*. Syst. Bot. 19: 35–46.
- Anderberg, A. A. 2004. Primulaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 313–319.
- Anderberg, A. A. and S. Kelso. 1996. Phylogenetic implications of endosperm cell wall morphology in *Douglasia*, *Androsace*, and *Vitaliana* (Primulaceae). Nordic J. Bot. 16: 481–486.
- Anderberg, A. A., U. Manns, and M. Källersjö. 2007. Phylogeny and floral evolution of the Lysimachieae (Ericales, Myrsinaceae): Evidence from *ndhF* sequence data. Willdenowia 37: 407–421.
- Anderberg, A. A., C. Rydin, and M. Källersjö. 2002. Phylogenetic relationships in the order Ericales s.l.: Analyses of molecular data from five genes from the plastid and mitochondrial genomes. Amer. J. Bot. 89: 677–687.
- Anderberg, A. A. and B. Ståhl. 1995. Phylogenetic interrelationships in the order Primulales, with special emphasis on the family circumscriptions. Canad. J. Bot. 73: 1699–1730.
- Anderberg, A. A. and U. Swenson. 2003. Evolutionary lineages in Sapotaceae (Ericales): A cladistic analysis based on *ndhF* sequence data. Int. J. Pl. Sci. 164: 763–773.
- Anderson, L. C. 1996. New geographical and morphological data for *Sideroxylon thornei* (Sapotaceae). Sida 17: 343–348.
- Angiosperm Phylogeny Group. 1998. An ordinal classification for the families of flowering plants. Ann. Missouri Bot. Gard. 85: 531–553.
- Angiosperm Phylogeny Group. 2003. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. Bot. J. Linn. Soc. 141: 399–436.
- Ann. Bot. Fenn. = Annales Botanici Fennici.
- Ann. Bot. (König & Sims) = Annals of Botany. [Edited by König & Sims.]
- Ann. Bot. (Oxford) = Annals of Botany. (Oxford.)
- Ann. Entomol. Soc. Amer. = Annals of the Entomological Society of America.
- Ann. Gén. Hort. = Annales Générales d'Horticulture.
- Ann. Lyceum Nat. Hist. New York = Annals of the Lyceum of Natural History of New York.
- Ann. Mag. Nat. Hist. = Annals and Magazine of Natural History, Including Zoology, Botany, and Geology.
- Ann. Missouri Bot. Gard. = Annals of the Missouri Botanical Garden.
- Ann. Mus. Bot. Lugduno-Batavi = Annales Musei Botanici Lugduno-Batavi.
- Ann. Mus. Colon. Marseille = Annales du Musée Colonial de Marseille.
- Ann. Mus. Natl. Hist. Nat. = Annales du Muséum National d'Histoire Naturelle. [“National” dropped after vol. 5.]
- Ann. Naturhist. Mus. Wien = Annalen des Naturhistorischen Museums in Wien.
- Ann. Naturhist. Mus. Wien, B = Annalen des Naturhistorischen Museums in Wien. Serie B, Botanik und Zoologie.
- Ann. Sci. Nat., Bot. = Annales des Sciences Naturelles. Botanique.
- Appl. Environm. Microbiol. = Applied and Environmental Microbiology.
- Arbor. Frutic. Brit.—See: J. C. Loudon [1835–]1838
- Arbust. Amer.—See: H. Marshall 1785
- Arch. Bot. Bull. Mens. = Archives de Botanique, Bulletin Mensuel.
- Arctic Alpine Res. = Arctic and Alpine Research.
- Ark. Bot. = Arkiv för Botanik Utgivet av K. Svenska Vetenskapsakademien.
- Arnoldia (Jamaica Plain) = Arnoldia; a Continuation of the Bulletin of Popular Information.
- Atlantic J. = Atlantic Journal, and Friend of Knowledge.
- Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano = Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano.
- Aublet, J. B. 1775. Histoire des Plantes de la Guiane Françoise.... 4 vols. Paris. [Vols. 1 and 2: text, paged consecutively; vols. 3 and 4: plates.] (Hist. Pl. Guiane)
- Austral. Veterin. J. = Australian Veterinary Journal.
- Autik. Bot.—See: C. S. Rafinesque 1840
- Babington, C. C. 1843. Manual of British Botany.... London. (Man. Brit. Bot.)
- Bacigalupi, R. 1952. Saxifragaceae. In: R. J. Davis. 1952. Flora of Idaho. Dubuque. Pp. 361–388.
- Bailey, L. H. 1914–1917. The Standard Cyclopedia of Horticulture.... 6 vols. New York. [Vols. paged consecutively.] (Stand. Cycl. Hort.)

- Bailey, L. H. and Bailey Hortorium Staff. 1949. Manual of Cultivated Plants..., rev. ed. New York. [Reprinted 1951, New York.]
- Baileya = Baileya; a Quarterly Journal of Horticultural Taxonomy.
- Bakshi, T. S. 1958. Ecological Life History of *Pterospora andromedea*. Ph.D. dissertation. Washington State University.
- Bakshi, T. S. 1959. Ecology and morphology of *Pterosperma andromedea*. Bot. Gaz. 120: 203–217.
- Baldwin, J. T. 1937. The cyto-taxonomy of the *Telephium* section of *Sedum*. Amer. J. Bot. 24: 126–132.
- Baldwin, J. T. and B. M. Speese. 1951. *Penthorum*: Its chromosomes. Rhodora 53: 89–91.
- Barclay Estrup, P. 1974. The distribution of *Calluna vulgaris* (L.) Hull in western Canada. Syesis 7: 129–137.
- Barclay Estrup, P. 1993. Scottish heather, *Calluna vulgaris* (L.) Hull, in eastern Canada. Naturaliste Canad. 118: 47–55.
- Barnes, P. G. 1990. A summary of the genus *Shortia*. Plantsman 12: 23–34.
- Bartel, J. A. 1993. *Dudleya*. In: J. C. Hickman, ed. 1993. The Jepson Manual. Higher Plants of California. Berkeley, Los Angeles, and London. Pp. 525–530.
- Barton, B. S. 1802. Some account of the poisonous and injurious honey of North America. Trans. Amer. Philos. Soc. 5: 51–70.
- Barton, W. P. C. 1817–1819. Vegetable Materia Medica of the United States; or Medical Botany, Containing a Botanical, General, and Medical History, of Medicinal Plants Indigenous to the United States. 2 vols. in 4 parts each. Philadelphia. [Parts numbered consecutively throughout, vols. paged independently.] (Veg. Mater. Med. U.S.)
- Bartonia = Bartonia; a Botanical Annual.
- Bartram, W. 1791. Travels through North and South Carolina, Georgia, East and West Florida, the Cherokee Country, the Extensive Territories of the Muscogules, or Creek Confederacy, and the Country of the Chactaws.... Philadelphia.
- Bayer, R. J. et al. 1996b. Phylogenetic relationships in Sarraceniaceae based on *rbcL* and ITS sequences. Syst. Bot. 21: 121–134.
- Beamish, K. I. 1955. Studies in the genus *Dodecatheon* of northwestern North America. Bull. Torrey Bot. Club 82: 357–366.
- Beamish, K. I. 1961. Studies of meiosis in the genus *Saxifraga* of the Pacific Northwest. Canad. J. Bot. 39: 567–580.
- Beih. Bot. Centralbl. = Beihefte zum Botanischen Centralblatt. Original Arbeiten.
- Beijerinck, W. 1940. *Calluna*: A monograph on the Scotch heather. Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2, 38(4).
- Bell, C. R. 1949. A cytotoxic study of the Sarraceniaceae of North America. J. Elisha Mitchell Sci. Soc. 65: 137–166.
- Bell, C. R. 1952. Natural hybrids in the genus *Sarracenia* I. History, distribution and taxonomy. J. Elisha Mitchell Sci. Soc. 68: 55–80.
- Bell, C. R. and F. W. Case. 1956. Natural hybrids in the genus *Sarracenia* II. Current notes on distribution. J. Elisha Mitchell Sci. Soc. 72: 142–152.
- Bemerk. Reise Russ. Reich—See: J. G. Georgi 1775
- Bensel, C. R. and B. F. Palser. 1975. Floral anatomy in the Saxifragaceae sensu lato. I. Introduction, Parnassioideae and Brexioideae. Amer. J. Bot. 62: 176–185.
- Bensel, C. R. and B. F. Palser. 1975b. Floral anatomy in the Saxifragaceae sensu lato. II. Saxifragoideae and Iteoideae. Amer. J. Bot. 62: 661–675.
- Bensel, C. R. and B. F. Palser. 1975c. Floral anatomy in the Saxifragaceae sensu lato. III. Kirengeshomoideae, Hydrangeoideae and Escallonioideae. Amer. J. Bot. 62: 676–687.
- Bensel, C. R. and B. F. Palser. 1975d. Floral anatomy in the Saxifragaceae sensu lato. IV. Baueroideae and conclusions. Amer. J. Bot. 62: 688–694.
- Bentham, G. 1839[–1857]. Plantas Hartwegianas Imprimis Mexicanas.... London. [Issued by gatherings with consecutive signatures and pagination.] (Pl. Hartw.)
- Bentham, G. and J. D. Hooker. 1862–1883. Genera Plantarum ad Exemplaria Imprimis in Herbariis Kewensibus Servata Definita. 3 vols. London. (Gen. Pl.)
- Ber. Schweiz. Bot. Ges. = Bericht der Schweizerischen botanischen Gesellschaft.
- Berger, A. 1924. A Taxonomic Review of Currants and Gooseberries. Geneva, N.Y. [New York State Agric. Exp. Sta., Techn. Bull. 109.]
- Berger, A. 1930. Crassulaceae. In: H. G. A. Engler et al., eds. 1924+. Die natürlichen Pflanzenfamilien..., ed. 2. 26+ vols. Leipzig and Berlin. Vol. 18, pp. 352–485.
- Berry, P. E. et al. 2001. *Lissocarpa* is sister to *Diospyros* (Ebenaceae). Kew Bull. 56: 725–729.
- Bethers, B. L. 1973. A Biosystematic Study of the *Saxifraga rhomboidea* Complex. Ph.D. dissertation. Utah State University.
- Beytr. Teut. Forstswiss.—See: F. A. J. von Wangenheim 1787
- Bidartondo, M. I. and T. D. Bruns. 2001. Extreme specificity in epiparasitic Monotropoideae (Ericaceae): Widespread phylogenetic and geographical structure. Molec. Ecol. 10: 2285–2295.
- Bidartondo, M. I. and T. D. Bruns. 2002. Fine-level mycorrhizal specificity in the Monotropoideae (Ericaceae): Specificity for fungal species groups. Molec. Ecol. 11: 557–569.
- Bigelow, J. 1824. Florula Bostoniensis. A Collection of Plants of Boston and Its Vicinity..., ed. 2. Boston. (Fl. Boston. ed. 2)
- Bijdr. Fl. Ned. Ind.—See: C. L. Blume 1825–1826
- Biochem. Syst. & Ecol. = Biochemical Systematics and Ecology.
- Biol. J. Linn. Soc. = Biological Journal of the Linnean Society.
- Biol. Rev. Cambridge Philos. Soc. = Biological Reviews of the Cambridge Philosophical Society.
- Bjorkman, E. 1960. *Monotropa hypopitys* L.—An epiparasite on tree roots. Physiol. Pl. (Copenhagen) 13: 308–327.
- Blake, S. F. 1917. The varieties of *Chimaphila umbellata*. Rhodora 19: 237–244.
- Blume, C. L. 1825–1826. Bijdragen tot de Flora van Nederlandsch Indië. 17 parts. Batavia. [Parts paged consecutively.] (Bijdr. Fl. Ned. Ind.)
- Blumea = Blumea; Tidsschrift voor die Systematiek en die Geografie der Planten (A Journal of Plant Taxonomy and Plant Geography).

- Böcher, T. W. 1914. On the origin of *Saxifraga nathorstii* (Dusén) v. Hayeck. *Meddel. Grönland* 131(2): 1–14.
- Böcher, T. W. 1961. Studies in Pyrolaceae—Two interesting wintergreens from West Greenland. *Bot. Tidsskr.* 57: 28–37.
- Bohm, B. A., H. M. Banek, and J. R. Maze. 1984. Flavonoid variation in North American *Menziesia* (Ericaceae). *Syst. Bot.* 9: 324–345.
- Bohm, B. A., S. W. Brim, R. J. Hebda, and P. F. Stevens. 1978. Generic limits in the tribe Cladothamneae (Ericaceae) and its position in the Rhododendroideae. *J. Arnold Arbor.* 59: 311–341.
- Bohm, B. A., G. Chalmers, and U. G. Bhat. 1988. Flavonoids and the relationship of *Itea* to the Saxifragaceae. *Phytochemistry* 27: 2651–2653.
- Bohm, B. A. and F. W. Collins. 1979. Flavonoids of some species of *Chrysosplenium*. *Biochem. Syst. & Ecol.* 7: 195–201.
- Bohm, B. A., L. S. Donevan, and U. G. Bhat. 1986. Flavonoids of some species of *Bergenia*, *Francoa*, *Parnassia*, and *Lepuropetalon*. *Biochem. Syst. & Ecol.* 14: 75–77.
- Boiteau, P. and L. Allorge-Boiteau. 1995. *Kalanchoe* (Crassulacées) de Madagascar: Systématique, Écophysiologie et Phytochimie. Boulogne etc.
- Bol. Soc. Bot. México = Boletín de la Sociedad Botánica de México.
- Bot. Beechey Voy.—See: W. J. Hooker and G. A. W. Arnott [1830–]1841
- Bot. California—See: W. H. Brewer et al. 1876–1880
- Bot. Gaz. = Botanical Gazette; Paper of Botanical Notes.
- Bot. J. Linn. Soc. = Botanical Journal of the Linnean Society.
- Bot. Jahrb. Syst. = Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie.
- Bot. Mag. = Botanical Magazine; or, Flower-garden Displayed.... [Edited by Wm. Curtis.] [With vol. 15, 1801, title became Curtis's Botanical Magazine; or....]
- Bot. Mag. (Tokyo) = Botanical Magazine. [Shokubutsu-gaku Zasshi.] (Tokyo.)
- Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. = Botanicheskie Materialy Gerbariya Botanicheskogo Instituti Imeni V. L. Komarova, Akademii Nauk S S S R.
- Bot. Not. = Botaniska Notiser.
- Bot. Reg. = Botanical Register....
- Bot. Repos. = Botanists' Repository, for New, and Rare Plants.
- Bot. Rev. (Lancaster) = Botanical Review, Interpreting Botanical Progress.
- Bot. Surv. Olympic Penins.—See: G. N. Jones 1936
- Bot. Tidsskr. = Botanisk Tidsskrift.
- Bot. Zhurn. (Moscow & Leningrad) = Botanicheskii Zhurnal. (Moscow and Leningrad.)
- Botany (Fortieth Parallel)—See: S. Watson 1871
- Boyd, S. 2004. Report of a new introduced species and revised key to the annual *Crassula* (Crassulaceae) of California. *Madroño* 51: 393–394.
- Boykin, L. M., M. C. Vasey, V. T. Parker, and R. Patterson. 2005. Two lineages of *Arctostaphylos* (Ericaceae) identified using the internal transcribed spacer (ITS) region of the nuclear genome. *Madroño* 52: 139–147.
- Bradleya = Bradleya; Yearbook of the British Cactus and Succulent Society.
- Brand, A. 1901. Symplocaceae. In: H. G. A. Engler, ed. 1900–1953. *Das Pflanzenreich....* 107 vols. Berlin. Vol. 6[IV,242], pp. 1–100.
- Bremer, B. et al. 2002. Phylogenetics of asterids based on 3 coding and 3 non-coding chloroplast DNA markers and the utility of non-coding DNA at higher taxonomic levels. *Molec. Phylogen. Evol.* 24: 274–301.
- Brewer, W. H. et al. 1876–1880. Geological Survey of California.... Botany.... 2 vols. Cambridge, Mass. (Bot. California)
- Bridson, G. D. R. and E. R. Smith. 1991. B-P-H/S. *Botanico-Periodicum-Huntianum/Supplementum*. Pittsburgh.
- Brit. Fl. ed. 2—See: J. Hull 1808[–1810]
- Brit. Herb.—See: J. Hill 1756[–1757]
- Britton, N. L. 1901. Manual of the Flora of the Northern States and Canada. New York. (Man. Fl. N. States)
- Britton, N. L. et al., eds. 1905+. North American Flora.... 47+ vols. New York. [Vols. 1–34, 1905–1957; ser. 2, parts 1–13+, 1954+.] (N. Amer. Fl.)
- Britton, N. L. and A. Brown. 1913. An Illustrated Flora of the Northern United States, Canada and the British Possessions from Newfoundland to the Parallel of the Southern Boundary of Virginia, and from the Atlantic Ocean Westward to the 102d Meridian..., ed. 2. 3 vols. New York. (Ill. Fl. N. U.S. ed. 2)
- Britton, N. L. and J. N. Rose. 1903. New or Noteworthy North American Crassulaceae. New York. [Preprinted from Bull. New York Bot. Gard. 3: 1–45. 1903.] (New N. Amer. Crassul.)
- Britton, N. L. and J. N. Rose. 1905. Crassulaceae. In: N. L. Britton et al., eds. 1905+. North American Flora.... 47+ vols. New York. Vol. 22, pp. 7–74.
- Britton, N. L., E. E. Sterns, J. F. Poggensburg, et al. 1888. Preliminary Catalogue of Anthophyta and Pteridophyta Reported As Growing Spontaneously within One Hundred Miles of New York City. New York. [Authorship often attributed as B.S.P. in nomenclatural contexts.] (Prelim. Cat.)
- Brittonia = Brittonia; a Journal of Systematic Botany....
- Brouillet, L. and R. J. Gornall. 2007. New combinations in *Micranthes* (a segregate of *Saxifraga*, Saxifragaceae) in North America. *J. Bot. Res. Inst. Texas* 1: 1019–1022.
- Brown, R. 1823. *Chloris Melvilliana*. A List of Plants Collected in Melville Island...in the Year 1820.... London. [Preprint with independent pagination from W. E. Parry. 1824. A Supplement to the Appendix of Captain Parry's Voyage.... London.] (Chlor. Melvill.)
- Brown, S. 1913. *Corema conradii*. *Bartonia* 6: 1–7.
- Bruederle, L. P., M. S. Hugan, and J. M. Dignan. 1996. Genetic variation in natural populations of the large cranberry, *Vaccinium macrocarpon* Ait. (Ericaceae). *Bull. Torrey Bot. Club* 123: 41–47.
- Bruederle, L. P. and N. Vorsa. 1994. Genetic differentiation of diploid blueberry, *Vaccinium* sect. *Cyanococcus* (Ericaceae). *Syst. Bot.* 19: 337–349.
- Brummitt, R. K. 1972. Nomenclatural and historical considerations concerning the genus *Galax*. *Taxon* 21: 303–317.
- Brummitt, R. K. and C. E. Powell, eds. 1992. Authors of Plant Names. A List of Authors of Scientific Names of Plants, with Recommended Standard Forms of Their Names, Including Abbreviations. Kew.

- Bull. Amer. Rock Gard. Soc. = Bulletin of the American Rock Garden Society.
- Bull. Brit. Mus. (Nat. Hist.), Bot. = Bulletin of the British Museum (Natural History). Botany.
- Bull. Calif. Acad. Sci. = Bulletin of the California Academy of Sciences.
- Bull. Charleston Mus. = Bulletin of the Charleston Museum.
- Bull. Dept. Geol. Univ. Calif. = Bulletin of the Department of Geology, University of California.
- Bull. Misc. Inform. Kew = Bulletin of Miscellaneous Information, Royal Gardens, Kew.
- Bull. Natl. Clearinghouse Poison Control Centers = Bulletin; National Clearinghouse for Poison Control Centers.
- Bull. New York Bot. Gard. = Bulletin of the New York Botanical Garden.
- Bull. S. Calif. Acad. Sci. = Bulletin of the Southern California Academy of Sciences.
- Bull. Soc. Bot. France = Bulletin de la Société Botanique de France.
- Bull. Tall Timbers Res. Sta. = Bulletin of Tall Timbers Research Station.
- Bull. Torrey Bot. Club = Bulletin of the Torrey Botanical Club.
- Bunge, A. A. [1833.] *Enumeratio Plantarum, Quas in China Boreali Collegit....* St. Petersburg. [Preprinted from *Mém. Acad. Imp. Sci. St.-Pétersbourg Divers Savans* 2: 75–148. 1835.] (Enum. Pl. China Bor.)
- Burbanck, M. P. and R. B. Platt. 1964. Granite outcrop communities of the Piedmont Plateau in Georgia. *Ecology* 45: 292–306.
- Burke, J. W. and R. W. Doskotch. 1990. High field 1H- and 13C-NMR assignments of grayanotoxins I, IV, and XIV isolated from *Kalmia angustifolia*. *J. Nat. Prod. (Lloydia)* 53: 131–137.
- Burton, T. L. and B. C. Husband. 1999. Population cytotype structure in the polyploid *Galax urceolata* (Diapensiaceae). *Heredity* 82: 381–390.
- Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol. = Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody. Otdel Biologicheskii.
- Bywater, M. and G. E. Wickens. 1984. New World species of the genus *Crassula*. *Kew Bull.* 39: 699–728.
- Cact. Succ. J. (Los Angeles) = Cactus and Succulent Journal.
- Caldasia = Caldasia; Boletín del Instituto de Ciencias Naturales de la Universidad Nacional de Colombia.
- Calder, J. A. and D. B. O. Savile. 1959. Studies in Saxifragaceae—I. The *Heuchera cylindrica* complex in and adjacent to British Columbia. *Brittonia* 11: 49–67.
- Calder, J. A. and D. B. O. Savile. 1959b. Studies in Saxifragaceae—II. *Saxifraga* sect. *Trachyphyllum* in North America. *Brittonia* 11: 228–249.
- Calder, J. A. and D. B. O. Savile. 1960. Studies in Saxifragaceae—III. *Saxifraga odontoloma* and *lyallii*, and North American subspecies of *S. punctata*. *Canad. J. Bot.* 38: 409–435.
- Calder, J. A. and R. L. Taylor. 1968. Flora of the Queen Charlotte Islands. 2 vols. Ottawa.
- Calie, P. J. 1981. Systematic studies in *Sedum* section *Ternata* (Crassulaceae). *Brittonia* 33: 498–507.
- Callihan, R. H., S. L. Carson, and R. T. Dobbins. 1995. NAWEEDS, Computer-aided Weed Identification for North America. Illustrated User's Guide plus Computer Floppy Disk. Moscow, Idaho.
- Camp, W. H. 1940. Aphylloous forms of *Pyrola*. *Bull. Torrey Bot. Club* 67: 453–465.
- Camp, W. H. 1941. Studies in the Ericales: A review of the North American Gaylussacieae; with remarks on the origin and migration of the group. *Bull. Torrey Bot. Club* 68: 531–551.
- Camp, W. H. 1942. On the structure of populations in the genus *Vaccinium*. *Brittonia* 4: 189–204.
- Camp, W. H. 1944. A preliminary consideration of the biosystematy of *Oxycoccus* [*Vaccinium*]. *Bull. Torrey Bot. Club* 71: 426–437.
- Canad. Field-Naturalist = Canadian Field-Naturalist.
- Canad. J. Bot. = Canadian Journal of Botany.
- Canad. J. Forest Res. = Canadian Journal of Forest Research.
- Canad. J. Genet. Cytol. = Canadian Journal of Genetics and Cytology.
- Canad. J. Pl. Sci. = Canadian Journal of Plant Science.
- Candolle, A. P. de. 1799–1832. *Plantarum Historia Succulentarum. Histoire des Plantes Grasses.* 31 parts. Paris. [Leaves and plates numbered consecutively.]
- Candolle, A. P. de. 1828. *Crassulaceae*. In: A. P. de Candolle and A. L. P. P. de Candolle, eds. 1823–1873. *Prodromus Systematis Naturalis Regni Vegetabilis....* 17 vols. Paris etc. Vol. 3, pp. 382–414.
- Candolle, A. P. de. 1839. *Ericaceae*. In: A. P. de Candolle and A. L. P. P. de Candolle, eds. 1823–1873. *Prodromus Systematis Naturalis Regni Vegetabilis....* 17 vols. Paris etc. Vol. 7, pp. 580–733.
- Candolle, A. P. de and A. L. P. P. Candolle, eds. 1823–1873. *Prodromus Systematis Naturalis Regni Vegetabilis....* 17 vols. Paris etc. [Vols. 1–7 edited by A. P. de Candolle, vols. 8–17 by A. L. P. P. de Candolle.] (Prod.)
- Candollea = Candollea; Organe du Conservatoire et du Jardin Botaniques de la Ville de Genève.
- Carlson, M. L., S. D. Gisler, and S. Kelso. 2008. The role of reproductive assurance in the Arctic: A comparative study of a homostylous and distylos species pair. *Arctic Alpine Res.* 40: 39–47.
- Carniv. Pl. Newslett. = Carnivorous Plant Newsletter; Journal of the International Carnivorous Plant Society.
- Case, F. W. and R. B. Case. 1976. The *Sarracenia rubra* complex. *Rhodora* 78: 270–325.
- Castanea = Castanea; Journal of the Southern Appalachian Botanical Club.
- Cat. N. Amer. Pl. ed. 2—See: A. A. Heller 1900
- Cat. Pl. Cub.—See: A. H. R. Grisebach 1866
- Catal. Pl. New Bern 1837—See: H. B. Croom 1837
- Cavanilles, A. J. 1785–1790. *Monadelphiae Classis Dissertationes Decem.* 10 parts. Madrid. [Parts (dissertations) paged consecutively.] (Diss.)
- Cavanilles, A. J. 1791–1801. *Icones et Descriptiones Plantarum, Quae aut Sponte in Hispania Crescunt, aut in Hortis Hospitantur.* 6 vols. Madrid. (Icon.)
- Cayouette, J. 1986. Innovations taxonomiques et observations sur la flore vasculaire du Nouveau-Québec. *Naturaliste Canad.* 113: 331–336.
- Cent. Pl. I—See: C. Linnaeus 1755
- Center Pl. Conservation = The Center for Plant Conservation [Newsletter].
- Ceska, A. and O. Ceska. 1980. Additions to the flora of British Columbia. *Canad. Field-Naturalist* 94: 69–74.

- Chamberlain, D. F. 1982. A revision of *Rhododendron* II. Subgenus *Hymenanthes*. Notes Roy. Bot. Gard. Edinburgh 39: 209–486.
- Chamberlain, D. F. et al. 1996. The Genus *Rhododendron*: Its Classification and Synonymy. Edinburgh.
- Chamberlain, D. F. and S. J. Rae. 1990. A revision of *Rhododendron* IV. Subgenus *Tsutsusi*. Edinburgh J. Bot. 47: 89–200.
- Chamisso, L. A. von and D. F. L. von Schlechtendal. 1826–1836. De plantis in expeditione speculatoria Romanzoffiana observatis rationem dicunt. Linnaea 1–10: passim.
- Chase, M. W. et al. 1993. Phylogenetics of seed plants: An analysis of nucleotide sequences from the plastid gene *rbcL*. Ann. Missouri Bot. Gard. 80: 528–580.
- Chester, E. W. 1966. A Biosystematic Study of the Genus *Halesia* Ellis (Styracaceae). Ph.D. dissertation. University of Tennessee.
- Chestnut, V. K. 1902. Plants used by the Indians of Mendocino County, California. Contr. U.S. Natl. Herb. 7: 295–408.
- Chlor. Melvill.—See: R. Brown 1823
- Cholewa, A. F. and D. M. Henderson. 1993. Primulaceae. In: J. C. Hickman, ed. 1993. The Jepson Manual. Higher Plants of California. Berkeley, Los Angeles, and London. Pp. 905–909.
- Chumley, T. W. and R. L. Hartman. 2000. Rediscovery of *Ribes niveum* (Grossulariaceae) in Colorado. Sida 19: 407–410.
- Cipollini, M. L. and E. W. Stiles. 1992. Antifungal activity of ripe ericaceous fruits: Phenolic acid interactions and palatability for dispersers. Biochem. Syst. & Ecol. 20: 501–514.
- Cladistics = Cladistics; the International Journal of the Willi Hennig Society.
- Clark, R. and W. L. Halvorson. 1987. The recovery of Santa Barbara Island live-forever. Fremontia 14(4): 1, 3–6.
- Clark, R. B. 1942. A revision of the genus *Bumelia* in the United States. Ann. Missouri Bot. Gard. 29: 155–182.
- Class-book Bot. ed. s.n.(b)—See: A. Wood 1861
- Clausen, R. T. 1940. Studies in the Crassulaceae: *Villadia*, *Altamiranoa*, and *Thompsonella*. Bull. Torrey Bot. Club 67: 195–198.
- Clausen, R. T. 1949. Crassulaceae. In: L. H. Bailey and Bailey Hortorium Staff. 1949. Manual of Cultivated Plants..., rev. ed. New York. Pp. 454–460.
- Clausen, R. T. 1975. *Sedum* of North America North of the Mexican Plateau. Ithaca, N.Y. (*Sedum* N. Amer.)
- Clausen, R. T. 1981. Variation of Species of *Sedum* of the Mexican Cordilleran Plateau. Ithaca, N.Y.
- Clausen, R. T., R. V. Moran, and C. H. Uhl. 1945. The taxonomy and cytology of *Hasseanthus*. Desert Pl. Life 17: 69–83.
- Clawson, A. B. 1933. Alpine Kalmia (*Kalmia microphylla*) As a Stock-poisoning Plant. Washington. [U.S.D.A., Techn. Bull. 391.]
- Clay, K. 1983. Myrmecochory in the trailing arbutus (*Epigaea repens* L.). Bull. Torrey Bot. Club 110: 166–169.
- Clay, K. and N. C. Ellstrand. 1981. Stylar polymorphism in *Epigaea repens*, a dioecious species. Bull. Torrey Bot. Club 108: 305–310.
- Clemants, S. E. 1995. *Bejaria*. In: Organization for Flora Neotropica. 1968+. Flora Neotropica. 98+ nos. New York. No. 66, pp. 54–106.
- Cochrane, S. A. 1985. *Dudleya brevifolia*: California's own living stone. Fremontia 13(1): 21.
- Cody, W. J. 1954. A history of *Tillaea aquatica* (Crassulaceae) in Canada and Alaska. Rhodora 56: 96–100.
- Cody, W. J. 1996. Flora of the Yukon Territory. Ottawa.
- Cody, W. J. 2000. Flora of the Yukon Territory, ed. 2. Ottawa.
- Coffey, V. J. and S. B. Jones. 1980. Biosystematics of *Lysimachia* section *Seleucia* (Primulaceae). Brittonia 32: 309–322.
- Colla, L. A. 1824. *Hortus Ripulensis seu Enumeration Plantarum Quae Ripulis Coluntur....* Turin. (*Hortus Ripul.*)
- Compan. Bot. Mag. = Companion to the Botanical Magazine....
- Compt. Rend. Hebd. Séances Acad. Sci., Sér. D = Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences. Série D, Sciences Naturelles.
- Constance, L. 1938. A revision of the genus *Douglasia* Lindl. Amer. Midl. Naturalist 19: 249–259.
- Contr. Bolus Herb. = Contributions from the Bolus Herbarium.
- Contr. Boyce Thompson Inst. Pl. Res. = Contributions of the Boyce Thompson Institute for Plant Research.
- Contr. Dudley Herb. = Contributions from the Dudley Herbarium of Stanford University.
- Contr. Gray Herb. = Contributions from the Gray Herbarium of Harvard University. [Some numbers reprinted from (or in?) other periodicals, e.g. Rhodora.]
- Contr. U.S. Natl. Herb. = Contributions from the United States National Herbarium.
- Contr. W. Bot. = Contributions to Western Botany.
- Cooley, G. W. 1892. Impressions of Alaska. Bull. Torrey Bot. Club 19: 178–189.
- Cooperider, T. S. and B. L. Brockett. 1974. The nature and status of *Lysimachia ×producta* (Primulaceae). Brittonia 26: 119–128.
- Cooperider, T. S. and B. L. Brockett. 1976. The nature and status of *Lysimachia ×producta* (Primulaceae)—II. Brittonia 28: 76–80.
- Copeland, H. F. 1935. On the genus *Pityopus*. Madroño 3: 154–168.
- Copeland, H. F. 1937. The reproductive structures of *Pleuricospora*. Madroño 4: 1–16.
- Copeland, H. F. 1938. The structure of *Allotropa*. Madroño 4: 137–153.
- Copeland, H. F. 1939. The structure of *Monotropsis* and the classification of the Monotropoideae. Madroño 5: 105–119.
- Copeland, H. F. 1941. Further studies on Monotropoideae. Madroño 6: 97–119.
- Copeland, H. F. 1943. A study, anatomical and taxonomic, of the genera of Rhododendroideae. Amer. Midl. Naturalist 30: 533–625.
- Copeland, H. F. 1947. Observations on the structure and classification of the Pyroleae. Madroño 9: 65–102.
- Corner, E. J. H. 1952. Wayside Trees of Malaya, ed. 2. 2 vols. Singapore.

- Correll, D. S. and M. C. Johnston. 1970. Manual of the Vascular Plants of Texas. Renner, Tex.
- Corrig.—See: A. M. Johnson 1927b
- Cory, V. L. 1943. The genus *Styrax* in central and western Texas. *Madroño* 7: 110–115.
- Costa, S. S., A. Jossang, and B. Bodo. 1995. Propriétés biologiques et phytochimie des *Kalanchoe*. In: P. Boiteau and L. Allorge-Boiteau. 1995. *Kalanchoe* (Crassulacées) de Madagascar: Systématique, Écophysiologie et Phytochimie. Boulogne etc. Pp. 219–235.
- Coville, F. V. 1903. *Ribes aureum* and *Ribes lenticum*. Proc. Biol. Soc. Wash. 15: 23–29.
- Coville, F. V. and N. L. Britton. 1908. Grossulariaceae. In: N. L. Britton et al., eds. 1905+. North American Flora.... 47+ vols. New York. Vol. 22, pp. 193–225.
- Cox, G. W. and D. G. Cox. 1977. Successional islands. *SouthW. Naturalist* 47B: 3–9.
- Cox, P. A. bis. 1987. Chasing the wild Texas snowbells. *Center Pl. Conservation* 2: 1, 8.
- Craft, J. H. 1943. Extra-floral nectaries in *Bryophyllum calycinum*. Proc. Iowa Acad. Sci. 49: 113–115.
- Cronquist, A. 1945b. Studies in the Sapotaceae—II. Survey of the North American genera. *Lloydia* 9: 241–292.
- Cronquist, A. 1945c. Studies in the Sapotaceae—III. *Dipholis* and *Bumelia*. *J. Arnold Arbor.* 26: 435–471.
- Cronquist, A. 1949. Noteworthy plants of Georgia. *Castanea* 14: 101–108.
- Cronquist, A. 1981. An Integrated System of Classification of Flowering Plants. New York.
- Cronquist, A. et al. 1972+. Intermountain Flora. Vascular Plants of the Intermountain West, U.S.A. 6+ vols. in 7+. New York and London. (Intermount. Fl.)
- Croom, H. B. 1837. A Catalogue of Plants, Native or Naturalized, in the Vicinity of New Bern, North Carolina; with Remarks and Synonyms. New York. (Catal. Pl. New Bern 1837)
- Crusio, W. E. 1981. Die Gattung *Samolus*. *Inform. Z. A. G. Wasserpflanzen* 11: 3–8.
- Cullen, J. 1980. A revision of *Rhododendron*. 1. Subgenus *Rhododendron* sections *Rhododendron* and *Pogonanthum*. *Notes Roy. Bot. Gard. Edinburgh* 39: 1–207.
- Cullings, K. W. 2000. Reassessment of phylogenetic relationships of some members of the Monotropoideae based on partial 28S ribosomal RNA gene sequencing. *Canad. J. Bot.* 78: 1–2.
- Cullings, K. W., T. M. Szaro, and T. D. Bruns. 1996. Evolution of extreme specialization within a lineage of ectomycorrhizal epiparasites. *Nature* 379: 63–66.
- Cycl.—See: A. Rees [1802–1819–1820]
- Davies, P. A. 1952. Geographical variation in *Shortia galacifolia*. *Rhodora* 54: 121–124.
- Davies, P. A. 1955. Distribution and abundance of *Shortia galacifolia*. *Rhodora* 57: 189–201.
- Davis, R. J. 1952. Flora of Idaho. Dubuque.
- Day, R. T. and P. J. Scott. 1981. Autecological aspects of *Diapensia lapponica* L. in Newfoundland. *Rhodora* 83: 101–109.
- Day, R. T. and P. J. Scott. 1984. The biology of *Diapensia lapponica* in Newfoundland. *Canad. Field-Naturalist* 98: 425–439.
- Dayton, W. A. 1931. Important Western Browne Plants. Washington. [U.S.D.A., Misc. Publ. 101.]
- DeBuhr, L. E. 1973. Distribution and Reproductive Biology of *Darlingtonia californica*. M.S. thesis. Claremont Graduate School.
- DeBuhr, L. E. 1975. Phylogenetic relationships of the Sarraceniaceae. *Taxon* 24: 297–306.
- Dendrologie—See: K. H. E. Koch 1869–1873
- Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. = Denkschriften der Kaiserlichen Akademie der Wissenschaften, Wien. Mathematisch-naturwissenschaftliche Klasse.
- Denton, M. F. 1982. Revision of *Sedum* section *Gormania* (Crassulaceae). *Brittonia* 34: 48–77.
- Department of Agricultural Technical Services [South Africa]. 1963+. Flora of Southern Africa.... 19+ vols. (some partial). Pretoria.
- Descr. Pl. Nouv.—See: É. P. Ventenat [1800–1803]
- Desert Pl. Life = Desert Plant Life.
- Desfontaines, R. L. 1829[–1832]. Tableau de l'École Botanique du Muséum d'Histoire Naturelle, ed. 3. 1 vol. + Add. Paris. [Title: Catalogus Plantarum Horti Regii Parisiensis....] (Tabl. École Bot. ed. 3)
- Deut. Dendrol.—See: B. A. E. Koehne 1893
- Deutschl. Fl. ed. 2—See: J. Sturm et al. 1900–1907
- Dickison, W. C. 1993. Floral anatomy of the Styracaceae, including observations on intra-ovarian trichomes. *Bot. J. Linn. Soc.* 112: 223–255.
- Dickison, W. C. and K. D. Phend. 1985. Wood anatomy of the Styracaceae: Evolutionary and ecological considerations. I. A. W. A. Bull., N.S. 6: 3–22.
- Dickison, W. C. and W. E. Schadel. 1979. Leaf anatomy and venation patterns of the Styracaceae. *J. Arnold Arbor.* 60: 8–37.
- Diggs, G. M. 1987. Numerical systematics of *Comarostaphylis* (Arbutae, Ericaceae). *Syst. Bot.* 12: 586–600.
- Diggs, G. M. 1995. *Comarostaphylis*. In: Organization for Flora Neotropica. 1968+. Flora Neotropica. 98+ nos. New York. No. 66, pp. 146–193.
- Dirr, M. A. 1998. Manual of Woody Landscape Plants..., ed 5. Champaign.
- Diss.—See: A. J. Cavanilles 1785–1790
- Dodero, M. 1996. Phylogenetic Analysis of *Dudleya* Subgenus *Hasseanthus* (Crassulaceae). M.S. thesis. San Diego State University.
- Don, D. 1825. *Prodromus Florae Nepalensis....* London. (Prodr. Fl. Nepal.)
- Don, G. 1831–1838. A General History of the Dichlamydeous Plants.... 4 vols. London. (Gen. Hist.)
- Doonan, S. 1993. The *Diapensia* family. *Bull. Amer. Rock Gard. Soc.* 51: 97–106.
- Dorn, R. D. 1988. Vascular Plants of Wyoming. Cheyenne. (Vasc. Pl. Wyoming)
- Dorr, L. J. 1981. The pollination ecology of *Zenobia* (Ericaceae). *Amer. J. Bot.* 68: 1325–1332.
- Dorr, L. J. 1995. Ericaceae subfamily Pyroloideae. In: Organization for Flora Neotropica. 1968+. Flora Neotropica. 98+ nos. New York. No. 66, pp. 28–52.
- Douglasia = Douglasia; Newsletter of the Washington Native Plant Society.
- Duke, J. A. 1985. CRC Handbook of Medicinal Herbs. Boca Raton.

- Dumortier, B. C. J. 1827. *Florula Belgica, Operis Majoris Prodromus....* Tournay. (Fl. Belg.)
- Duncan, W. H. 1985. Ten additions to the vascular flora of Georgia. *Castanea* 50: 52–55.
- Duncan, W. H. and T. M. Pullen. 1962. Lepidote rhododendrons of the southeastern United States. *Brittonia* 14: 290–298.
- Dunwoodie, P. W. 1990. Rare plants in coastal heathlands: Observations on *Corema conradii* (Empetraceae) and *Helianthemum dumosum* (Cistaceae). *Rhodora* 92: 22–26.
- Dute, R. R. et al. 2004. Floral anatomy and pollination biology of *Cyrilla racemiflora* (Cyrillaceae). *SouthE. Naturalist* 3: 309–326.
- Dymock, W., C. J. H. Warden, and D. Hooper. 1890–1893. *Pharmacographia Indica....* 3 vols. London etc.
- Eaton, A. 1829. A Manual of Botany for the Northern States, ed. 5. Albany. (Man. Bot. ed. 5)
- Ebinger, J. E. 1974. A systematic study of the genus *Kalmia*. *Rhodora* 76: 315–398.
- Ecklon, C. F. and K. L. P. Zeyher. [1834–]1835–1836[–1837]. *Enumeratio Plantarum Africae Australis Extratropicae....* 3 parts. Hamburg. [Parts paged consecutively.] (Enum. Pl. Afric. Austral.)
- Eclog. Amer.—See: M. Vahl 1796[1797]–1807
- Ecol. Monogr. = Ecological Monographs.
- Ecol. Res. (Tokyo) = Ecological Research. (Tokyo.)
- Ecology = Ecology, a Quarterly Journal Devoted to All Phases of Ecological Biology.
- Edinburgh J. Bot. = Edinburgh Journal of Botany.
- Edinburgh New Philos. J. = Edinburgh New Philosophical Journal.
- Edwards's Bot. Reg. = Edwards's Botanical Register....
- Eggli, U. 1992. Nomenclatural notes on two genera of Crassulaceae and a new combination. *Bradleya* 10: 83–84.
- Eggli, U., ed. 2003. Illustrated Handbook of Succulent Plants. Crassulaceae. New York.
- Eisner, T. and D. J. Aneshansley. 1983. Adhesive strength of the insect-trapping glue of a plant (*Befaria racemosa*). *Ann. Entomol. Soc. Amer.* 76: 295–298.
- Elliott, S. [1816–]1821–1824. A Sketch of the Botany of South-Carolina and Georgia. 2 vols. in 13 parts. Charleston. (Sketch Bot. S. Carolina)
- Ellison, A. M., L. B. Hannah, T. E. Miller, and N. J. Gotelli. 2004. Morphological variation in *Sarracenia purpurea* (Sarraceniaceae): Geographic, environmental, and taxonomic correlates. *Amer. J. Bot.* 91: 1930–1935.
- Elvander, P. E. 1982. Gynodioecy in *Saxifraga integrifolia* (Saxifragaceae). *Madroño* 29: 269–270.
- Elvander, P. E. 1984. The taxonomy of *Saxifraga* (Saxifragaceae) section *Boraphila* subsection *Integrifoliae* in western North America. *Syst. Bot. Monogr.* 3: 1–44.
- Elvander, P. E. 1993. Saxifragaceae. In: J. C. Hickman, ed. 1993. *The Jepson Manual. Higher Plants of California*. Berkeley, Los Angeles, and London. Pp. 1002–1011.
- Emerg. Med. J. = Emergency Medicine Journal.
- Emory, W. H. 1857–1859. Report on the United States and Mexican Boundary Survey, Made under the Direction of the Secretary of the Interior. 2 vols. in parts. Washington. (Rep. U.S. Mex. Bound.)
- Encycl.—See: J. Lamarck et al. 1783–1817
- Encycl. Brit. ed. 7—See: M. Napier [1830–]1842
- Encycl. Trees Shrubs—See: J. C. Loudon 1842
- Engler, H. G. A., ed. 1900–1953. *Das Pflanzenreich....* 107 vols. Berlin. [Sequence of vol. (Heft) numbers (order of publication) is independent of the sequence of series and family (Roman and Arabic) numbers (taxonomic order).] (Pflanzenr.)
- Engler, H. G. A. 1930. *Saxifragaceae*. In: H. G. A. Engler et al., eds. 1924+. *Die natürlichen Pflanzenfamilien...,* ed. 2. 26+ vols. Leipzig and Berlin. Vol. 18a, pp. 74–226.
- Engler, H. G. A. et al., eds. 1924+. *Die natürlichen Pflanzenfamilien...,* ed. 2. 26+ vols. Leipzig and Berlin. (Nat. Pflanzenfam. ed. 2)
- Engler, H. G. A. and E. Irmscher. 1916–1919. *Saxifraga*. In: H. G. A. Engler, ed. 1900–1953. *Das Pflanzenreich....* 107 vols. Berlin. Vols. 67, 69 [IV,117].
- Engler, H. G. A. and K. Prantl, eds. 1887–1915. *Die natürlichen Pflanzenfamilien....* 254 fascs. Leipzig. [Sequence of fasc. (Lieferung) numbers (order of publication) is independent of the sequence of division (Teil) and subdivision (Abteilung) numbers (taxonomic order).] (Nat. Pflanzenfam.)
- Enum. Pl. Afric. Austral.—See: C. F. Ecklon and K. L. P. Zeyher [1834–]1835–1836[–1837]
- Enum. Pl. China Bor.—See: A. A. Bunge [1833]
- Enum. Pl. Jap.—See: A. R. Franchet and P. A. L. Savatier [1873–]1875–1879
- Enum. Syst. Pl.—See: N. J. Jacquin 1760
- Erica—See: C. Linnaeus 1770
- Erythea = Erythea; a Journal of Botany, West American and General.
- Evans, W. E. 1927. A revision of the genus *Diapensia* with special reference to the Sino-Himalayan species. *Notes Roy. Bot. Gard. Edinburgh* 15: 209–236.
- Everett, T. H. 1939. *Kalanchoë tubiflora*. *Addisonia* 20: 63–64.
- Evol. Syst. Crassulaceae—See: H. 't Hart and U. Eggli 1995
- Evolution = Evolution, International Journal of Organic Evolution.
- Exped. Great Salt Lake—See: H. Stansbury 1852
- Fam. Pl.—See: M. Adanson 1763[–1764]
- Fassett, N. C. 1944. *Dodecatheon* in eastern North America. Amer. Midl. Naturalist 31: 455–486.
- Feddes Repert. = Feddes Repertorium.
- Fedtschenko, B. A. and N. A. Basilevskaja. 1928. Revision of the genus *Bejaria* Mutis. *Bot. Gaz.* 85: 299–322.
- Ferguson, L. F. 1972. *Anagallis*. In: T. G. Tutin et al., eds. 1964–1980. *Flora Europaea*. 5 vols. Cambridge. Vol. 3, pp. 28–29.
- Fernald, M. L. 1920. *Pyrola rotundifolia* and *P. americana*. *Rhodora* 22: 121–123.
- Fernald, M. L. 1928d. *Primula* sect. *Farinosae* in America. *Rhodora* 30: 59–77.
- Fernald, M. L. 1950. *Gray's Manual of Botany*, ed. 8. New York.
- Fernald, M. L., A. C. Kinsey, and R. C. Rollins. 1958. *Edible Wild Plants of Eastern North America*. New York.
- Fernald, M. L. and K. M. Wiegand. 1923. The genus *Empetrum* in North America. *Rhodora* 25: 211–217.
- Fish, D. 1976. Insect-plant relationships of the insectivorous pitcher plant *Sarracenia minor*. *Florida Entomol.* 59: 199–203.

- Fishbein, M., C. Hibsch Jetter, D. E. Soltis, and L. Hufford. 2001. Phylogeny of Saxifragales (angiosperms, eudicots): Analysis of a rapid, ancient radiation. *Syst. Biol.* 50: 817–847.
- Fl. Alaska Yukon—See: E. Hultén 1941–1950
- Fl. Amer. Sept.—See: F. Pursh [1813]1814
- Fl. Belg.—See: B. C. J. Dumortier 1827
- Fl. Bor.-Amer.—See: W. J. Hooker [1829–]1833–1840; A. Michaux 1803
- Fl. Boston. ed. 2—See: J. Bigelow 1824
- Fl. Calif.—See: W. L. Jepson 1909–1943
- Fl. Carol.—See: T. Walter 1788
- Fl. Chil.—See: C. Gay 1845–1854
- Fl. Dan.—See: G. C. Oeder et al. [1761–]1764–1883
- Fl. Jamaic.—See: C. Linnaeus 1759b
- Fl. Jap.—See: P. F. von Siebold and J. G. Zuccarini 1835[–1870]
- Fl. Jersey—See: L. V. Lester-Garland 1903
- Fl. Lapp.—See: G. Wahlenberg 1812
- Fl. Ludov.—See: C. S. Rafinesque 1817
- Fl. N. Amer.—See: J. Torrey and A. Gray 1838–1843
- Fl. N. Middle United States—See: J. Torrey [1823–]1824
- Fl. N.W. Amer.—See: T. J. Howell 1897–1903
- Fl. N.W. Coast—See: C. V. Piper and R. K. Beattie 1915
- Fl. Neotrop.—See: Organization for Flora Neotropica 1968+
- Fl. New York—See: J. Torrey 1843
- Fl. Peruv.—See: H. Ruiz López and J. A. Pavón 1798–1802
- Fl. Plains N. Amer.—See: P. A. Rydberg 1932
- Fl. Ross.—See: C. F. von Ledebour [1841]1842–1853; P. S. Pallas 1784–1788[–1831]
- Fl. S. Calif.—See: P. A. Munz 1974
- Fl. S.E. U.S.—See: J. K. Small 1903
- Fl. S.E. U.S. ed. 2—See: J. K. Small 1913
- Fl. S.E. Washington—See: H. St. John 1937
- Fl. Taur.-Caucas.—See: F. A. Marschall von Bieberstein 1808–1819
- Fl. Tellur.—See: C. S. Rafinesque 1836[1837–1838]
- Fl. W. Calif.—See: W. L. Jepson 1901
- Flexner, S. B. and L. C. Hauck, eds. 1987. The Random House Dictionary of the English Language, ed. 2 unabridged. New York.
- Florida Entomol. = Florida Entomologist.
- Floyd, J. W. 2002. Phylogenetic and biogeographic patterns in *Gaylussacia* (Ericaceae) based on morphological, nuclear DNA, and chloroplast DNA variation. *Syst. Bot.* 27: 99–115.
- Folkerts, G. W. 1982. The Gulf Coast pitcher plant bogs. *Amer. Sci.* 70: 260–267.
- Folkerts, G. W. and D. R. Folkerts. 1989. Unique capsule dehiscence in *Sarracenia leucophylla* Raf. and a hypothesis concerning post-anthesis tilting in *Sarracenia* flowers. *Castanea* 54: 111–114.
- Ford, B. A. 1996. Status of the deerberry, *Vaccinium stamineum* L. (Ericaceae), in Canada. *Rhodora* 97: 255–263.
- Fordham, A. J. 1991. *Elliottia racemosa* and its propagation. *Arnoldia* (Jamaica Plain) 51: 59–62.
- Forest Ecol. Managem. = Forest Ecology and Management.
- Forest Sci. = Forest Science.
- Forster, P. I. 1996. Naturalized succulents in the Australian flora. *Haseltonia* 4: 57–65.
- Franchet, A. R. and P. A. L. Savatier. [1873–]1875–1879. *Enumeratio Plantarum in Japonia Sponte Crescentium....* 2 vols. in 5 parts. Paris. [Parts paged consecutively within vols.] (Enum. Pl. Jap.)
- Franklin, J. et al. 1823. Narrative of a Journey to the Shores of the Polar Sea, in the Years 1819, 20, 21 and 22. London. [Richardson: Appendix VII. Botanical appendix, pp. [729]–768, incl. bryophytes by Schwägrichen, algae and lichens by Hooker.] (Narr. Journey Polar Sea)
- Franklin, J. et al. 1823b. Narrative of a Journey to the Shores of the Polar Sea, in the Years 1819, 20, 21 and 22, ed. 2. London. [Richardson: Appendix VII. Botanical appendix, pp. [729]–784, incl. bryophytes by Schwägrichen, algae and lichens by Hooker. Brown: Addenda [to Appendix VII], pp. 779–784.] (Narr. Journey Polar Sea ed. 2)
- Freeman, J. D. 1975. Revision of *Trillium* subgenus *Phyllantherum* (Liliaceae). *Brittonia* 27: 1–62.
- Freire-Fierro, A. 2002. A new species of *Ribes* (Grossulariaceae), along with notes and a key to the Ecuadorian species. *Syst. Bot.* 27: 14–18.
- Fremontia = Fremontia: Journal of the California Native Plant Society.
- Freudentstein, J. V. 1999b. Relationships and character transformation in Pyroloideae (Ericaceae) based on ITS sequences, morphology, and development. *Syst. Bot.* 24: 398–408.
- Fritsch, P. W. 1996. Isozyme analysis of intercontinental disjuncts within *Styrax* (Styracaceae): Implications for the Madrean-Tethyan hypothesis. *Amer. J. Bot.* 83: 342–355.
- Fritsch, P. W. 1996b. Population structuring and patterns of morphological variation in Californian *Styrax* (Styracaceae). *Aliso* 14: 205–218.
- Fritsch, P. W. 1997. A revision of *Styrax* (Styracaceae) for western Texas, Mexico, and Mesoamerica. *Ann. Missouri Bot. Gard.* 84: 705–761.
- Fritsch, P. W. 1999. Phylogeny of *Styrax* based on morphological characters, with implications for biogeography and infrageneric classification. *Syst. Bot.* 24: 356–378.
- Fritsch, P. W. 2001. Phylogeny and biogeography of the flowering plant genus *Styrax* (Styracaceae) based on chloroplast DNA restriction sites and DNA sequences of the internal transcribed spacer region. *Molec. Phylogen. Evol.* 19: 387–408.
- Fritsch, P. W. 2004. Styracaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 434–442.
- Fritsch, P. W. et al. 2006. Phylogeny of *Symplocos* based on DNA sequences of the chloroplast *trnC-trnD* intergenic region. *Syst. Bot.* 31: 181–192.
- Fritsch, P. W. et al. 2008. Revised infrafamilial classification of Symplocaceae based on phylogenetic data from DNA sequences and morphology. *Taxon* 57: 811–822.
- Fritsch, P. W. and S. A. Lucas. 2000. Clinal variation in the *Halesia carolina* complex (Styracaceae). *Syst. Bot.* 25: 197–210.
- Fritsch, P. W., C. M. Morton, Chen T., and C. Meldrum. 2001. Phylogeny and biogeography of the Styracaceae. *Int. J. Pl. Sci.* 162: S95–S116.

- Fröderström, H. A. 1930–1935. The genus *Sedum* L.: A systematic essay. *Acta Horti Gothob.* 5(app.), 6(app.), 7(app.), 10(app.).
- Fuller, T. C. and E. McClintock. 1986. Poisonous Plants of California. Berkeley.
- Funct. Ecol. = Functional Ecology.
- Furman, T. E. and J. Trappe. 1971. Phylogeny and ecology of mycotrophic achlorophyllous angiosperms. *Quart. Rev. Biol.* 46: 219–225.
- Gaertner, C. F. von. 1805–1807. *Supplementum Carpologiae....* 2 fascs. Leipzig. [Fascs. paged consecutively.] (Suppl. Carp.)
- Gage, S. 1992. Noteworthy collections: *Saxifragopsis fragarioides* (Greene) Small (Saxifragaceae). *Madroño* 39: 310.
- Gage, S. 1995. Noteworthy collections: *Saxifragopsis fragarioides* (Greene) Small (Saxifragaceae). *Madroño* 42: 518.
- Galle, F. C. 1985. Azaleas. Beaverton.
- Gard. & Forest = Garden and Forest; a Journal of Horticulture, Landscape Art and Forestry.
- Gard. Dict. ed. 8—See: P. Miller 1768
- Gartenflora = Gartenflora; Monatsschrift für deutsche und schweizerische Garten- und Blumenkunde.
- Gärtn. Zentralbl. = Gärtnerisches Zentral-Blatt.
- Gay, C. 1845–1854. *Historia Física y Política de Chile....* Botánica [Flora Chilena]. 8 vols., atlas. Paris and Santiago. (Fl. Chil.)
- Gen. Hist.—See: G. Don 1831–1838
- Gen. N. Amer. Pl.—See: T. Nuttall 1818
- Gen. Pl.—See: G. Bentham and J. D. Hooker 1862–1883; A. L. de Jussieu 1789
- Gen. Pl. ed. 5—See: C. Linnaeus 1754
- Genetics = Genetics; a Periodical Record of Investigations Bearing on Heredity and Variation.
- Georgi, J. G. 1775. Bemerkungen einer Reise im Russischen Reich im Jahre 1772. 2 vols. St. Petersburg. [Vols. paged consecutively.] (Bemerk. Reise Russ. Reich)
- Gervais, C., N. Dignard, and R. Trahan. 1995. The chromosome number of *Saxifraga gaspensis* Fernald. *Rhodora* 97: 171–175.
- Gibbs, P. E. and S. Talavera. 2001. Breeding system studies with three species of *Anagallis* (Primulaceae): Self-incompatibility and reduced female fertility in *A. monelli* L. *Ann. Bot. (Oxford)* 88: 139–144.
- Gibson, T. C. 1983. Competition, Disturbance, and the Carnivorous Plant Community in the Southeastern United States. Ph.D. dissertation. University of Utah.
- Giersbach, J. and L. V. Barton. 1932. Germination of seeds of the silverbell, *Halesia carolina*. *Contr. Boyce Thompson Inst. Pl. Res.* 4: 27–37.
- Godfrey, R. K. 1958b. Some identities in *Halesia* (Styracaceae). *Rhodora* 60: 86–88.
- Godfrey, R. K. 1988. Trees, Shrubs, and Woody Vines of Northern Florida and Adjacent Georgia and Alabama. Athens, Ga.
- Godfrey, R. K. and J. W. Wooten. 1981. Aquatic and Wetland Plants of Southeastern United States: Dicotyledons. Athens, Ga.
- Godt, M. J. W. and J. L. Hamrick. 1995. Low levels of allozyme differentiation between *Pyxidanthera* (pyxie-moss) taxa (Diapensiaceae). *Pl. Syst. Evol.* 195: 159–168.
- Godt, M. J. W. and J. L. Hamrick. 1999. Population genetic analysis of *Elliottia racemosa* (Ericaceae), a rare Georgia shrub. *Molec. Ecol.* 8: 75–82.
- Goetsch, L., A. J. Eckert, and B. D. Hall. 2005. The molecular systematics of *Rhododendron* (Ericaceae): A phylogeny based upon RPB2 gene sequences. *Syst. Bot.* 30: 616–626.
- Gonsoulin, G. J. 1974. A revision of *Styrax* (Styracaceae) in North America, Central America, and the Caribbean. *Sida* 5: 191–258.
- Good, R. 1927. The genus *Empetrum* L. *J. Linn. Soc., Bot.* 47: 489–523.
- Good, R. 1974. The Geography of the Flowering Plants, ed. 4. London.
- Goodrich, J., C. Lawson, and V. P. Lawson. 1980. Kashaya Pomo Plants. Los Angeles.
- Gornall, R. J. 1985. Nomenclature and typification of *Leptarrhena* (Saxifragaceae). *Taxon* 34: 280–283.
- Gornall, R. J. and B. A. Bohm. 1980. The use of flavonoids in the taxonomy of *Boykinia* and allies (Saxifragaceae). *Canad. J. Bot.* 58: 1768–1779.
- Gornall, R. J. and B. A. Bohm. 1984. Breeding systems and relationships among species of *Boykinia* and related genera (Saxifragaceae). *Canad. J. Bot.* 62: 33–37.
- Gornall, R. J. and B. A. Bohm. 1985. A monograph of *Boykinia*, *Peltoboykinia*, *Bolandra* and *Suksdorffia* (Saxifragaceae). *Bot. J. Linn. Soc.* 90: 1–71.
- Govaerts, R., D. G. Frodin, and T. D. Pennington. 2001. World Checklist and Bibliography of Sapotaceae. Kew.
- Grana = Grana; an International Journal of Palynology Including “World Pollen and Spore Flora.”
- Grandtner, M. M. 1978. *Diapensia lapponica* L. var. *lapponica* dans le massif de Saint-Urbain, Charlevoix-ouest, Québec. *Naturaliste Canad.* 105: 115–116.
- Grant, K. A. and V. Grant. 1968. Hummingbirds and Their Flowers. New York.
- Grauer, S. 1784. *Plantarum Minus Cognitarum Decuria. Dissertatio Inauguralis Medica....* Kiel. (Pl. Minus Cogn.)
- Gray, A. 1848. A Manual of the Botany of the Northern United States.... Boston, Cambridge, and London. (Manual)
- Gray, A. 1856. A Manual of the Botany of the Northern United States..., ed. 2. New York. (Manual ed. 2)
- Gray, A. et al. 1886. *Synoptical Flora of North America: The Gamopetalae, Being a Second Edition of Vol. i Part ii, and Vol. ii Part i, Collected.* 2 vols. New York, London, and Leipzig. [Reissued 1888 as Smithsonian Misc. Collect. 591.] (Syn. Fl. N. Amer. ed. 2)
- Gray, A., S. Watson, and J. M. Coulter. 1891. A Manual of the Botany of the Northern United States..., ed. 6, issue 2. New York, Cincinnati, and Chicago. (Manual ed. 6 issue 2)
- Gray, A., S. Watson, B. L. Robinson, et al. 1878–1897. *Synoptical Flora of North America.* 2 vols. in parts and fascs. New York etc. [Vol. 1(1,1), 1895; vol. 1(1,2), 1897; vol. 1(2), 1884; vol. 2(1), 1878.] (Syn. Fl. N. Amer.)
- Gray, S. F. 1821. A Natural Arrangement of British Plants.... 2 vols. London. (Nat. Arr. Brit. Pl.)
- Greene, E. L. 1894. Manual of the Botany of the Region of San Francisco Bay.... San Francisco. (Man. Bot. San Francisco)

- Grisebach, A. H. R. 1866. Catalogus Plantarum Cubensium Exhibens Collectionem Wrightianam Aliasque Minores ex Insula Cuba Missas. Leipzig. (Cat. Pl. Cub.)
- Groner, M. G. 1975. Allelopathic influence of *Kalanchoe daigremontiana* on other species of plants. Bot. Gaz. 136: 207–211.
- Grote, P. J. and D. L. Dilcher. 1989. Investigations of angiosperms from the Eocene of North America: A new genus of Theaceae based on fruit and seed remains. Bot. Gaz. 150: 190–206.
- Guggisberg, A., G. Mansion, S. Kelso, and E. Conti. 2006. Evolution of biogeographic patterns, ploidy levels, and breeding systems in a diploid-polyploid species complex of *Primula*. New Phytol. 171: 617–632.
- Haber, E. 1970. Some aberrant *Pyrola* collections from eastern North America. Rhodora 72: 480–485.
- Haber, E. 1972. A Biosystematic Study of the Eastern North American Species of *Pyrola*. Ph.D. dissertation. University of Toronto.
- Haber, E. 1983. Morphological variability and flavonoid chemistry of the *Pyrola asarifolia* complex (Ericaceae) in North America. Syst. Bot. 8: 277–298.
- Haber, E. 1984. A comparative study of *Pyrola minor* × *P. asarifolia* (Ericaceae) and its parental species in North America. Canad. J. Bot. 62: 1054–1061.
- Haber, E. 1987. Variability, distribution, and systematics of *Pyrola picta* s.l. (Ericaceae) in western North America. Syst. Bot. 12: 324–335.
- Haber, E. 1993. Hybridization of *Pyrola chlorantha* (Ericaceae) in North America. Canad. J. Bot. 66: 1993–2000.
- Haber, E. and Hiroshi Takahashi. 1988. A comparative study of the North American *Pyrola asarifolia* and its Asian vicariate, *P. incarnata* (Ericaceae). Bot. Mag. (Tokyo) 101: 483–495.
- Halda, J. J. 1992. The Genus *Primula* in Cultivation and the Wild. Denver.
- Hall, I. V., L. E. Aalders, N. L. Nickerson, and S. Vander Kloet. 1979. The biological flora of Canada: 1. *Vaccinium angustifolium* Ait., sweet lowbush blueberry. Canad. Field-Naturalist 93: 415–430.
- Hall, I. V., L. P. Jackson, and C. F. Everett. 1973. The biology of Canadian weeds. 1. *Kalmia angustifolia* L. Canad. J. Pl. Sci. 53: 865–873.
- Hall, I. V. and J. M. Shay. 1981. Biological flora of Canada: 3. *Vaccinium vitis-idaea* L. var. *minus* Lodd. Supplementary account. Canad. Field-Naturalist 45: 435–464.
- Ham, R. C. H. J. van. 1994. Phylogenetic Implications of Chloroplast DNA Variation in the Crassulaceae. Utrecht. Pp. 81–103.
- Ham, R. C. H. J. van and H. 't Hart. 1994. Phylogenetic relationships in the Crassulaceae inferred from chloroplast DNA restriction-site variation. In: R. C. H. J. van Ham. 1994. Phylogenetic Implications of Chloroplast DNA Variation in the Crassulaceae. Utrecht. Pp. 81–103.
- Ham, R. C. H. J. van and H. 't Hart. 1998. Phylogenetic relationships in the Crassulaceae inferred from chloroplast DNA restriction-site variation. Amer. J. Bot. 85: 123–134.
- Handbuch—See: J. H. F. Link 1829–1833
- Handel-Mazzetti, H. 1928. A revision of the Chinese species of *Lysimachia*, with a new system of the whole genus. Notes Roy. Bot. Gard. Edinburgh 16: 51–121.
- Handel-Mazzetti, H. and E. Peter-Stibal. 1943. Eine Revision der chinesischen Arten der Gattung *Symplocos* Jacq. Beih. Bot. Centralbl. 62: 1–42.
- Hao, G. et al. 2004. Molecular phylogeny of *Lysimachia* (Myrsinaceae) based on chloroplast *trnL-F* and nuclear ribosomal ITS sequences. Molec. Phylogen. Evol. 31: 323–339.
- Hara, H. 1957. Synopsis of the genus *Chrysosplenium* L. (Saxifragaceae). J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 1–90.
- Harborne, J. B. and C. A. Williams. 1973. A chemotaxonomic survey of flavonoids and simple phenols in leaves of the Ericaceae. Bot. J. Linn. Soc. 66: 37–54.
- Harder, L. D. and R. M. R. Barclay. 1994. The functional significance of poricidal anthers and buzz pollination: Controlled pollen removal for *Dodecatheon*. Funct. Ecol. 8: 508–517.
- Hardin, J. W. 1966. An analysis of variation in *Symplocos tinctoria*. J. Elisha Mitchell Sci. Soc. 82: 6–12.
- Harmaja, H. 1991. Taxonomic notes on *Rhododendron* subsection *Ledum* (*Ledum*, Ericaceae), with a key to its species. Ann. Bot. Fenn. 28: 171–173.
- Harris, S. A. 2003. An occurrence of the hawkweed-leaved saxifrage, *Saxifraga hieraciifolia*, in southern British Columbia, and its paleobotanical implications. Canad. Field-Naturalist 117: 304–306.
- Haseltonia = Haseltonia; Yearbook of the Cactus and Succulent Society of America.
- Haskins, M. L. and W. J. Hayden. 1987. Anatomy and affinities of *Penthorum*. Amer. J. Bot. 74: 164–177.
- Haston, E. et al. 2007. A linear sequence of Angiosperm Phylogeny Group II families. Taxon 56: 7–12.
- Hatch, S. L., K. N. Gandhi, and L. E. Brown. 1990. Checklist of the Vascular Plants of Texas. College Station, Tex.
- Hatley, J. R. 1977. An Analysis of Variation in *Shortia galacifolia*. M.S. thesis. North Carolina State University.
- Haworth, A. H. 1803. *Miscellanea Naturalia....* London. (Misc. Nat.)
- Haworth, A. H. 1812. *Synopsis Plantarum Succulentarum....* London. (Syn. Pl. Succ.)
- Haworth, A. H. 1821. *Saxifragarum Enumeratio....* London. (Saxifrag. Enum.)
- Hebda, R. J. and C. C. Chinnappa. 1980. Cytological evidence for generic limits in tribe Cladothamneae. Canad. J. Bot. 58: 1119–1120.
- Hedberg, O. 1992. Taxonomic differentiation in *Saxifraga hirculus* L. (Saxifragaceae)—A circumpolar arctic-boreal species of central Asiatic origin. Bot. J. Linn. Soc. 109: 377–393.
- Heisey, R. M. and B. K. Gorham. 1992. Antimicrobial effects of plant extracts on *Streptococcus mutans*, *Candida albicans*, *Trichophyton rubrum* and other microorganisms. Lett. Appl. Microbiol. 14: 136–139.
- Heller, A. A. 1900. Catalogue of North American Plants North of Mexico, Exclusive of the Lower Cryptogams, ed. 2. [Lancaster, Pa.] (Cat. N. Amer. Pl. ed. 2)
- Hellson, J. C. 1974. Ethnobotany of the Blackfoot Indians. Ottawa.
- Henrickson, J. 1983. A revision of *Samolus ebracteatus* sensu lato (Primulaceae). SouthW. Naturalist 28: 303–314.
- Heredity = Heredity; an International Journal of Genetics.

- Herring, B. J. and W. S. Judd. 1995. A floristic study of Ichetucknee Springs State Park, Suwannee and Columbia counties, Florida. *Castanea* 60: 318–369.
- Heywood, V. H., ed. 1978. Flowering Plants of the World. Oxford.
- Hickman, J. C., ed. 1993. The Jepson Manual. Higher Plants of California. Berkeley, Los Angeles, and London.
- Hickman, J. C. and M. P. Johnson. 1969. An analysis of geographical variation in western North American *Menziesia* (Ericaceae). *Madroño* 20: 1–32.
- Hiern, W. P. 1873. A monograph of the Ebenaceae. *Trans. Cambridge Philos. Soc.* 12: 27–300.
- Hileman, L. C., M. C. Vasey, and V. T. Parker. 2001. Phylogeny and biogeography of the Arbutoideae (Ericaceae): Implications for the Madrean-Tethyan hypothesis. *Syst. Bot.* 26: 131–143.
- Hill, J. 1756[–1757]. The British Herbal: An History of Plants and Trees.... 52 fasc. London. [Fascicles paged and plates numbered consecutively.] (Brit. Herb.)
- Hist. & Commentat. Acad. Elect. Sci. Theod.-Palat. = Historia et Commentationes Academiae Electoralis Scientiarum et Elegantiorum Literarum Theodoro-Palatinæ.
- Hist. Nat. Îles Canaries—See: P. B. Webb and S. Berthelot [1835–]1836–1850
- Hist. Nat. Vég.—See: É. Spach 1834–1848
- Hist. Pl. Dauphiné—See: D. Villars 1786–1789
- Hist. Pl. Guiane—See: J. B. Aublet 1775
- Hitchcock, C. L. 1961. Saxifragaceae. In: C. L. Hitchcock et al. 1955–1969. Vascular Plants of the Pacific Northwest. 5 vols. Seattle. Vol. 3, pp. 1–62.
- Hitchcock, C. L., A. Cronquist, M. Ownbey, and J. W. Thompson. 1955–1969. Vascular Plants of the Pacific Northwest. 5 vols. Seattle. [Univ. Wash. Publ. Biol. 17.] (Vasc. Pl. Pacif. N.W.)
- Hokanson, K. and J. F. Hancock. 1993. The common lowbush blueberry, *Vaccinium angustifolium* Aiton, may be an autopolyploid. *Canad. J. Pl. Sci.* 73: 889–891.
- Holmgren, N. H. 1994. Redefinition of *Dodecatheon dentatum* and rationale for use of varietal rank. *Brittonia* 46: 87–94.
- Holmgren, N. H. 2005. Primulaceae. In: A. Cronquist et al. 1972+. Intermountain Flora. Vascular Plants of the Intermountain West, U.S.A. 6+ vols. in 7+. New York and London. Vol. 2, part B, pp. 448–467.
- Holmgren, N. H. and S. Kelso. 2001. *Primula cusickiana* (Primulaceae) and its varieties. *Brittonia* 53: 154–156.
- Holmgren, P. K. and N. H. Holmgren. 1997. Saxifragaceae. In: A. Cronquist et al. 1972+. Intermountain Flora. Vascular Plants of the Intermountain West, U.S.A. 6+ vols. in 7+. New York and London. Vol. 3, Part A, pp. 33–60.
- Hooker, J. D. 1865. Crassulaceae. In: G. Bentham and J. D. Hooker. 1862–1883. Genera Plantarum ad Exemplaria Imprimis in Herbariis Kewensibus Servata Definita. 3 vols. London. Vol. 1, pp. 656–661.
- Hooker, J. D. 1865b. Saxifrageae. In: G. Bentham and J. D. Hooker. 1862–1883. Genera Plantarum ad Exemplaria Imprimis in Herbariis Kewensibus Servata Definita. 3 vols. London. Vol. 1, pp. 629–655.
- Hooker, W. J. [1829–]1833–1840. Flora Boreali-Americanæ; or, the Botany of the Northern Parts of British America.... 2 vols. in 12 parts. London, Paris, and Strasbourg. (Fl. Bor.-Amer.)
- Hooker, W. J. and G. A. W. Arnott. [1830–]1841. The Botany of Captain Beechey's Voyage; Comprising an Account of the Plants Collected by Messrs Lay and Collie, and Other Officers of the Expedition, during the Voyage to the Pacific and Bering's Strait, Performed in His Majesty's Ship Blossom, under the Command of Captain F. W. Beechey...in the Years 1825, 26, 27, and 28. 10 parts. London. [Parts paged and plates numbered consecutively.] (Bot. Beechey Voy.)
- Hoot, S. B., S. Magallon, and P. R. Crane. 1999. Phylogeny of basal eudicots based on three molecular datasets: *atpB*, *rbcL*, and 18S nuclear ribosomal DNA sequences. *Ann. Missouri Bot. Gard.* 86: 1–32.
- Hoover, R. F. 1965. A new *Dudleya* from California. *Leafl. W. Bot.* 10: 186–187.
- Hoover, R. F. 1970. The Vascular Plants of San Luis Obispo County, California. Berkeley.
- Hort. Brit. ed. 2—See: R. Sweet 1830
- Hort. Kew.—See: W. Aiton 1789
- Hortus Ripul.—See: L. A. Colla 1824
- Host, N. T. 1797. Synopsis Plantarum in Austria Provinciisque Adiacentibus Sponte Crescentium. Vienna. (Syn. Pl.)
- Howard, R. A. 1974. Further comments on *Styrax* L. *Sida* 5: 334–337.
- Howell, J. T. 1942. New from Europe. *Leafl. W. Bot.* 3: 163.
- Howell, T. J. 1897–1903. A Flora of Northwest America. 1 vol. in 8 fascs. Portland. [Fasc. 1–7 (text) paged consecutively, fasc. 8 (index) independently.] (Fl. N.W. Amer.)
- Hufford, L. and W. C. Dickison. 1992. A phylogenetic analysis of Cunoniaceae. *Syst. Bot.* 17: 181–200.
- Hull, J. 1808[–1810]. The British Flora..., ed. 2. 1 vol. only. Manchester. (Brit. Fl. ed. 2)
- Hultén, E. 1927–1930. Flora of Kamtchatka and the Adjacent Islands.... 4 vols. Stockholm. [Vols. designated as numbers of Kongl. Svenska Vetenskapsakad. Handl., ser. 3.]
- Hultén, E. 1941–1950. Flora of Alaska and Yukon. 10 vols. Lund and Leipzig. [Vols. paged consecutively and designated as simultaneous numbers of Lunds Univ. Årsskr. (= Acta Univ. Lund.) and Kungl. Fysiogr. Sällsk. Handl.] (Fl. Alaska Yukon)
- Hultén, E. 1968. Flora of Alaska and Neighboring Territories: A Manual of the Vascular Plants. Stanford.
- Hultén, E. 1971. The circumpolar plants. II. Dicotyledons. Kongl. Svenska Vetensk. Acad. Handl., ser. 4, 13: 1–463.
- Hultgård, U.-M. 1993. *Primula scandinavica* and *P. stricta*: Patterns of distribution, variation, reproductive strategies and migration. *Opera Bot.* 121: 35–43.
- Humboldt, A. von, A. J. Bonpland, and C. S. Kunth. 1815[1816]–1825. Nova Genera et Species Plantarum Quas in Peregrinatione Orbis Novi Collegerunt, Descripserunt.... 7 vols. in 36 parts. Paris. (Nov. Gen. Sp.)
- Hutchinson, J. 1973. The Families of Flowering Plants, ed. 3. Oxford.
- I. A. W. A. Bull., N.S. = I A W A Bulletin. New Series. Quarterly Periodical of the International Association of Wood Anatomists.
- Icon.—See: A. J. Cavanilles 1791–1801
- Icon. Pl. = Icones Plantarum....

- Ill. Fl. N. U.S. ed. 2—See: N. L. Britton and A. Brown 1913
- Ill. Hort. = L'illustration Horticole....
- Ill. Pl. Eur.—See: G. Rouy 1895–1905
- Illinois Biol. Monogr. = Illinois Biological Monographs.
- Iltis, H. H. and W. M. Shaughnessy. 1960. Preliminary reports of the flora of Wisconsin no. 43. Primulaceae—primrose family. Trans. Wisconsin Acad. Sci. 49: 113–135.
- Index Seminum (Berlin), App. = Index Seminum (Berlin), Appendix.
- Index Seminum (Göttingen) = Index Seminum Horti Academicici Goettingensis Anno...Collecta.
- Index Seminum (St. Petersburg) = Index Seminum, Quae Hortus Botanicus Imperialis Petropolitanus pro Mutua Commutatione Offert.
- Inform. Z. A. G. Wasserpflanzen = Informationen Z A G Wasserpflanzen.
- Ingram, J. W. 1961. Studies in the cultivated Ericaceae, I. *Leucothoë*. Baileya 9: 57–66.
- Ingram, J. W. 1979. *Leucothoë* revisited (Ericaceae). Baileya 20: 141–145.
- Int. J. Pl. Sci. = International Journal of Plant Sciences.
- Intermount. Fl.—See: A. Cronquist et al. 1972+
- Isis (Oken) = Isis, oder encyclopädische Zeitung (vorzüglich für Naturgeschichte, vergleichende Anatomie und Physiologie). [Oken ed.]
- Ismail, A. A. and D. E. Yarborough. 1981. Lambkill control in lowbush blueberry fields with glyphosate and 2,4-D. J. Amer. Soc. Hort. Sci. 106: 393–396.
- Iwatsuki, K., T. Yamazaki, D. E. Boufford, and H. Ohba, eds. 1993+. Flora of Japan. 3+ vols. in 6+. Tokyo.
- J. Acad. Nat. Sci. Philadelphia = Journal of the Academy of Natural Sciences of Philadelphia.
- J. Agric. Res. = Journal of Agricultural Research.
- J. Amer. Soc. Hort. Sci. = Journal of the American Society for Horticultural Science.
- J. Arnold Arbor. = Journal of the Arnold Arboretum.
- J. Bot. Res. Inst. Texas = Journal of the Botanical Research Institute of Texas.
- J. Bot. (Schrader) = Journal für die Botanik. [Edited by H. A. Schrader.] [Volumation indicated by nominal year date and vol. number for that year (1 or 2); e.g. 1800(2).]
- J. Chem. Ecol. = Journal of Chemical Ecology.
- J. Ecol. = Journal of Ecology.
- J. Elisha Mitchell Sci. Soc. = Journal of the Elisha Mitchell Scientific Society.
- J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. = Journal of the Faculty of Science, University of Tokyo. Section III. Botany.
- J. Hist. Nat. = Journal d'Histoire Naturelle.
- J. Hort. Soc. London = Journal of the Horticultural Society of London.
- J. Jap. Bot. = Journal of Japanese Botany.
- J. Linn. Soc., Bot. = Journal of the Linnean Society. Botany.
- J. Nat. Prod. (Lloydia) = Journal of Natural Products (Lloydia).
- J. Pl. Res. = Journal of Plant Research. [Shokubutsu-gaku zasshi.]
- J. Torrey Bot. Soc. = Journal of the Torrey Botanical Society.
- J. Wash. Acad. Sci. = Journal of the Washington Academy of Sciences.
- Jacobsen, H. 1960. A Handbook of Succulent Plants.... 3 vols. London.
- Jacobson, A. L., F. C. Weinmann, and P. F. Zika. 2001. Noteworthy collections. Madroño 48: 213–214.
- Jacquemart, A. L. 1997. *Vaccinium oxycoccos* L. (*Oxycoccus palustris* Pers.) and *Vaccinium microcarpum* (Turcz. ex Rupr.) Schmalh. (*Oxycoccus microcarpus* Turcz. ex Rupr.). J. Ecol. 85: 381–396.
- Jacquemart, A. L. 1998. Biological flora of the British Isles: *Andromeda polifolia*. J. Ecol. 86: 527–541.
- Jacquin, N. J. 1760. *Enumeratio Systematica Plantarum, Quas in Insulis Caribaeis Vicinaque Amheres Continentem Detexit Novas....* Leiden. (Enum. Syst. Pl.)
- Janczewski, E. 1907. Monographie des groseilliers, *Ribes* L. Mém. Soc. Phys. Genève 35: 199–516.
- Jard. Malmaison—See: É. P. Ventenat 1803–1804[–1805]
- Jaynes, R. A. 1988. *Kalmia*: The Laurel Book II. Portland.
- Jensen, L. C. W. 1961. Pollination studies with native Minnesota *Pyrola* and *Moneses* species. Proc. Minnesota Acad. Sci. 29: 210–218.
- Jepson, W. L. 1901. A Flora of Western Middle California.... Berkeley. (Fl. W. Calif.)
- Jepson, W. L. 1909–1943. A Flora of California.... 3 vols. in 12 parts. San Francisco etc. [Pagination consecutive within each vol.; vol. 1 page sequence independent of part number sequence (chronological); part 8 of vol. 1 (pp. 1–32, 579–index) never published.] (Fl. Calif.)
- Jepson, W. L. [1923–1925.] A Manual of the Flowering Plants of California.... Berkeley. (Man. Fl. Pl. Calif.)
- Johnson, A. F. 1982b. Some demographic characteristics of the Florida rosemary *Ceratiola ericoides* Michx. Amer. Midl. Naturalist 108: 170–174.
- Johnson, A. M. 1927. The status of *Saxifraga nuttallii*. Amer. J. Bot. 14: 38–43.
- Johnson, A. M. 1927b. Corrigendum [to The status of *Saxifraga nuttallii*]. Lancaster, Pa. [Slip attached to reprints of A. M. Johnson 1927.] (Corrig.)
- Johnson, F. D. and R. Steele. 1978. New plant records for Idaho from Pacific coastal refugia. NorthW. Sci. 52: 205–211.
- Johnson, L. A. and D. E. Soltis. 1994. *matK* DNA sequences and phylogenetic reconstruction in Saxifragaceae, s.s. Syst. Bot. 19: 143–156.
- Jones, G. N. 1936. A Botanical Survey of the Olympic Peninsula. Seattle. [Univ. Wash. Publ. Biol. 5.] (Bot. Surv. Olympic Penins.)
- Jørgensen, M. H. et al. 2006. Taxonomy and evolutionary relationships in the *Saxifraga rivularis* complex. Syst. Bot. 31: 702–729.
- Judd, W. S. 1981. A monograph of *Lyonia* (Ericaceae). J. Arnold Arbor. 62: 63–209, 315–436.
- Judd, W. S. 1982. A taxonomic revision of *Pieris* (Ericaceae). J. Arnold Arbor. 63: 103–144.
- Judd, W. S. 1984. A taxonomic revision of the American species of *Agarista* (Ericaceae). J. Arnold Arbor. 65: 255–342.
- Judd, W. S. 1995. *Lyonia*. In: Organization for Flora Neotropica. 1968+. Flora Neotropica. 98+ nos. New York. No. 66, pp. 222–294.
- Judd, W. S. and K. A. Kron. 1993. Circumscription of Ericaceae (Ericales) as determined by preliminary cladistic analyses based on morphological, anatomical, and embryological features. Brittonia 45: 99–114.

- Judd, W. S. and K. A. Kron. 1995. A revision of *Rhododendron* VI. Subgenus *Pentanthera* (sections *Sciadorhodion*, *Rhodora*, and *Viscidula*). Edinburgh J. Bot. 52: 1–54.
- Junak, S. et al. 1995. A Flora of Santa Cruz Island. Santa Barbara and Sacramento.
- Jussieu, A. L. de. 1789. Genera Plantarum.... Paris. (Gen. Pl.) Just's Bot. Jahresber. = Just's botanischer Jahresbericht; systematisch geordnetes Repertorium der botanischen Literatur aller Länder.
- Källersjö, M., G. Bergqvist, and A. A. Anderberg. 2000. Generic realignment in primuloid families of the Ericales s.l.: A phylogenetic analysis based on DNA sequences from three chloroplast genes and morphology. Amer. J. Bot. 87: 1325–1341.
- Kartesz, J. T. and K. N. Gandhi. 1990. Nomenclatural notes for the North American flora, II. Phytologia 68: 421–427.
- Keeley, J. E., M. C. Vasey, and V. T. Parker. 2007. Subspecific variation in the widespread burl-forming *Arctostaphylos glandulosa*. Madroño 54: 42–62.
- Keep, E. 1962. Interspecific hybridization in *Ribes*. Genetics 33: 1–23.
- Keever, C., H. J. Oosting, and L. E. Anderson. 1951. Plant succession on exposed granite of Rocky Face Mountain, Alexander Co., North Carolina. Bull. Torrey Bot. Club 78: 401–421.
- Kelso, S. 1987. *Primula tschuktschorum* and *Primula eximia* (Primulaceae, sect. *Crystallophlomis*): A distylous species and its homostylous relative from the Bering Strait region, Alaska. Brittonia 39: 63–72.
- Kelso, S. 1991. Taxonomy of *Primula* sects. *Aleuritia* and *Armerina* in North America. Rhodora 93: 67–99.
- Kelso, S. 1991b. Taxonomy and biogeography of *Primula* sect. *Cuneifolia* (Primulaceae) in North America. Madroño 38: 37–44.
- Kelso, S. 1992. Conspectus of the genus *Douglasia* (Primulaceae) with comments on *Douglasia alaskana*, an Alaska–Yukon alpine endemic. Canad. J. Bot. 70: 593–596.
- Kelso, S. 1992b. The genus *Primula* as a model for evolution in the Alaskan flora. Arctic Alpine Res. 24: 82–87.
- Keng, H. 1952. Comparative morphological studies in Theaceae. Univ. Calif. Publ. Bot. 33: 269–384.
- Kew Bull. = Kew Bulletin.
- Kiger, R. W. and D. M. Porter. 2001. Categorical Glossary for the Flora of North America Project. Pittsburgh.
- Kingsbury, J. M. 1964. Poisonous Plants of the United States and Canada. Englewood Cliffs.
- Kirkman, W. B. and J. R. Ballington. 1990. Creeping blueberries (Ericaceae: *Vaccinium* sect. *Herpotrichus*): A new look at *V. crassifolium* including *V. sempervirens*. Syst. Bot. 15: 679–699.
- Klopfer, K. 1973. Florale Morphogenese und Taxonomie der Saxifragaceae sensu lato. Feddes Repert. 84: 475–516.
- Klotz, L. H. and C. Loeffler. 2007. Morphological analysis of shooting star populations (*Dodecatheon*, Primulaceae) in Pennsylvania. Castanea 72: 159–176.
- Knapp, U. 1994. Skulptur der Samenschale und Gliederung der Crassulaceae. Bot. Jahrb. Syst. 116: 157–187.
- Knudsen, J. T. and J. M. Olesen. 1993. Buzz-pollination and patterns in sexual traits in North European Pyrolaceae. Amer. J. Bot. 80: 900–913.
- Knuth, P. 1906–1909. Handbook of Flower Pollination..., transl. J. R. Ainsworth Davis. 3 vols. Oxford.
- Kobuski, C. E. 1951. Studies in the Theaceae, XXI. The species of Theaceae indigenous to the United States. J. Arnold Arbor. 32: 123–138.
- Koch, K. H. E. 1869 1873. Dendrologie. Bäume, Sträucher und Halbsträucher, welche in Mittel- und Nord-Europa im Freien kultivirt werden. 2 vols. in 3. Erlangen. (Dendrologie)
- Koch, W. D. J. [1835–]1837–1838. Synopsis Florae Germanicae et Helvetiae.... 1 vol. in 2 sects. and index. Frankfurt am Main. [Index paged independently.] (Syn. Fl. Germ. Helv.)
- Koehne, B. A. E. 1893. Deutsche Dendrologie. Stuttgart. (Deut. Dendrol.)
- Komarov, V. L., B. K. Schischkin, and E. Bobrov, eds. 1934–1964. Flora URSS.... 30 vols. Leningrad.
- Kongl. Svenska Vetensk. Acad. Handl. = Kongl[iga]. Svenska Vetenskaps Akademiens Handlingar.
- Kongl. Vetensk. Acad. Nya Handl. = Kongl[iga]. Vetenskaps Akademiens Nya Handlingar.
- Koontz, J. A. and D. E. Soltis. 1999. DNA sequence data reveal polyphyly of Brexioidae (Brexiaceae; Saxifragaceae sensu lato). Pl. Syst. Evol. 219: 199–208.
- Kral, R., ed. 1983. A Report on Some Rare, Threatened, or Endangered Forest-related Vascular Plants of the South. 2 vols. Washington. [U.S.D.A. Forest Serv., Techn. Publ. R8-TP 2.]
- Krause, D. L. and K. I. Beamish. 1972. Taxonomy of *Saxifraga occidentalis* and *S. marshallii*. Canad. J. Bot. 50: 2131–2141.
- Krause, D. L. and K. I. Beamish. 1973. Notes on *Saxifraga occidentalis* and closely related species in British Columbia. Syesis 6: 105–113.
- Kress, A. 1988. Beobachtungen an Blüten von *Kalmia latifolia* L. (Ericaceae). Phytologia 65: 249–284.
- Křísa, B. 1966. Contribution to the taxonomy of the genus *Pyrola* L. in North America. Bot. Jahrb. Syst. 90: 476–508.
- Křísa, B. 1971. Beitrag zur Taxonomie und Chorologie der Gattung *Pyrola* L. Bot. Jahrb. Syst. 90: 476–508.
- Kron, K. A. 1989. *Azalea rosea* is a superfluous name. Sida 13: 331–333.
- Kron, K. A. 1993. A revision of *Rhododendron* section *Pentanthera*. Edinburgh J. Bot. 50: 249–364.
- Kron, K. A. 1997. Phylogenetic relationships of Rhododendroideae (Ericaceae). Amer. J. Bot. 84: 973–980.
- Kron, K. A. et al. 2002. Phylogenetic classification of Ericaceae: Molecular and morphological evidence. Bot. Rev. (Lancaster) 68: 335–423.
- Kron, K. A. and M. Creel. 1999. A new species of deciduous azalea (*Rhododendron* section *Pentanthera*; Ericaceae) from South Carolina. Novon 9: 377–380.
- Kron, K. A. and W. S. Judd. 1990. Phylogenetic relationships within the Rhodoreae (Ericaceae) with specific comments on the placement of *Ledum*. Syst. Bot. 15: 57–68.
- Kron, K. A., W. S. Judd, and D. M. Crayn. 1999. Phylogenetic analyses of Andromedae (Ericaceae subfam. Vaccinioideae). Amer. J. Bot. 86: 1290–1300.

- Kron, K. A. and J. M. King. 1996. Cladistic relationships of *Kalmia*, *Leiophyllum*, and *Loiseleuria* (Phyllodoceae, Ericaceae) based on *rbcL* and nrITS data. *Syst. Bot.* 21: 17–29.
- Kubitzki, K. 2007. Iteaceae. In: K. Kubitzki et al., eds. 1990+. *The Families and Genera of Vascular Plants*. 9+ vols. Berlin etc. Vol. 9, pp. 202–204.
- Kubitzki, K. et al., eds. 1990+. *The Families and Genera of Vascular Plants*. 9+ vols. Berlin etc.
- Kuntze, O. 1891–1898. *Revisio Generum Plantarum Vascularium Omnium atque Cellularium Multarum....* 3 vols. Leipzig etc. [Vol. 3 in 3 parts paged independently; parts 1 and 3 unnumbered.] (*Revis. Gen. Pl.*)
- Kurashige, Y. et al. 2001. Sectional relationships in the genus *Rhododendron* (Ericaceae): Evidence from *matK* and *trnK* intron sequences. *Pl. Syst. Evol.* 228: 1–14.
- Kuzoff, R. K., L. Hufford, and D. E. Soltis. 2001. Structural homology and developmental transformations associated with ovary diversification in *Lithophragma* (Saxifragaceae). *Amer. J. Bot.* 88: 196–205.
- Kuzoff, R. K., D. E. Soltis, L. Hufford, and P. S. Soltis. 1999. Phylogenetic relationships within *Lithophragma* (Saxifragaceae): Hybridization, allopolyploidy, and ovary diversification. *Syst. Bot.* 24: 598–615.
- Lakela, O. 1937. A monograph of the genus *Tiarella* L. in North America. *Amer. J. Bot.* 24: 344–351.
- Lamarck, J. et al. 1783–1817. *Encyclopédie Méthodique. Botanique....* 13 vols. Paris and Liège. [Vols. 1–8, suppls. 1–5] (*Encycl.*)
- Lamarck, J. and J. Poiret. 1791–1823. *Tableau Encyclopédique et Méthodique des Trois Règnes de la Nature. Botanique....* 6 vols. Paris. [Vols. 1–2 = tome 1; vols. 3–5 = tome 2; vol. [6] = tome 3. Vols. paged consecutively within tomes.] (*Tabl. Encycl.*)
- Lambert, B. et al. 1990. Identification and plant interaction of a *Phyllobacterium* sp., a predominant rhizobacterium of young sugar beet plants. *Appl. Environm. Microbiol.* 56: 1093–1102.
- Lane, M. A. et al. 1993. *Rhododendron albiflorum* Hook. (Ericaceae): One taxon or two? *Rhodora* 95: 11–20.
- Langenheim, J. H. 2003. *Plant Resins: Chemistry, Evolution, Ecology, and Ethnobotany*. Portland.
- Lauzac-Marchal, M. 1974. Réhabilitation du genre *Bryophyllum* Salisb. (Crassulacées Kalanchoïdées). *Compt. Rend. Hebd. Séances Acad. Sci., Sér. D* 278: 2505–2508.
- Lawrence, G. H. M. 1951. *Taxonomy of Vascular Plants*. New York.
- Leafl. Bot. Observ. Crit. = Leaflets of Botanical Observation and Criticism.
- Leafl. W. Bot. = Leaflets of Western Botany.
- Leaves Flowers—See: A. Wood 1863
- Ledebour, C. F. von. [1841]1842–1853. *Flora Rossica sive Enumeratio Plantarum in Totius Imperii Rossici Provinciis Europaeis, Asiaticis, et Americanis Hucusque Observatarum....* 4 vols. Stuttgart. (Fl. Ross.)
- Lehmann, J. G. C. 1817. *Monographia Generis Primularum....* Leipzig. (Monogr. Primul.)
- Lems, K. 1964. Evolutionary studies in the Ericaceae. II. Leaf anatomy as a phylogenetic index in the Andromedae. *Bot. Gaz.* 125: 178–186.
- Lens, F. et al. 2004. Comparative wood anatomy of the blueberry tribe (Vacciniae, Ericaceae s.l.). *Ann. Missouri Bot. Gard.* 91: 566–592.
- Lens, F. et al. 2005. Comparative wood anatomy of the primuloid clade (Ericales s.l.). *Syst. Bot.* 30: 163–183.
- Lersten, N. R. and H. T. Horner. 1976. Bacterial leaf nodule symbiosis in angiosperms with emphasis on Rubiaceae and Myrsinaceae. *Bot. Rev. (Lancaster)* 42(2): 145–214.
- Lester-Garland, L. V. 1903. *A Flora of the Island of Jersey with a List of Plants of the Channel Islands in General....* London. (Fl. Jersey)
- Lett. Appl. Microbiol. = Letters in Applied Microbiology.
- Levan, A. 1933. Über das Geschlechtschromosom in *Sedum rhodiola* DC. *Bot. Not.* 1933: 195–197.
- Levin, G. A. and T. W. Mulroy. 1985. Floral morphology, nectar production, and breeding systems in *Dudleya* subgenus *Dudleya* (Crassulaceae). *Trans. San Diego Soc. Nat. Hist.* 21: 57–70.
- Li, H. Q. 2005. Early Cretaceous sarraceniaceous-like pitcher plants from China. *Acta Bot. Gallica* 152: 227–234.
- Li, J. H. et al. 2002. Phylogenetic relationships of Empetraceae inferred from sequences of chloroplast gene *matK* and nuclear ribosomal DNA ITS region. *Molec. Phylogen. Evol.* 25: 306–315.
- Link, J. H. F. 1829–1833. *Handbuch zur Erkennung der nutzbarsten und am häufigsten vorkommenden Gewächse....* 3 vols. Berlin. (Handbuch)
- Linnaea = Linnaea. Ein Journal für die Botanik in ihrem ganzen Umfange.
- Linnaeus, C. 1753. *Species Plantarum....* 2 vols. Stockholm. (Sp. Pl.)
- Linnaeus, C. 1754. *Genera Plantarum*, ed. 5. Stockholm. (Gen. Pl. ed. 5)
- Linnaeus, C. 1755. *Centuria I. Plantarum....* Uppsala. (Cent. Pl. I)
- Linnaeus, C. 1758[–1759]. *Systema Naturae per Regna Tria Naturae...,* ed. 10. 2 vols. Stockholm. (Syst. Nat. ed. 10)
- Linnaeus, C. 1759. *Flora Jamaicensis....* Uppsala. (Fl. Jamaic.)
- Linnaeus, C. 1762–1763. *Species Plantarum...,* ed. 2. 2 vols. Stockholm. (Sp. Pl. ed. 2)
- Linnaeus, C. 1766–1768. *Systema Naturae per Regna Tria Naturae...,* ed. 12. 3 vols. Stockholm. (Syst. Nat. ed. 12)
- Linnaeus, C. 1767[–1771]. *Mantissa Plantarum.* 2 parts. Stockholm. [Mantissa [1] and Mantissa [2] Altera paged consecutively.] (Mant. Pl.)
- Linnaeus, C. 1770. *De Erica....* Uppsala. (Erica)
- Liu, H. Y. 1989. Systematics of *Aeonium* (Crassulaceae). Taichung. [Natl. Mus. Nat. Sci. [Taiwan] Special Publ. 3.]
- Liu, S. 1993. A Chemosystematic Study of *Kalmia* L. (Ericaceae) Using Flavonoid Characters. Ph.D. dissertation. University of Alberta.
- Lloydia = Lloydia; a Quarterly Journal of Biological Science.
- Long, R. W. and O. Lakela. 1971. *A Flora of Tropical Florida: A Manual of the Seed Plants and Ferns of Southern Peninsular Florida*. Coral Gables. [Reprinted 1976, Miami.]
- Loudon, J. C. [1835–]1838. *Arboretum et Fruticetum Britannicum; or, the Trees and Shrubs of Britain, Native and Foreign....* 8 vols. London. (Arbor. Frutic. Brit.)

- Loudon, J. C. 1842. An Encyclopaedia of Trees and Shrubs; Being the Arboretum and Fruticetum Britannicum Abridged.... London. (Encycl. Trees Shrubs)
- Löve, Á. 1979. In: IOPB chromosome number reports LXIII. Taxon 28: 265–279.
- Löve, Á. and D. Löve. 1954. In: IOPB chromosome number reports II. Taxon 13: 201–209.
- Löve, Á. and D. Löve. 1959. Biosystematics of the black crowberries of America. Canad. J. Genet. Cytol. 1: 34–38.
- Löve, Á. and D. Löve. 1975b. Cytotaxonomical Atlas of the Arctic Flora. Vaduz.
- Löve, Á. and D. Löve. 1985. In: IOPB chromosome number reports LXXXVI. Taxon 34: 159–164.
- Löve, D. 1960. The red-fruited crowberries in North America. Rhodora 62: 265–292.
- Lovell, H. B. and J. H. Lovell. 1936. Pollination of the Ericaceae: IV. *Ledum* and *Pyrola*. Rhodora 38: 90–94.
- Ludlow, F. 1976. Reliquiae botanicae Himalaicae. Bull. Brit. Mus. (Nat. Hist.), Bot. 5: 269–288.
- Luna, I. and H. Ochoterena. 2004. Phylogenetic relationships of the genera of Theaceae based on morphology. Cladistics 20: 223–270.
- Luna, I. and J. L. Villaseñor. 1996. Géneros de Theaceae: Aspectos taxonómicos y nomenclaturales. Bol. Soc. Bot. México 59: 81–95.
- Lutelyn, J. L. et al. 1996. Ericaceae of the southeastern United States. Castanea 61: 101–144.
- Lutelyn, J. L. and M. E. O'Brien, eds. 1980. Contributions toward a Classification of *Rhododendron*: Proceedings, International Rhododendron Conference...May 15–17, 1978.... Bronx.
- Mabey, R. 1996. Flora Britannica. London.
- Macior, L. W. 1964. An experimental study of the floral ecology of *Dodecatheon meadia*. Amer. J. Bot. 51: 96–108.
- Macior, L. W. 1970b. Pollination ecology of *Dodecatheon amethystinum* (Primulaceae). Bull. Torrey Bot. Club 97: 150–153.
- MacSwain, J. F. and F. Bain. 1891. List of Prince Edward Island Plants. Charlottetown.
- Madroño = Madroño; Journal of the California Botanical Society [from vol. 3: a West American Journal of Botany].
- Maguire, B. 1978. The botany of the Guayana Highland. Part X. Sarraceniaceae. Mem. New York Bot. Gard. 29: 36–62.
- Mahy, G. et al. 2000. Allozyme evidence for genetic autoploid and high genetic diversity in the tetraploid cranberry, *Vaccinium oxycoccus* (Ericaceae). Amer. J. Bot. 87: 1882–1889.
- Mallik, A. U. 1987. Allelopathic potential of *Kalmia angustifolia* to black spruce (*Picea mariana*). Forest Ecol. Managem. 20: 43–51.
- Mallik, A. U. 1993. Ecology of a forest weed of Newfoundland: Vegetative regeneration strategy of *Kalmia angustifolia*. Canad. J. Bot. 71: 161–166.
- Mallik, A. U. and P. F. Newton. 1988. Inhibition of black spruce seedling growth by forest-floor substances of central Newfoundland. Forest Ecol. Managem. 23: 273–283.
- Man. Bot. ed. 5—See: A. Eaton 1829
- Man. Bot. San Francisco—See: E. L. Greene 1894
- Man. Brit. Bot.—See: C. C. Babington 1843
- Man. Calif. Shrubs—See: H. McMinn 1939
- Man. Fl. N. States—See: N. L. Britton 1901
- Man. Fl. Pl. Calif.—See: W. L. Jepson [1923–1925]
- Man. Higher Pl. Oregon—See: M. E. Peck 1941
- Man. S.E. Fl.—See: J. K. Small 1933
- Mancini, S. D. and J. M. Edwards. 1979. Cytotoxic principles from the sap of *Kalmia latifolia*. J. Nat. Prod. (Lloydia) 42: 483–488.
- Manns, U. and A. A. Anderberg. 2007. Character evolution in *Anagallis* (Myrsinaceae) inferred from morphological and molecular data. Syst. Bot. 32: 166–179.
- Mansfeld, R. and H. Sleumer. 1935. Revision der Gattung *Befaria* Mutis. Notizbl. Bot. Gart. Berlin-Dahlem 12: 235–276.
- Mant. Pl.—See: C. Linnaeus 1767[–1771]
- Manual—See: A. Gray 1848
- Manual ed. 2—See: A. Gray 1856
- Manual ed. 6 issue 2—See: A. Gray et al. 1891
- Marschall von Bieberstein, F. A. 1808–1819. Flora Taurico-Caucasica.... 3 vols. Charkow. (Fl. Taur.-Caucas.)
- Marsh, C. D. and A. B. Clawson. 1930. Mountain-laurel (*Kalmia latifolia*) and Sheep Laurel (*Kalmia angustifolia*) As Stock-poisoning Plants. Washington. [U.S.D.A., Techn. Bull. 219.]
- Marshall, A. J. and B. M. Beehler, eds. 2007. The Ecology of Papua. 2 vols. Singapore.
- Marshall, H. 1785. Arbustrum Americanum: The American Grove.... Philadelphia. (Arbust. Amer.)
- Martin, W. C. and C. R. Hutchins. 1980. A Flora of New Mexico. 2 vols. Vaduz.
- Martine, C. T., D. Lubertazi, and A. DuBrul. 2005. The biology of *Corema conradii*: Natural history, reproduction, and observations of a post-fire seedling recruitment. N. E. Naturalist 12: 267–286.
- Martins, L., C. Oberprieler, and F. H. Hellwig. 2003. A phylogenetic analysis of Primulaceae s.l. based on internal transcribed spacer (ITS) DNA sequence data. Pl. Syst. Evol. 237: 75–85.
- Mast, A. R. et al. 2001. Phylogenetic relationships in *Primula* L. and related genera (Primulaceae) based on noncoding chloroplast DNA. Int. J. Pl. Sci. 162: 1381–1400.
- Mast, A. R., D. M. S. Feller, S. Kelso, and E. Conti. 2004. Buzz-pollinated *Dodecatheon* originated from within the heterostylous *Primula* subgenus *Auriculastrum* (Primulaceae): A seven-region cpDNA phylogeny and its implications for floral evolution. Amer. J. Bot. 91: 926–942.
- Mast, A. R. and J. L. Reveal. 2007. Transfer of *Dodecatheon* to *Primula* (Primulaceae). Brittonia 59: 79–82.
- Mauritzon, J. 1933. Studien über die Embryologie der Familien Crassulaceae und Saxifragaceae. Lund.
- Mayuzumi, S. and H. Ohba. 2004. The phylogenetic position of eastern Asian Sedoideae (Crassulaceae) inferred from chloroplast and nuclear DNA sequences. Syst. Bot. 29: 587–598.
- Mazama = Mazama; a Record of Mountaineering in the Pacific Northwest.
- McCormick, J. F. and R. B. Platt. 1964. Ecotypic differentiation in *Diamorpha cymosa*. Bot. Gaz. 125: 271–279.

- McDaniel, S. 1971. The genus *Sarracenia* (Sarraceniaceae). Bull. Tall Timbers Res. Sta. 9: 1–36.
- McGee, M. D. 1973. *Rhododendron* ingestion. Bull. Natl. Clearinghouse Poison Control Centers 1973(Sep.–Oct.): 1–2.
- McGuire, A. F. and K. A. Kron. 2005. Phylogenetic relationships of European and African ericas. Int. J. Pl. Sci. 166: 311–318.
- McKenzie, R. A. and P. J. Dunster. 1986. Hearts and flowers: *Bryophyllum* poisoning of cattle. Austral. Veterin. J. 63: 222–227.
- McKenzie, R. A., F. P. Franke, and P. J. Dunster. 1987. The toxicity to cattle and bufadienolide content of six *Bryophyllum* species. Austral. Veterin. J. 64: 298–301.
- McMinn, H. 1939. An Illustrated Manual of California Shrubs.... San Francisco. (Man. Calif. Shrubs)
- McVaugh, R. 1943. The vegetation of the granitic flat-rocks of the southeastern United States. Ecol. Monogr. 13: 119–166.
- Med. Repos. = Medical Repository.
- Meddel. Grønland = Meddelelser om Grønland, af Kommissionen for Ledelsen af de Geologiske og Geografiske Undersøgelser i Grønland.
- Melchior, H., ed. 1964. A. Engler's Syllabus der Pflanzenfamilien..., ed. 12. 2 vols. Berlin.
- Mellichamp, T. L. 1976. A Comparative Study of *Aruncus* (Rosaceae) and *Astilbe* (Saxifragaceae), and the Problem of Their Relationships. Ph.D. dissertation. University of Michigan.
- Mellichamp, T. L. 1992. Hybrid pitcher plants. Bull. Amer. Rock Gard. Soc. 50: 3–10.
- Melvin, N. C. 1981. Additional comments on *Leucothoë* (Ericaceae). Baileya 21: 127–130.
- Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 7 = Mémoires de l'Académie Impériale des Sciences de Saint Pétersbourg, Septième Série.
- Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. = Mémoires de l'Académie Impériale des Sciences de St. Pétersbourg. Avec l'Histoire de l'Académie.
- Mém. Acad. Imp. Sci. St.-Pétersbourg, Sér. 6, Sci. Math. = Mémoires de l'Académie Impériale des Sciences de St.-Pétersbourg. Sixième Série. Sciences Mathématiques, Physiques et Naturelles.
- Mem. Amer. Acad. Arts = Memoirs of the American Academy of Arts and Science.
- Mém. Herb. Boissier = Mémoires de l'Herbier Boissier Suite au Bulletin de l'Herbier Boissier.
- Mem. New York Bot. Gard. = Memoirs of the New York Botanical Garden.
- Mém. Soc. Phys. Genève = Mémoires de la Société de Physique et d'Histoire Naturelle de Genève.
- Mem. Torrey Bot. Club = Memoirs of the Torrey Botanical Club.
- Mem. Tour N. Mexico—See: F. A. Wislizenus 1848
- Mem. Wern. Nat. Hist. Soc. = Memoirs of the Wernerian Natural History Society.
- Merriam-Webster. 1988. Webster's New Geographical Dictionary. Springfield, Mass.
- Merxmüller, H., H. C. Friedrich, and J. Grau. 1971. Cytotaxonomische Untersuchung zur Gattungsstruktur von *Crassula*. Ann. Naturhist. Mus. Wien 75: 111–119.
- Mes, T. H. M. 1995. Phylogenetic and systematic implications of chloroplast and nuclear spacer sequence variation in the Macaronesian Semperfivoideae and related Sedoideae. In: H. 't Hart and U. Eggli, eds. 1995. Evolution and Systematics of the Crassulaceae. Leiden. Pp. 30–44.
- Mesler, M. R., R. J. Cole, and Paul Wilson. 1991. Natural hybridization in western gooseberries (*Ribes* subgenus *Grossularia*: Grossulariaceae). Madroño 38: 115–129.
- Mesler, M. R. and J. O. Sawyer. 1993. Grossulariaceae. In: J. C. Hickman, ed. 1993. The Jepson Manual. Higher Plants of California. Berkeley, Los Angeles, and London. Pp. 676–680.
- Messinger, W., K. Hummer, and A. Liston. 1999. *Ribes* (Grossulariaceae) phylogeny as indicated by restriction-site polymorphisms of PCR-amplified chloroplast DNA. Pl. Syst. Evol. 217: 185–195.
- Metheny, D. 1991. Hardy Heather Species, and Some Related Plants. Seaside, Oreg.
- Methodus—See: C. Moench 1794
- Michaux, A. 1803. Flora Boreali-Americana.... 2 vols. Paris and Strasbourg. (Fl. Bor.-Amer.)
- Michigan Bot. = Michigan Botanist.
- Middendorff, A. T. von. 1847–1867. Reise in den äussersten Norden und Osten Siberiens während der Jahre 1843 und 1844.... 4 vols. in parts and fascs. St. Petersburg. (Reise Siber.)
- Middleton, D. J. 1991. Taxonomic studies in the *Gaultheria* group of genera of the tribe Andromedae (Ericaceae). Edinburgh J. Bot. 48: 283–306.
- Miers, J. 1859. On the natural order Sytraceae, as distinguished from the Symplocaceae. Ann. Mag. Nat. Hist., ser. 3, 3: 394–404.
- Mikolajski, A. 1997. Heathers. New York.
- Millais, J. G. 1917. Rhododendrons, in Which Is Set Forth an Account of All Species.... London, etc. (Rhododendrons)
- Miller, P. 1768. The Gardeners Dictionary..., ed. 8. London. (Gard. Dict. ed. 8)
- Minnesota Stud. Pl. Sci. = Minnesota Studies in Plant Science.
- Mirré, V. 2004. Phylogeny, Migration and Evolution of a Bipolar Model Group: The Genus *Empetrum* (Crowberries). C.S. thesis. University of Oslo.
- Misc. Nat.—See: A. H. Haworth 1803
- Moench, C. 1794. Methodus Plantas Horti Botanici et Agri Marburgensis.... Marburg. (Methodus)
- Moerman, D. E. 1998. Native American Ethnobotany. Portland.
- Molec. Ecol. = Molecular Ecology.
- Molec. Phylogen. Evol. = Molecular Phylogenetics and Evolution.
- Monogr. Azaleas—See: E. H. Wilson and A. J. Rehder 1921
- Monogr. Primul.—See: J. G. C. Lehmann 1817
- Moran, R. V. 1943. A revision of *Dudleya*, subgenus *Stylophyllum*. Desert Pl. Life 14: 190–193; 15: 9–14, 24–28, 40–45, 56–60.
- Moran, R. V. 1943b. *Dudleya pulverulenta* (Nutt.) Br. & R. Desert Pl. Life 15: 68–74.
- Moran, R. V. 1949. *Dudleya stolonifera*, a new species from Orange County, California. Bull. S. Calif. Acad. Sci. 48: 105–114.

- Moran, R. V. 1950. Notes on *Hasseanthus*, I. Desert Pl. Life 22: 76–82.
- Moran, R. V. 1951. Natural hybrids between *Dudleya* and *Hasseanthus*. Bull. S. Calif. Acad. Sci. 50: 57–67.
- Moran, R. V. 1951b. Notes on *Hasseanthus*, II. Desert Pl. Life 22: 99–105.
- Moran, R. V. 1952. *Dudleya abramsii* Rose. Desert Pl. Life 24: 16–17.
- Moran, R. V. 1960. *Dudleya*. In: H. Jacobsen. 1960. A Handbook of Succulent Plants.... 3 vols. London. Vol. 1, pp. 344–359.
- Moran, R. V. 1964. *Sedum spectabile* in South Korea. Cact. Succ. J. (Los Angeles) 36: 140–144.
- Moran, R. V. 1978. Resurrection of *Dudleya traskiae*. Fremontia 5(4): 37–38.
- Moran, R. V. 1984. *Graptopetalum rusbyi* (Greene) Rose and *G. occidentale* Rose. Cact. Succ. J. (Los Angeles) 56: 169–176.
- Moran, R. V. 1990. *Villadia aristata* (Crassulaceae), a new species from northeast Mexico. Cact. Succ. J. (Los Angeles) 62: 177–182.
- Moran, R. V. 1991. *Aeonium haworthii*, a new Californian. Cact. Succ. J. (Los Angeles) 63: 203.
- Moran, R. V. 1992b. Pygmyweed (*Crassula connata*) etc. in western North America. Cact. Succ. J. (Los Angeles) 64: 223–231.
- Moran, R. V. 1992c. *Dudleya edulis* (Nutt.) Moran. Cact. Succ. J. (Los Angeles) 64: 23–24.
- Moran, R. V. 1993. *Cotyledon orbiculata* in California. Cact. Succ. J. (Los Angeles) 65: 284–285.
- Moran, R. V. 1994. The genus *Lenophyllum* (Crassulaceae). Haseltonia 2: 1–19.
- Moran, R. V. 1995. The subspecies of *Dudleya virens* (Crassulaceae). Haseltonia 3: 1–9.
- Moran, R. V. 1998. The genus *Sedella* Britton & Rose (Crassulaceae). Haseltonia 5: 21–29.
- Moran, R. V. 1999. The name of *Echeveria*. Cact. Succ. J. (Los Angeles) 71: 301–306.
- Moran, R. V. 2001. *Dudleya attenuata*, with the new subspecies *australis*. Haseltonia 8: 58–62.
- Moran, R. V. and C. H. Uhl. 1952. Four natural hybrids in *Dudleya*. Desert Pl. Life 24: 28–42.
- Moran, R. V. and C. H. Uhl. 1964. The inflorescence of *Echeveria*. Cact. Succ. J. (Los Angeles) 36: 167–180.
- Morgan, D. R. and D. E. Soltis. 1993. Phylogenetic relationships among members of Saxifragaceae sensu lato based on *rbcL* sequence data. Ann. Missouri Bot. Gard. 80: 631–660.
- Mort, M. E. et al. 2001. Phylogenetic relationships and evolution of the Crassulaceae inferred from *matK* sequence data. Amer. J. Bot. 88: 76–91.
- Mort, M. E. and D. E. Soltis. 1999. Phylogenetic relationships and the evolution of ovary position in *Saxifraga* section *Micranthes*. Syst. Bot. 24: 139–147.
- Morton, C. M., M. W. Chase, K. A. Kron, and S. M. Swensen. 1996. A molecular evaluation of the monophyly of the order Ebenales based upon *rbcL* sequence data. Syst. Bot. 21: 567–586.
- Morton, C. M. and W. C. Dickison. 1992. Comparative pollen morphology of the Styracaceae. Grana 31: 1–15.
- Morton, J. F. 1981. Atlas of Medicinal Plants of Middle America: Bahamas to Yucatan. Springfield, Ill.
- Muenscher, W. C. 1951. Poisonous Plants of the United States, rev. ed. New York.
- Muhlenbergia = Muhlenbergia; a Journal of Botany.
- Munz, P. A. 1935. A Manual of Southern California Botany.... San Francisco.
- Munz, P. A. 1950. Summer-holly (*Comarostaphylis diversifolia*). Also 2: 151–154.
- Munz, P. A. 1968. Supplement to A California Flora. Berkeley and Los Angeles.
- Munz, P. A. 1974. A Flora of Southern California. Berkeley. (Fl. S. Calif.)
- Murphy, H. T. 1976. A new and unique venation pattern in the Diapensiaceae. Bull. Torrey Bot. Club 103: 177–179.
- Murray, D. F. 1980. *Sedum divergens* new to the flora of Alaska. Canad. Field-Naturalist 94: 188–189.
- Murray, J. A. 1784. Caroli à Linné Equitis Systema Vegetabilium.... Editio Decima Quarta.... Göttingen. (Syst. Veg. ed. 14)
- N. Amer. Fl.—See: N. L. Britton et al. 1905+
- N. Amer. Sylv.—See: T. Nuttall 1842–1849
- N. E. Naturalist = Northeastern Naturalist.
- Nakahashi, C. D., K. Frole, and L. Sack. 2005. Bacterial leaf nodule symbiosis in *Ardisia* (Myrsinaceae): Does it contribute to seedling growth capacity? Pl. Biol. (Stuttgart) 7: 495–500.
- Nakai, K. M. 1986. A re-evaluation of *Dudleya alainae* Reiser (Crassulaceae). Cact. Succ. J. (Los Angeles) 58: 111–115.
- Nakai, K. M. 1987. Some new and reconsidered California *Dudleya* (Crassulaceae). Madroño 34: 334–353.
- Nakai, T. 1922. Trees and Shrubs Indigenous in Japan Proper. 1 vol. only. Tokyo. (Trees Shrubs Japan)
- Nakanishi, H. 2002. Splash seed dispersal by raindrops. Ecol. Res. (Tokyo) 17: 663–671.
- Nakazawa, M., M. Wakabayashi, and J. Murata. 1997. Molecular phylogenetic analysis of *Chrysosplenium* (Saxifragaceae) in Japan. J. Pl. Res. 110: 265–274.
- Napier, M., ed. [1830–]1842. Encyclopaedia Britannica..., ed. 7. 21 vols. Edinburgh. (Encycl. Brit. ed. 7)
- Narr. Journey Polar Sea—See: J. Franklin et al. 1823
- Narr. Journey Polar Sea ed. 2—See: J. Franklin et al. 1823b
- Nat. Arr. Brit. Pl.—See: S. F. Gray 1821
- Nat. Pflanzenfam.—See: H. G. A. Engler and K. Prantl 1887–1915
- Nat. Pflanzenfam. ed. 2—See: H. G. A. Engler et al. 1924+
- Natl. Cact. Succ. J. = National Cactus and Succulent Journal.
- Naturaliste Canad. = Naturaliste Canadien. Bulletin de Recherches, Observations et Découvertes se Rapportant à l'Histoire Naturelle du Canada.
- Nature = Nature; a Weekly Illustrated Journal of Science.
- Nature Conservancy. 1993. Rare and Endangered Plant Survey and Natural Area Inventory of Fort Bragg and Camp MacCall Military Reservations. Southern Pines, N.C.
- Nesom, G. L. 1983c. *Galax* (Diapensiaceae): Geographic variation in chromosome number. Syst. Bot. 8: 1–14.
- Nesom, G. L. and B. L. Turner. 1995. Systematics of the *Sedum parvum* group (Crassulaceae) in northeastern Mexico and Texas. Phytologia 79: 257–268.
- New N. Amer. Crassul.—See: N. L. Britton and J. N. Rose 1903

- New Phytol. = New Phytologist; a British Botanical Journal. New York State. 1840. Communication from the Governor, Transmitting Several Reports Relative to the Geological Survey of the State. Albany. [Assembly Doc. 50. Catalogue of plants by J. Torrey, pp. 111–197.] (Rep. Geol. Surv.)
- Nichols, D., ed. 1962. Taxonomy and Geography: A Symposium.... London. [Syst. Assoc. Publ. 4.]
- Nomencl. Bot. ed. 2—See: E. G. Steudel 1840–1841
- Nooteboom, H. P. 2004. Symplocaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 443–449.
- Nordenskiöld, A. E. 1882–1887. Vega-expeditionens Vetenskapliga Iakttagelser Bearbetade af Deltagare i Resan och Andra Forskare.... 5 vols. Stockholm. (Vega Exp. Vetensk. Iakttag.)
- Nordic J. Bot. = Nordic Journal of Botany.
- NorthW. Sci. = Northwest Science.
- Notes Roy. Bot. Gard. Edinburgh = Notes from the Royal Botanic Garden, Edinburgh.
- Notizbl. Bot. Gart. Berlin-Dahlem = Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem.
- Nov. Gen. Pl.—See: C. P. Thunberg 1781–1801
- Nov. Gen. Sp.—See: A. von Humboldt et al. 1815[1816]–1825
- Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. = Nova Acta Academiae Scientiarum Imperialis Petropolitanae; Praecedit Historia Ejusdem Academiae.
- Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. = Nova Acta Physico-medica Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum Exhibentia Ephemerides, sive Observations Historias et Experimenta....
- Novon = Novon; a Journal for Botanical Nomenclature.
- Nuttall, T. 1818. The Genera of North American Plants, and Catalogue of the Species, to the Year 1817.... 2 vols. Philadelphia. (Gen. N. Amer. Pl.)
- Nuttall, T. 1842–1849. The North American Sylva.... 3 vols. Philadelphia. (N. Amer. Sylv.)
- Observ. Bot.—See: A. J. Retzius [1779–]1791
- Odell, E. A. and S. P. Vander Kloet. 1991. The utility of stem characters in the classification of *Vaccinium* L. (Ericaceae). *Taxon* 40: 273–283.
- Oeder, G. C. et al., eds. [1761–]1764–1883. *Icones Plantarum... Florae Danicae Nomine Inscriptum*. 17 vols. in 51 fascs. Copenhagen. [Fasc. paged independently and numbered consecutively throughout vols.] (Fl. Dan.)
- Oesterr. Bot. Wochensbl. = Oesterreichisches botanisches Wochenblatt. Gemeinnütziges Organ für Botanik....
- Ogle, D. W. 1984. Phyogeography of *Vaccinium macrocarpon* Aiton in the southern United States. *Virginia J. Sci.* 35: 31–47.
- Ohba, H. 1977. The taxonomic status of *Sedum telephium* and its allied species (Crassulaceae). *Bot. Mag. (Tokyo)* 90: 41–56.
- Ohba, H., B. M. Bartholomew, N. J. Turland, and K. J. Fu. 2000. New combinations in *Phedimus* (Crassulaceae). *Novon* 10: 400–402.
- Ohba, J. 1978. Generic and infrageneric classification of the Old World Crassulaceae. *J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot.* 12: 139–198.
- Ohwi, J. 1965. Flora of Japan (in English).... A Combined, Much Revised, and Extended Translation by the Author of His...*Flora of Japan* (1953) and...*Flora of Japan—Pteridophyta* (1957). Edited by Frederick G. Meyer... and Egbert H. Walker.... Washington. [Reprinted 1984, Washington.]
- Oken, L. 1833–1841. Allgemeine Naturgeschichte.... 7 vols. in 12. Stuttgart. [Botanik: vol. 2, 1839; vol. 3 (in 3), 1841.] (Allg. Naturgesch.)
- Okuyama, Y., M. Kato, and M. Murakami. 2004. Pollination by fungus gnats in four species of the genus *Mitella* (Saxifragaceae). *Bot. J. Linn. Soc.* 144: 449–460.
- Ootoova, I. et al. 2001. Perspectives on Traditional Health. Iqaluit. [Interviewing Inuit Elders 5.]
- Opera Bot. = Opera Botanica a Societate Botanice Lundensi.
- Opiz, P. M. 1852. Seznam Rostlin Květeny České.... Prague. (Seznam)
- Organization for Flora Neotropica. 1968+. *Flora Neotropica*. 98+ nos. New York. (Fl. Neotrop.)
- Ornduff, R. 1969b. Ecology, morphology, and systematics of *Jepsonia* (Saxifragaceae). *Brittonia* 21: 286–298.
- Ornduff, R. 1970. Heteromorphic incompatibility in *Jepsonia malvifolia*. *Bull. Torrey Bot. Club* 97: 258–261.
- Ornduff, R. 1970b. Incompatibility and the pollen economy of *Jepsonia parryi*. *Amer. J. Bot.* 57: 1036–1041.
- Ornduff, R. and S. G. Weller. 1975. Pattern diversity of incompatibility groups in *Jepsonia heterandra* (Saxifragaceae). *Evolution* 29: 373–375.
- Özhan, H. et al. 2004. Cardiac emergencies caused by honey ingestion: A single centre experience. *Emerg. Med. J.* 21: 742–744.
- Pacif. Railr. Rep.—See: War Department 1855–1860
- Packer, J. G. 1963. The taxonomy of some North American species of *Chrysosplenium* L., section *Alternifolia* Franchet. *Canad. J. Bot.* 41: 85–103.
- Packer, J. G. and D. H. Vitt. 1974. Mountain Park: A plant refugium in the Canadian Rocky Mountains. *Canad. J. Bot.* 52: 1393–1409.
- Pallas, P. S. 1771–1776. Reise durch verschiedene Provinzen des russischen Reichs.... 3 vols. St. Petersburg. (Reise Russ. Reich.)
- Pallas, P. S. 1784–1788[–1831]. *Flora Rossica seu Stirpium Imperii Rossici par Europam et Asiam Indigenarum....* 2 vols. in 3 parts. St. Petersburg. [Parts 1 and 2 of vol. 1 paged independently.] (Fl. Ross.)
- Palser, B. F. 1951. Studies of floral morphology in the Ericales. I. Organography and vascular anatomy in the Andromedaceae. *Bot. Gaz.* 112: 447–485.
- Parad. Lond.—See: R. A. Salisbury 1805[–1808]
- Parnell, J. 1991. Pollen morphology of *Jovibarba* Opiz and *Sempervivum* L. (Crassulaceae). *Kew Bull.* 46: 733–738.
- Parnell, J. and C. Favarger. 1992. *Sempervivum*. In: T. G. Tutin et al., eds. 1993+. *Flora Europaea*, ed. 2. 1+ vol. Cambridge and New York. Vol. 1, pp. 425–429.
- Patterson, D. T. et al. 1989. Composite List of Weeds. Champaign.
- Peck, M. E. 1941. A Manual of the Higher Plants of Oregon. Portland. (Man. Higher Pl. Oregon)
- Pennington, T. D. 1990. Sapotaceae. In: Organization for Flora Neotropica. 1968+. *Flora Neotropica*. 98+ nos. New York. No. 52.

- Pennington, T. D. 1991. The Genera of Sapotaceae. Kew and New York.
- Pennington, T. D. 2004. Sapotaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 390–421.
- Pennington, T. D. 2004b. Sapotaceae. In: N. P. Smith et al., eds. 2004. Flowering Plants of the Neotropics. Princeton. Pp. 342–344.
- Perkins, J. R. 1928. Übersicht über die Gattungen der Styracaceae sowie Zusammenstellung der Abbildungen und der Literatur über die Arten dieser Familie bis zum Jahre 1938.... Leipzig.
- Perkins, W. E. 1978. Systematics of *Saxifraga rufidula* and Related Species from the Columbia River Gorge to Southwestern British Columbia. Ph.D. dissertation. University of British Columbia.
- Persoon, C. H. 1805–1807. Synopsis Plantarum.... 2 vols. Paris and Tubingen. (Syn. Pl.)
- Peterson, E. B. 1965. Inhibition of black spruce primary roots by a water soluble substance in *Kalmia angustifolia*. Forest Sci. 11: 473–479.
- Pflanzenr.—See: H. G. A. Engler 1900–1953
- Philbrick, R. N. 1972. The plants of Santa Barbara Island, California. Madroño 21: 329–393.
- Philipson, W. R. and M. N. Philipson. 1986. A revision of *Rhododendron* III. Subgenera *Azaleastrum*, *Mumeazalea*, *Candidastrum* and *Therorhodion*. Notes Roy. Bot. Gard. Edinburgh 44: 1–23.
- Philos. Trans. = Philosophical Transactions: Giving Some Account of the Present Undertakings, Studies, and Labours of the Ingenious in Many Parts of the World.
- Physiogr. Sällsk. Handl. = Physiographiska Sällskapets Handlingar.
- Physiol. Pl. (Copenhagen) = Physiologia Plantarum.
- Phytologia = Phytologia; Designed to Expedite Botanical Publication.
- Piper, C. V. and R. K. Beattie. 1915. Flora of the Northwest Coast.... Lancaster, Pa. (Fl. N.W. Coast)
- Pipoly, J. J. 1991. Systematic studies in the genus *Myrsine* L. (Myrsinaceae) in Guayana. Novon 1: 204–210.
- Pipoly, J. J. 1992. Estudios en el género *Myrsine* (Myrsinaceae) en Colombia. Caldasia 17: 3–9.
- Pipoly, J. J. 1992b. Notes on the genus *Myrsine* (Myrsinaceae) in Peru. Novon 2: 392–407.
- Pipoly, J. J. 1996. Contributions toward a new flora of the Philippines: 1. A synopsis of the genus *Myrsine* (Myrsinaceae). Sida 17: 115–162.
- Pipoly, J. J. 2007. Myrsinaceae of Papua. In: A. J. Marshall and B. M. Beehler, eds. 2007. The Ecology of Papua. 2 vol. Singapore. Vol. 1, pp. 416–428.
- Pl. & Gard. = Plants and Gardens; Brooklyn Botanic Garden Record.
- Pl. Biol. (Stuttgart) = Plant Biology. [Stuttgart.]
- Pl. Hartw.—See: G. Bentham 1839[–1857]
- Pl. Icon. Ined.—See: J. E. Smith 1789–1791
- Pl. Minus Cogn.—See: S. Grauer 1784
- Pl. Syst. Evol. = Plant Systematics and Evolution.
- Pl. Wilson.—See: C. S. Sargent 1913–1917
- Plantsman = The Plantsman.
- Pollard, C. L. 1895. The genus *Zenobia* Don. Bull. Torrey Bot. Club 22: 231–232.
- Pooler, M., R. Nicholson, and A. Vandergrift. 2008. Clonal fidelity in large colonies of *Gaylussacia brachycera* Gray (box huckleberry) assessed by DNA fingerprinting. N. E. Naturalist 15: 67–74.
- Porsild, A. E. 1939. Contributions to the flora of Alaska. Rhodora 41: 141–183, 199–254, 262–301.
- Porsild, A. E. and W. J. Cody. 1980. Vascular Plants of Continental Northwest Territories, Canada. Ottawa.
- Powell, E. A. and K. A. Kron. 2002. Hawaiian blueberries and their relatives: A phylogenetic analysis of *Vaccinium* sections *Macropelma*, *Myrtillus*, and *Hemimyrtillus* (Ericaceae). Syst. Bot. 27: 768–779.
- Powell, E. A. and S. P. Vander Kloet. 1997. Foliar venation characteristics of *Vaccinium* sect. *Macropelma* and sect. *Myrtillus* (Ericaceae): A comparative analysis. Canad. J. Bot. 75: 2015–2025.
- Pratt, R. and H. W. Youngken Jr. 1951. Pharmacognosy.... Philadelphia.
- Prelim. Cat.—See: N. L. Britton et al. 1888
- Primack, R. B. and R. Wyatt. 1975. Variation and taxonomy of *Pyxidanthera* (Diapensiaceae). Brittonia 27: 115–118.
- Primroses = Primroses; American Primrose Society Quarterly.
- Prince, L. M. 2002. Circumscription and biogeographic patterns in the eastern North American-east Asian genus *Stewartia* (Theaceae: Stewartieae): Insight from chloroplast and nuclear DNA sequence data. Castanea 67: 290–301.
- Prince, L. M. 2007. A brief nomenclatural review of genera and tribes in Theaceae. Aliso 24: 105–121.
- Prince, L. M. and C. R. Parks. 2001. Phylogenetic relationships of Theaceae inferred from chloroplast DNA data. Amer. J. Bot. 88: 2309–2320.
- Proc. Acad. Nat. Sci. Philadelphia = Proceedings of the Academy of Natural Sciences of Philadelphia.
- Proc. Amer. Acad. Arts = Proceedings of the American Academy of Arts and Sciences.
- Proc. Amer. Assoc. Advancem. Sci. = Proceedings of the American Association for the Advancement of Science.
- Proc. Arkansas Acad. Sci. = Proceedings of the Arkansas Academy of Science.
- Proc. Biol. Soc. Wash. = Proceedings of the Biological Society of Washington.
- Proc. Calif. Acad. Sci. = Proceedings of the California Academy of Sciences.
- Proc. Davenport Acad. Nat. Sci. = Proceedings of the Davenport Academy of Natural Sciences.
- Proc. Iowa Acad. Sci. = Proceedings of the Iowa Academy of Science.
- Proc. Minnesota Acad. Sci. = Proceedings of the Minnesota Academy of Science.
- Proc. Natl. Acad. Sci. U.S.A. = Proceedings of the National Academy of Sciences of the United States of America.
- Proc. Wash. Acad. Sci. = Proceedings of the Washington Academy of Sciences.
- Prodr.—See: A. P. de Candolle and A. L. P. P. de Candolle 1823–1873; O. P. Swartz 1788
- Prodr. fl. Nepal.—See: D. Don 1825
- Pursh, F. [1813]1814. Flora Americae Septentrionalis; or, a Systematic Arrangement and Description of the Plants of North America. 2 vols. London. (Fl. Amer. Sept.)
- Pyrola & Chimaphila—See: J. W. M. Radius 1821

- Qin, H. N. and B. M. Bartholomew. 2005. Diapensiaceae. In: Wu Z. and P. H. Raven, eds. 1994+. Flora of China. 12+ vols. Beijing and St. Louis. Vol. 14, pp. 235–237.
- Qu, L., J. F. Hancock, and J. H. Whallon. 1998. Evolution in an autoploid group displaying predominantly bivalent pairing at meiosis: Genomic similarity of diploid *Vaccinium darrowii* and autotetraploid *V. corymbosum* (Ericaceae). Amer. J. Bot. 85: 698–703.
- Quart. J. Sci. Lit. Arts = The Quarterly Journal of Science, Literature, and the Arts.
- Quart. Rev. Biol. = Quarterly Review of Biology.
- Quimby, M. W. 1939. The Floral Morphology of the Crassulaceae. Ph.D. dissertation. Cornell University.
- Radford, A. E., H. E. Ahles, and C. R. Bell. 1968. Manual of the Vascular Flora of the Carolinas. Chapel Hill.
- Radius, J. W. M. 1821. De *Pyrola* et *Chimaphila*.... Dissertatio.... Leipzig. (Pyrola & Chimaphila)
- Rafinesque, C. S. 1817. Florula Ludoviciana; or, a Flora of the State of Louisiana. Translated, Revised, and Improved, from the French of C. C. Robin.... New York. (Fl. Ludov.)
- Rafinesque, C. S. 1836[1837–1838]. Flora Telluriana.... 4 vols. Philadelphia. (Fl. Tellur.)
- Rafinesque, C. S. 1840. Autikon Botanikon. 3 parts. Philadelphia. [Parts paged consecutively.] (Autik. Bot.)
- Rand, E. S. 1871. The Rhododendron and “American Plants.” A Treatise on the Culture, Propagation, and Species of the Rhododendron. Boston.
- Raulston, J. C. 1992. *Styrax*: A comprehensive review of a fascinating ornamental genus. Amer. Nurseryman 1992 (1 Nov.): 23–36.
- Ray, J. D. 1956. The genus *Lysimachia* in the New World. Illinois Biol. Monogr. 24.
- Rees, A. [1802–]1819–1820. The Cyclopaedia; or, Universal Dictionary of Arts, Sciences, and Literature.... 39 vols. in 79 parts. London. [Pages unnumbered.] (Cycl.)
- Rehder, A. J. 1927. Manual of Cultivated Trees and Shrubs Hardy in North America.... New York.
- Rehder, A. J. 1940. Manual of Cultivated Trees and Shrubs Hardy in North America..., ed. 2. New York.
- Reisch, C. 2008. Glacial history of *Saxifraga paniculata* (Saxifragaceae): Molecular biogeography of a disjunct arctic-alpine species from Europe and North America. Biol. J. Linn. Soc. 93: 385–398.
- Reise Russ. Reich.—See: P. S. Pallas 1771–1776
- Reise Siber.—See: A. T. von Middendorff 1847–1867
- Rep. (Annual) Board Regents Smithsonian Inst. = Report (Annual) of the Board of Regents, Smithsonian Institution.
- Rep. (Annual) Bur. Amer. Ethnol. = Annual Report of the Bureau of American Ethnology.
- Rep. (Annual) Missouri Bot. Gard. = Report (Annual) of the Missouri Botanical Garden.
- Rep. Geol. Surv.—See: New York State 1840
- Rep. U.S. Mex. Bound.—See: W. H. Emory 1857–1859
- Repert. Spec. Nov. Regni Veg. = Repertorium Specierum Novarum Regni Vegetabilis.
- Res. Stud. State Coll. Wash. = Research Studies of the State College of Washington.
- Retzius, A. J. [1779–]1791. Observationes Botanicae.... 6 vols. Leipzig. (Observ. Bot.)
- Rev. Hort. = Revue Horticole; Journal d’Horticulture Pratique.
- Reveal, J. L. 2005. *Dodecatheon* variants. A closer study reveals possible new nomenclature. Primroses 63: 26–29.
- Reveal, J. L. and K. N. Gandhi. 2008. Proposal to reject the name *Dodecatheon meadia* var. *puberulum* Nutt. (Primulaceae). Taxon 57: 1006–1007.
- Reveal, J. L. and M. J. Seldin. 1976. On the identity of *Halesia carolina* L. (Styracaceae). Taxon 25: 123–140.
- Revis. Gen. Pl.—See: O. Kuntze 1891–1898
- Revis. Saxifrag.—See: C. M. von Sternberg 1810–1831
- Rhoads, A. F. and T. A. Block. 2000. The Plants of Pennsylvania: An Illustrated Manual. Philadelphia.
- Rhododendron Soc. Notes = Rhododendron Society Notes.
- Rhododendrons—See: J. G. Millais 1917
- Rhodora = Rhodora; Journal of the New England Botanical Club.
- Richards, A. J. 2003. *Primula*, ed. 2. Portland.
- Ricketson, J. M. and J. J. Pipoly. 1997. Nomenclatural notes and a synopsis of the genus *Myrsine* (Myrsinaceae) in Mesoamerica. Sida 17: 579–589.
- Ricketson, J. M. and J. J. Pipoly. 1999. The genus *Myrsine* (Myrsinaceae) in Venezuela. Sida 18: 1095–1144.
- Ricketson, J. M. and J. J. Pipoly. 2003. Revision of *Ardisia* subgenus *Auriculardisia* (Myrsinaceae). Ann. Missouri Bot. Gard. 90: 179–317.
- Robbins, G. T. 1944. North American species of *Androsace*. Amer. Midl. Naturalist 32: 137–163.
- Roemer, J. J., J. A. Schultes, and J. H. Schultes. 1817[–1830]. Caroli a Linné...Systema Vegetabilium...Editione XV.... 7 vols. Stuttgart. (Syst. Veg.)
- Rönblom, K. and A. A. Anderberg. 2002. Phylogeny of Diapensiaceae based on molecular data and morphology. Syst. Bot. 27: 383–395.
- Ronse Decraene, L.-P., P. Roels, E. F. Smets, and A. Backlund. 1998. The floral development and floral anatomy of *Chrysosplenium alternifolium*, an unusual member of the Saxifragaceae. J. Pl. Res. 111: 573–580.
- Rosatti, T. J. 1987b. Field and garden studies of *Arctostaphylos uva-ursi* (Ericaceae) in North America. Syst. Bot. 12: 61–77.
- Rose, J. N. 1923. *Lenophyllum texanum*. Addisonia 8: 21.
- Rosendahl, C. O. 1914. A revision of the genus *Mitella* with a discussion of geographical distribution and relationships. Bot. Jahrb. Syst. 50(suppl.): 375–397.
- Rosendahl, C. O. 1927. A revision of the genus *Sullivantia*. Minnesota Stud. Pl. Sci. 1: 401–427.
- Rosendahl, C. O. 1947. Studies in *Chrysosplenium* with special reference to the taxonomic status and distribution of *C. iowense*. Rhodora 40: 25–36.
- Rosendahl, C. O., F. K. Butters, and O. Lakela. 1933. Identity of *Heuchera hispida* Pursh. Rhodora 35: 111–118.
- Rosendahl, C. O., F. K. Butters, and O. Lakela. 1936. A monograph on the genus *Heuchera*. Minnesota Stud. Pl. Sci. 2: 1–180.
- Rouy, G. 1895–1905. Illustrationes Plantarum Europae Rariorum. 20 fasc. Paris. [Fasc. paged and plates numbered consecutively.] (Ill. Pl. Eur.)
- Ruiz López, H. and J. A. Pavón. 1798–1802. Flora Peruviana, et Chilensis, sive Descripciones, et Icones Plantarum Peruvianarum, et Chilensium.... 3 vols. [Madrid.] (Fl. Peruv.)

- Rydberg, P. A. 1905b. *Therophon*. In: N. L. Britton et al., eds. 1905+. North American Flora.... 47+ vols. New York. Vol. 22, pp. 123–126.
- Rydberg, P. A. 1905c. *Telesonix*. In: N. L. Britton et al., eds. 1905+. North American Flora.... 47+ vols. New York. Vol. 22, p. 126.
- Rydberg, P. A. 1932. Flora of the Prairies and Plains of Central North America.... New York. (Fl. Plains N. Amer.)
- S. Austral. Naturalist = South Australian Naturalist; the Journal of the Field Naturalists Section of the Royal Society of South Australia.
- Salisbury, R. A. 1805[–1808]. The *Paradisus Londinensis*.... 2 vols. London. [Plates numbered consecutively.] (Parad. Lond.)
- Sánchez del Pino, I. and H. Flores Olvera. 2002. New taxa and a new combination in *Tidestromia* (Amaranthaceae) from North America. *Novon* 12: 399–407.
- Sargent, C. S. 1890–1902. The Silva of North America.... 14 vols. Boston and New York. (Silva)
- Sargent, C. S. [1902–]1905–1913. Trees and Shrubs.... 2 vols. in parts. Boston and New York. (Trees & Shrubs)
- Sargent, C. S., ed. 1913–1917. *Plantae Wilsonianae*: An Enumeration of the Woody Plants Collected in Western China for the Arnold Arboretum...During the Years 1907, 1908, and 1910 by E. H. Wilson. 3 vols. in parts. Cambridge, Mass. [Parts paged consecutively within vols.] (Pl. Wilson.)
- Sargent, C. S. 1922. Manual of the Trees of North America (Exclusive of Mexico), ed. 2. Boston and New York. [Facsimile edition in 2 vols. 1961, reprinted 1965, New York.]
- Savile, D. B. O. 1953. Splash-cup dispersal mechanism in *Chrysosplenium* and *Mitella*. *Science*, n. s. 117: 250–251.
- Savile, D. B. O. 1975. Evolution and biogeography of Saxifragaceae with guidance from their rust parasites. *Ann. Missouri Bot. Gard.* 62: 354–361.
- Savolainen, V. et al. 2000. Phylogenetics of flowering plants based on combined analysis of plastid *atpB* and *rbcL* gene sequences. *Syst. Biol.* 49: 306–362.
- Savolainen, V. et al. 2000b. Phylogeny of the eudicots: A nearly complete familial analysis based on *rbcL* gene sequences. *Kew Bull.* 55: 257–309.
- Savolainen, V., R. Spichiger, and J.-F. Manen. 1997. Polyphyletism of Celastrales deduced from a chloroplast noncoding DNA region. *Molec. Phylogen. Evol.* 7: 145–157.
- Saxifrag. Enum.—See: A. H. Haworth 1821
- Schischkin, B. K. 1952. Diapensiaceae. In: V. L. Komarov et al., eds. 1934–1964. *Flora URSS*.... 30 vols. Leningrad. Vol. 18, pp. 105–107.
- Schmidt, M. G. 1980. Growing California Native Plants. Berkeley.
- Schneeweiss, G. M., P. Schonswetter, S. Kelso, and H. Niklfeld. 2004. Complex biogeographic patterns in *Androsace* (Primulaceae) and related genera: Evidence from phylogenetic analyses of nuclear internal transcribed spacer and plastid *trnL*-F sequences. *Syst. Biol.* 53: 856–876.
- Schneider, E. L. and S. Carlquist. 2003. Unusual pit membrane remnants in perforation plates of Cyrillaceae. *J. Torrey Bot. Soc.* 130: 225–230.
- Schneider, J. V. and C. Bayer. 2004. Clethraceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 69–73.
- Schnell, D. E. 1977. Infraspecific variation in *Sarracenia rubra* Walt.: Some observations. *Castanea* 42: 149–170.
- Schnell, D. E. 1979. A critical review of published variants of *Sarracenia purpurea* L. *Castanea* 44: 47–59.
- Schnell, D. E. 1981. *Sarracenia purpurea* L. subsp. *venosa* (Raf.) Wherry: Variations in the Carolinas coastal plain. *Castanea* 46: 225–234.
- Schnell, D. E. 1998. A pitcher key to the genus *Sarracenia* L. (Sarraceniaceae). *Castanea* 42: 149–170.
- Schnell, D. E. 2002. Carnivorous Plants of the United States and Canada, ed. 2. Portland.
- Schönenberger, J., A. A. Anderberg, and K. J. Sytsma. 2005. Molecular phylogenetics and patterns of floral evolution in the Ericales. *Int. J. Pl. Sci.* 166: 265–288.
- Schriften Ges. Naturf. Freunde Berlin = Schriften der Gesellschaft naturforschender Freunde zu Berlin.
- Schltes, R. E. and R. F. Raffauf. 1990. The Healing Forest: Medicinal and Toxic Plants of the Northwest Amazonia. Portland.
- Schultheis, L. M. and M. J. Donoghue. 2004. Molecular phylogeny and biogeography of *Ribes* (Grossulariaceae), with an emphasis on gooseberries (subg. *Grossularia*). *Syst. Bot.* 29: 77–96.
- Schulze-Menz, G. K. W. 1964b. Saxifragaceae. In: H. Melchior, ed. 1964. A. Engler's *Syllabus der Pflanzenfamilien*..., ed. 12. 2 vols. Berlin. Vol. 2, pp. 201–206.
- Science = Science; an Illustrated Journal [later: a Weekly Journal Devoted to the Advancement of Science]. [American Association for the Advancement of Science.]
- Scoggan, H. J. 1978–1979. The Flora of Canada. 4 parts. Ottawa. [Natl. Mus. Nat. Sci. Publ. Bot. 7.]
- Scott, P. J. 2004. Diapensiaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 117–121.
- Scott, P. J. and R. T. Day. 1983. Diapensiaceae: A review of the taxonomy. *Taxon* 32: 417–423.
- Sedum N. Amer.—See: R. T. Clausen 1975
- Segraves, K. A. and J. N. Thompson. 1999. Plant polyploidy and pollination: Floral traits and insect visits to diploid and tetraploid *Heuchera grossularifolia*. *Evolution* 53: 1114–1127.
- Segraves, K. A., J. N. Thompson, P. S. Soltis, and D. E. Soltis. 1999. Multiple origins of polyploidy and the geographic structure of *Heuchera grossularifolia*. *Molec. Ecol.* 8: 253–262.
- Senters, A. E. and D. E. Soltis. 2003. Phylogenetic relationships in *Ribes* (Grossulariaceae) inferred from ITS sequence data. *Taxon* 52: 51–66.
- Setoguchi, H., W. Watanabe, Y. Maeda, and C. I. Peng. 2008. Molecular phylogeny of the genus *Pieris* (Ericaceae) with special reference to phylogenetic relationships of insular plants on the Ryukyu Islands. *Pl. Syst. Evol.* 270: 217–230.
- Seymour, F. C. 1982. The Flora of New England: A Manual for the Identification of All Vascular Plants...Growing without Cultivation..., ed. 2. Plainfield, N.J.
- Seznam—See: P. M. Opiz 1852

- Shar smith, H. K. 1936. The genus *Sedella*. *Madroño* 3: 240–248.
- Shar smith, H. K. 1940. Further notes on the genus *Sedella*. *Madroño* 5: 192–196.
- Sheridan, P. 1993. Noteworthy *Sarracenia* collections. *Carniv. Pl. Newslett.* 22: 58.
- Sherwin, P. A. and R. L. Wilbur. 1971. The contributions of floral anatomy to the generic placement of *Diamorpha smallii* and *Sedum pusillum*. *J. Elisha Mitchell Sci. Soc.* 87: 103–114.
- Sheth, K., P. Catalfomo, and L. A. Sciuchetti. 1967. Phytochemical investigations of the leaves of *Chimaphila umbellata* var. *occidentalis*. *Lloydia* 30: 78–83.
- Shipes, B. G. and E. F. Wells. 1996. *Heuchera micrantha* var. *macropetala* (Saxifragaceae), a new variety. *Rhodora* 98: 365–368.
- Sida = Sida; Contributions to Botany.
- Siebold, P. F. von and J. G. Zuccarini. 1835[–1870]. *Flora Japonica*.... 2 vols. in 30 parts. Leiden. [Vols. paged and parted independently, plates numbered consecutively.] (Fl. Jap.)
- Sierra Club Bull. = Sierra Club Bulletin.
- Silva—See: C. S. Sargent 1890–1902
- Simmons, M. P. 2004. Parnassiaceae. In: K. Kubitzki et al., eds. 1990+. *The Families and Genera of Vascular Plants*. 9+ vols. Berlin etc. Vol. 6, pp. 291–296.
- Simmons, M. P. et al. 2001. Phylogeny of the Celastraceae inferred from 26S nuclear ribosomal DNA, phytochrome B, *rbcL*, *atpB*, and morphology. *Molec. Phylogen. Evol.* 19: 353–366.
- Sinnott, Q. P. 1985. A revision of *Ribes* L. subg. *Grossularia* (Mill.) Pers. sect. *Grossularia* (Mill.) Nutt. (Grossulariaceae) in North America. *Rhodora* 87: 189–286.
- Sketch Bot. S. Carolina—See: S. Elliott [1816–]1821–1824
- Skinner, M. W. and B. M. Pavlik, eds. 1994. *Inventory of Rare and Endangered Vascular Plants of California*, ed. 5. Sacramento.
- Skr. Kiøbenhavnske Selsk. Laerd. Elsk. = Skrifter, Som Udi det Kiøbenhavnske Selskab af Saerdoms og Videnskabers Elskere ere Fremlagte og Oplaeste.
- Sleumer, H. 1959. Studien über die Gattung *Leucothoë* D. Don. *Bot. Jahrb. Syst.* 78: 435–480.
- Sleumer, H. 1967. Die Gattung *Gaylussacia* H.B.K. *Bot. Jahrb. Syst.* 86: 309–384.
- Sleumer, H. 1980. A system of the genus *Rhododendron* L. In: J. L. Luteyn and M. E. O'Brien, eds. 1980. *Contributions toward a Classification of Rhododendron: Proceedings, International Rhododendron Conference... May 15–17, 1978.... Bronx*. Pp. 1–18.
- Small, D. and A. Small. 2001. Handy Guide to Heathers, ed. 3. Ipswich.
- Small, J. K. 1900. The genus *Bumelia* in North America. *Bull. New York Bot. Gard.* 1: 437–447.
- Small, J. K. 1901. Shrubs and trees of the southern states. IV. *Bull. Torrey Bot. Club* 28: 356–361.
- Small, J. K. 1903. Flora of the Southeastern United States.... New York. (Fl. S.E. U.S.)
- Small, J. K. 1913. Flora of the Southeastern United States..., ed. 2. New York. (Fl. S.E. U.S. ed. 2)
- Small, J. K. 1914. Ericaceae. In: N. L. Britton et al., eds. 1905+. *North American Flora.... 47+ vols.* New York. Vol. 29, pp. 33–102.
- Small, J. K. 1933. Manual of the Southeastern Flora, Being Descriptions of the Seed Plants Growing Naturally in Florida, Alabama, Mississippi, Eastern Louisiana, Tennessee, North Carolina, South Carolina and Georgia. New York. (Man. S.E. Fl.)
- Small, J. K. and P. A. Rydberg. 1905b. Saxifragaceae. In: N. L. Britton et al., eds. 1905+. *North American Flora.... 47+ vols.* New York. Vol. 22, pp. 81–158.
- Smith, C. F. 1976. A Flora of the Santa Barbara Region, California. Santa Barbara.
- Smith, J. E. 1789–1791. *Plantarum Icones hactenus Ineditae.... 3 fasc.* London. [Fascicles paged independently, plates numbered consecutively.] (Pl. Icon. Ined.)
- Smith, N. P. et al., eds. 2004. Flowering Plants of the Neotropics. Princeton.
- Smith, W. S. T. 1900. A topographic study of the islands of southern California. *Bull. Dept. Geol. Univ. Calif.* 2: 179–230.
- Smith, W. W. and H. R. Fletcher. 1943. The genus *Primula*: Section *Farinosae*. *Trans. Roy. Soc. Edinburgh* 61(1,1): 1–69.
- Smith, W. W., G. Forrest, and H. R. Fletcher. 1977. The Genus *Primula*. Vaduz. [Pl. Monogr. Repr. 11.]
- Smithsonian Contr. Knowl. = Smithsonian Contributions to Knowledge.
- Smithsonian Misc. Collect. = Smithsonian Miscellaneous Collections.
- Soltis, D. E. 1980. Karyotypic relationships among species of *Boykinia*, *Heuchera*, *Mitella*, *Sullivantia*, *Tiarella*, and *Tolmiea* (Saxifragaceae). *Syst. Bot.* 5: 17–29.
- Soltis, D. E. 1980b. Flavonoids of *Sullivantia*: Taxonomic implications at the generic level within the Saxifraginae. *Biochem. Syst. & Ecol.* 8: 149–151.
- Soltis, D. E. 1981. Variation in hybrid fertility among the disjunct populations and species of *Sullivantia* (Saxifragaceae). *Canad. J. Bot.* 59: 1174–1180.
- Soltis, D. E. 1982. Allozymic variability in *Sullivantia* (Saxifragaceae). *Syst. Bot.* 7: 26–34.
- Soltis, D. E. 1983. Supernumerary chromosomes in *Saxifraga virginiana* (Saxifragaceae). *Amer. J. Bot.* 70: 1007–1010.
- Soltis, D. E. 1984b. Autopolyploidy in *Tolmiea menziesii* (Saxifragaceae). *Amer. J. Bot.* 71: 1171–1174.
- Soltis, D. E. 1984c. Karyotypes and relationships of species of *Jepsonia* (Saxifragaceae). *Syst. Bot.* 9: 137–141.
- Soltis, D. E. 1984d. Karyotypes of *Leptarrhena* and *Tanakaea* (Saxifragaceae). *Canad. J. Bot.* 62: 671–673.
- Soltis, D. E. 1984e. Karyotypic relationships among *Elmera*, *Heuchera*, and *Tellima* (Saxifragaceae). *Syst. Bot.* 9: 6–11.
- Soltis, D. E. 1988. Karyotypes of *Bensoniella*, *Conimitella*, *Lithophragma*, and *Mitella*, and relationships in Saxifrageae (Saxifragaceae). *Syst. Bot.* 13: 64–72.
- Soltis, D. E. 1991. A revision of *Sullivantia* (Saxifragaceae). *Brittonia* 43: 27–53.
- Soltis, D. E. 2007. Saxifragaceae. In: K. Kubitzki et al., eds. 1990+. *The Families and Genera of Vascular Plants*. 9+ vols. Berlin etc. Vol. 9, pp. 418–435.
- Soltis, D. E. et al. 1990. Chloroplast DNA evidence for the origins of the monotypic *Bensonialla* and *Conimitella* (Saxifragaceae). *Syst. Bot.* 15: 349–362.

- Soltis, D. E. et al. 1990b. *rbcL* sequence divergence and phylogenetic relationships of Saxifragaceae sensu lato. Proc. Natl. Acad. Sci. U.S.A. 87: 4640–4644.
- Soltis, D. E. et al. 1993. Molecular systematics of Saxifragaceae sensu stricto. Amer. J. Bot. 80: 1056–1081.
- Soltis, D. E. et al. 1997. Angiosperm phylogeny inferred from 18S ribosomal DNA sequences. Ann. Missouri Bot. Gard. 84: 1–49.
- Soltis, D. E. et al. 2000. Angiosperm phylogeny inferred from 18S rDNA, *rbcL*, and *atpB* sequences. Bot. J. Linn. Soc. 133: 381–461.
- Soltis, D. E. et al. 2001. Elucidating deep-level phylogenetic relationships in Saxifragaceae using sequences for six chloroplastic and nuclear DNA regions. Ann. Missouri Bot. Gard. 88: 669–693.
- Soltis, D. E. et al. 2001b. Phylogenetic relationships and evolution in *Chrysosplenium* (Saxifragaceae) based on *matK* sequence data. Amer. J. Bot. 88: 883–893.
- Soltis, D. E. et al. 2007. Autopolyploidy in angiosperms: Have we grossly underestimated the number of species? Taxon 56: 13–30.
- Soltis, D. E. and B. A. Bohm. 1982. Flavonoids of *Penthorum sedoides*. Biochem. Syst. & Ecol. 10: 221–224.
- Soltis, D. E. and B. A. Bohm. 1985. Chromosomal and flavonoid chemical confirmation of intergeneric hybridization between *Tolmiea* and *Tellima* (Saxifragaceae). Canad. J. Bot. 63: 1309–1312.
- Soltis, D. E., B. A. Bohm, and G. L. Nesom. 1983. Flavonoid chemistry of cytotypes in *Galax* (Diapensiaceae). Syst. Bot. 8: 15–23.
- Soltis, D. E. and R. K. Kuzoff. 1995. Discordance between nuclear and chloroplast phylogenies in the *Heuchera* group (Saxifragaceae). Evolution 49: 727–742.
- Soltis, D. E. and P. S. Soltis. 1986. Intergeneric hybridization between *Conimitella williamsii* and *Mitella stauropetala* (Saxifragaceae). Syst. Bot. 11: 293–297.
- Soltis, D. E. and P. S. Soltis. 1988. Electrophoretic evidence for tetrasomic inheritance in *Tolmiea menziesii* (Saxifragaceae). Heredity 60: 375–382.
- Soltis, D. E. and P. S. Soltis. 1989. Genetic consequences of autopolyploidy in *Tolmiea* (Saxifragaceae). Evolution 43: 586–594.
- Soltis, D. E. and P. S. Soltis. 1997. Phylogenetic relationships in Saxifragaceae sensu lato: A comparison of topologies based on 18S rDNA and *rbcL* sequences. Amer. J. Bot. 84: 504–522.
- Soltis, D. E., P. S. Soltis, T. G. Collier, and M. L. Edgerton. 1991. Chloroplast DNA variation within and among genera of the *Heuchera* group (Saxifragaceae): Evidence for chloroplast transfer and paraphyly. Amer. J. Bot. 78: 1091–1112.
- Soltis, D. E., P. S. Soltis, P. K. Endress, and M. W. Chase. 2005. Phylogeny and Evolution of Angiosperms. Sunderland, Mass.
- Soltis, D. E., P. S. Soltis, and B. D. Ness. 1989. Chloroplast-DNA variation and multiple origins of autopolyploidy in *Heuchera micrantha* (Saxifragaceae). Evolution 43: 650–656.
- Soper, J. H. and E. G. Voss. 1964. Black crowberry in the Lake Superior region. Michigan Bot. 3: 35–38.
- Sørensen, P. D. 1995. *Arbutus*. In: Organization for Flora Neotropica. 1968+. Flora Neotropica. 98+ nos. New York. No. 66, pp. 194–221.
- Sørensen, P. D., C. E. Totten, and D. M. Piatak. 1978. Alkane chemotaxonomy of *Arbutus*. Biochem. Syst. & Ecol. 6: 109–111.
- Sørensen, T. J. 1933. The vascular plants of East Greenland from 71° 00' to 73° 30' N. lat. Meddel. Grønland. 101(3): 1–177.
- Sorrie, B. A. and P. Somers. 1999. The Vascular Plants of Massachusetts: A County Checklist. Westborough.
- Southall, R. M. 1973. A Taxonomic Revision of *Kalmia* (Ericaceae). Ph.D. dissertation. North Carolina State University.
- Southall, R. M. and J. W. Hardin. 1974. A taxonomic revision of *Kalmia* (Ericaceae). J. Elisha Mitchell Sci. Soc. 90: 1–23.
- Southall, R. M. and P. V. Nelson. 1978. The rare white wicky. Amer. Nurseryman 148(2): 8, 62–65.
- SouthE. Naturalist = Southeastern Naturalist.
- SouthW. Naturalist = Southwestern Naturalist.
- Sp. Pl.—See: C. Linnaeus 1753; C. L. Willdenow et al. 1797–1830
- Sp. Pl. ed. 2—See: C. Linnaeus 1762–1763
- Spach, É. 1834–1848. Histoire Naturelle des Végétaux. Phanérogames.... 14 vols., atlas. Paris. (Hist. Nat. Vég.)
- Spongberg, S. A. 1972. The genera of Saxifragaceae in the southeastern United States. J. Arnold Arbor. 53: 409–498.
- Spongberg, S. A. 1976b. Styracaceae hardy in temperate North America. J. Arnold Arbor. 57: 55–73.
- Spongberg, S. A. 1978. The genera of Crassulaceae in the southeastern United States. J. Arnold Arbor. 59: 198–248.
- Sprengel, K. [1824–]1825–1828. Caroli Linnaei...Systema Vegetabilium. Editio Decima Sexta.... 5 vols. Göttingen. [Vol. 4 in 2 parts paged independently; vol. 5 by A. Sprengel.] (Syst. Veg.)
- St. John, H. 1937. Flora of Southeastern Washington and of Adjacent Idaho. Pullman. (Fl. S.E. Washington)
- Stafleu, F. A. and R. S. Cowan. 1976–1988. Taxonomic Literature: A Selective Guide to Botanical Publications and Collections with Dates, Commentaries and Types, ed. 2. 7 vols. Utrecht, Antwerp, The Hague, and Boston.
- Stafleu, F. A., E. A. Mennega, L. J. Dorr, and D. H. Nicolson. 1992–2009. Taxonomic Literature: A Selective Guide to Botanical Publications and Collections with Dates, Commentaries and Types. Supplement. 8 vols. Königstein.
- Ståhl, B. 1995. A synopsis of *Jacquinia* (Theophrastaceae) in the Antilles and South America. Nordic J. Bot. 15: 493–511.
- Ståhl, B. 2004. Samolaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 387–389.
- Ståhl, B. 2004b. Symplocaceae. In: N. P. Smith et al., eds. 2004. Flowering Plants of the Neotropics. Princeton. Pp. 365–366.
- Ståhl, B. and A. A. Anderberg. 2004. Myrsinaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 266–281.

- Ståhl, B. and M. Källersjö. 2004. Reinstatement of *Bonellia* (Theophrastaceae). *Novon* 14: 115–118.
- Stand. Cycl. Hort.—See: L. H. Bailey 1914–1917
- Standley, L. A., S. S.-H. Kim, and I. M. Hjersted. 1988. Reproductive biology of two sympatric species of *Chimaphila*. *Rhodora* 90: 233–244.
- Standley, P. C. 1920–1926. Trees and shrubs of Mexico. *Contr. U.S. Natl. Herb.* 23. [Part 1, 1–169, 1920; part 2, 171–515, 1922; part 3, 517–848, 1923; part 4, 849–1312, 1924; part 5, 1313–1721, 1926.]
- Stansbury, H. 1852. An Expedition to the Valley of the Great Salt Lake of Utah.... Philadelphia. [Botanical appendix by J. Torrey, pp. 381–397, plates 1–9.] (Exped. Great Salt Lake)
- Steedman, E. V. 1930. Ethnobotany of the Thompson Indians of British Columbia, based on field notes by James A. Teit. *Rep. (Annual) Bur. Amer. Ethnol.* 45: 441–522. [Reprinted 1973, Seattle.]
- Stern, D. L. and W. A. Foster. 1966. The evolution of soldiers in aphids. *Biol. Rev. Cambridge Philos. Soc.* 71: 27–79.
- Stern, F. C. 1946. A Study of the Genus *Paeonia*. London.
- Sternberg, C. M. von. 1810–1831. *Revisio Saxifragarum Iconibus Illustrata*. 1 vol. + 2 suppls. Regensburg and Prague. (Revis. Saxifrag.)
- Steudel, E. G. 1840–1841. *Nomenclator Botanicus Enumerans Ordine Alphabetico Nomina atque Synonyma tum Generica tum Specifica...*, ed. 2. 2 vols. Stuttgart and Tübingen. (Nomencl. Bot. ed. 2)
- Stevens, P. F. 1969. Taxonomic Studies in the Ericaceae. Ph.D. thesis. University of Edinburgh.
- Stevens, P. F. 1970. *Calluna, Cassiope* and *Harrimanella*: A taxonomic and evolutionary problem. *New Phytol.* 69: 1131–1148.
- Stevens, P. F. 1971. A classification of the Ericaceae: Subfamilies and tribes. *Bot. J. Linn. Soc.* 64: 1–53.
- Stevens, P. F. et al. 2004. Ericaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 145–194.
- Stevens, P. F. et al. 2004b. Theaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 6, pp. 463–471.
- Stevenson, G. A. 1965. Notes on the more recently adventive flora of the Brandon area, Manitoba. *Canad. Field-Naturalist* 79: 174–177.
- Stuessy, T. F. 1990. Plant Taxonomy: The Systematic Evaluation of Comparative Data. New York.
- Sturm, J. et al. 1900–1907. J. Sturm's Flora von Deutschland..., ed. 2. 15 vols. Stuttgart. (Deutschl. Fl. ed. 2)
- Sugden, E. A. 1986. Anthecology and pollinator efficiency of *Styrax officinale* subsp. *redivivum* (Styracaceae). *Amer. J. Bot.* 73: 919–930.
- Suppl. Carp.—See: C. F. von Gaertner 1805–1807
- Suttil, T. A. and G. A. Allen. 1992. Morphological and chromosomal variation in *Dodecatheon pulchellum* (Primulaceae). *Canad. J. Bot.* 70: 2476–2483.
- Svensk Bot. Tidskr. = Svensk Botanisk Tidskrift Utgivven af Svenska Botaniska Föreningen.
- Swartz, O. P. 1788. *Nova Genera & Species Plantarum seu Prodromus....* Stockholm, Uppsala, and Åbo. (Prodru.)
- Sweet, R. 1830. *Hortus Britannicus....*, ed. 2. London. (Hort. Brit. ed. 2)
- Swenson, U. and A. A. Anderberg. 2005. Phylogeny, character evolution, and classification of Sapotaceae (Ericales). *Cladistics* 21: 101–130.
- Symb. Antill.—See: I. Urban 1898–1928
- Syn. Fl. Germ. Helv.—See: W. D. J. Koch [1835–]1837–1838
- Syn. Fl. N. Amer.—See: A. Gray et al. 1878–1897
- Syn. Fl. N. Amer. ed. 2—See: A. Gray et al. 1886
- Syn. Pl.—See: N. T. Host 1797; C. H. Persoon 1805–1807
- Syn. Pl. Succ.—See: A. H. Haworth 1812
- Syst. Biol. = Systematic Biology.
- Syst. Bot. = Systematic Botany; Quarterly Journal of the American Society of Plant Taxonomists.
- Syst. Bot. Monogr. = Systematic Botany Monographs; Monographic Series of the American Society of Plant Taxonomists.
- Syst. Nat. ed. 10—See: C. Linnaeus 1758[–1759]
- Syst. Nat. ed. 12—See: C. Linnaeus 1766[–1768]
- Syst. Veg.—See: J. J. Roemer et al. 1817[–1830]; K. Sprengel [1824–]1825–1828
- Syst. Veg. ed. 14—See: J. A. Murray 1784
- ‘t Hart, H. 1985. The vascular pattern of the flowers of *Sedum anacampseros* (Crassulaceae). *Acta Bot. Neerl.* 34: 119–121.
- ‘t Hart, H. 1985b. Sexual reproduction and hybridization in *Sedum telephium* (Crassulaceae). *Acta Bot. Neerl.* 34: 1–4.
- ‘t Hart, H. 1995. Infrafamilial and generic classification of the Crassulaceae. In: H. ‘t Hart and U. Eggli, eds. 1995. Evolution and Systematics of the Crassulaceae. Leiden. Pp. 159–172.
- ‘t Hart, H. et al. 1999. Biosystematic, molecular and phytochemical evidence for the multiple origin of sympetaly in Eurasian Sedoideae (Crassulaceae). *Biochem. Syst. & Ecol.* 27: 407–426.
- ‘t Hart, H. and J. van Arkel. 1985. Quantitative aspects of the influence of day length and temperature on *Sedum telephium* (Crassulaceae). *Acta Bot. Neerl.* 34: 115–118.
- ‘t Hart, H., B. Bleij, and B. Zonneveld. 2003. *Sempervivum*. In: U. Eggli, ed. 2003. Illustrated Handbook of Succulent Plants. Crassulaceae. New York. Pp. 332–349.
- ‘t Hart, H. and U. Eggli, eds. 1995. Evolution and Systematics of the Crassulaceae. Leiden. (Evol. Syst. Crassulaceae)
- Tabl. École Bot. ed. 3—See: R. L. Desfontaines 1829[–1832]
- Tabl. Encycl.—See: J. Lamarck and J. Poiret 1791–1823
- Takahashi, Hiroshi. 1986. Pollen morphology of *Pyrola* and its taxonomic significance. *Bot. Mag. (Tokyo)* 99: 137–154.
- Takahashi, Hiroshi. 1986b. Pollen polyads and their variation in *Chimaphila* (Pyrolaceae). *Grana* 25: 161–169.
- Takahashi, Hiroshi. 1987. On the infraspecific variation of *Chimaphila umbellata* (L.) W. Barton (Pyrolaceae). *Acta Phytotax. Geobot.* 38: 82–96.
- Takahashi, Hiroshi. 1993. Seed morphology and its systematic implications in Pyroloideae (Ericaceae). *Int. J. Pl. Sci.* 154: 175–186.
- Takhtajan, A. L. 1969. Flowering Plants: Origin and Dispersal. Edinburgh.
- Takhtajan, A. L. 1997. Diversity and Classification of Flowering Plants. New York.
- Taxon = Taxon; Journal of the International Association for Plant Taxonomy.

- Taylor, R. L. 1965. The genus *Lithophragma* (Saxifragaceae). *Univ. Calif. Publ. Bot.* 37: 1–122.
- Taylor, R. L. and B. MacBryde. 1978. New taxa and nomenclatural changes with respect to vascular plants of British Columbia: A descriptive resource inventory. *Canad. J. Bot.* 56: 184–195.
- Taylor, R. L. and G. A. Mulligan. 1968. Flora of the Queen Charlotte Islands. Part 2. Cytological Aspects of the Vascular Plants. Ottawa.
- Techn. Bull. New York Agric. Exp. Sta., Geneva = Technical Bulletin, New York (State) Agricultural Experiment Station.
- Thomas, J. L. 1960. A monographic study of the Cyrillaceae. *Contr. Gray Herb.* 186: 1–114.
- Thomas, J. L. 1961. The genera of the Cyrillaceae and Clethraceae of the southeastern United States. *J. Arnold Arbor.* 42: 96–106.
- Thompson, H. J. 1953. The biosystematics of *Dodecatheon*. *Contr. Dudley Herb.* 4: 73–154.
- Thompson, I. D. and A. U. Mallik. 1989. Moose browsing and allelopathic effects of *Kalmia angustifolia* on balsam fir regeneration in central Newfoundland. *Canad. J. Forest Res.* 19: 524–526.
- Thomson, P. H. 1993. *Dudleya* and *Hasseanthus* Handbook. Bonsall, Calif.
- Thorne, R. F. 1969. The California islands. *Ann. Missouri Bot. Gard.* 56: 391–408.
- Thorne, R. F. 1992. An updated phylogenetic classification of the flowering plants. *Aliso* 13: 365–389.
- Thorne, R. F. 1992b. Classification and geography of the flowering plants. *Bot. Rev. (Lancaster)* 58: 225–348.
- Thunberg, C. P. 1781–1801. *Nova Genera Plantarum....* 16 diss. Uppsala. [Paged consecutively.] (Nov. Gen. Pl.)
- Tiffney, B. H. 1985. Perspectives on the origin of the floristic similarity between eastern Asia and eastern North America. *J. Arnold Arbor.* 66: 73–94.
- Toelken, H. R. 1977. A revision of the genus *Crassula* in southern Africa. *Contr. Bolus Herb.* 8.
- Toelken, H. R. 1985. Crassulaceae. In: Department of Agricultural Technical Services [South Africa]. 1963+. *Flora of Southern Africa....* 19+ vols. (some partial). Pretoria. Vol. 14.
- Torrey, J. [1823–]1824. A Flora of the Northern and Middle Sections of the United States.... 1 vol. in 3 fascs. New York. (Fl. N. Middle United States)
- Torrey, J. 1843. A Flora of the State of New York.... 2 vols. Albany. (Fl. New York)
- Torrey, J. and A. Gray. 1838–1843. A Flora of North America.... 2 vols. in 7 parts. New York, London, and Paris. (Fl. N. Amer.)
- Torreya = *Torreya*; a Monthly Journal of Botanical Notes and News.
- Trans. Amer. Philos. Soc. = Transactions of the American Philosophical Society Held at Philadelphia for Promoting Useful Knowledge.
- Trans. Cambridge Philos. Soc. = Transactions of the Cambridge Philosophical Society.
- Trans. Hort. Soc. London = Transactions, of the Horticultural Society of London.
- Trans. Linn. Soc. = Transactions of the Linnean Society.
- Trans. Linn. Soc. London = Transactions of the Linnean Society of London.
- Trans. Roy. Soc. Edinburgh = Transactions of the Royal Society of Edinburgh.
- Trans. San Diego Soc. Nat. Hist. = Transactions of the San Diego Society of Natural History.
- Trans. Wisconsin Acad. Sci. = Transactions of the Wisconsin Academy of Sciences, Arts and Letters.
- Trees & Shrubs—See: C. S. Sargent [1902–]1905–1913
- Trees Shrubs Japan—See: T. Nakai 1922
- Trehane, J. 2004. Blueberries, Cranberries, and Other Vacciniums. Portland.
- Trift, I., M. Källersjö, and A. A. Anderberg. 2002. The monophyly of *Primula* (Primulaceae) evaluated by analysis of sequences from the chloroplast gene *rbcL*. *Syst. Bot.* 27: 396–407.
- Trimen, H., J. D. Hooker, and A. H. G. Alston. 1893–1931. A Hand-book to the Flora of Ceylon.... 6 vols. London.
- Tsou, C. H. 1997. Embryology of the Theaceae—Anther and ovule development of *Camellia*, *Franklinia*, and *Schima*. *Amer. J. Bot.* 84: 369–381.
- Tsou, C. H. 1998. Early floral development of Camellioideae (Theaceae). *Amer. J. Bot.* 85: 1531–1547.
- Turner, B. L., H. Nichols, G. Denny, and O. Doron. 2003. *Atlas of the Vascular Plants of Texas.* 2 vols. Fort Worth. [Sida Bot. Misc. 24.]
- Turner, N. J. et al. 1990. Thompson Ethnobotany: Knowledge and Usage of Plants by the Thompson Indians of British Columbia. Victoria.
- Turner, N. J., R. Bouchard, and D. I. D. Kennedy. 1980. Ethnobotany of the Okanagan-Colville Indians of British Columbia and Washington. Victoria.
- Tutin, T. G. et al., eds. 1964–1980. *Flora Europaea.* 5 vols. Cambridge.
- Tutin, T. G. et al., eds. 1993+. *Flora Europaea*, ed. 2. 1+ vol. Cambridge and New York.
- U.S. Expl. Exped.—See: C. Wilkes et al. 1854–1876
- Uhl, C. H. 1948. Cytotaxonomic studies in the subfamilies Crassuloideae, Kalanchoideae, and Cotyledonoideae of the Crassulaceae. *Amer. J. Bot.* 35: 695–706.
- Uhl, C. H. 1952. Heteroploidy in *Sedum rosea* (L.) Scop. *Evolution* 6: 81–86.
- Uhl, C. H. 1963. Chromosomes and phylogeny of the Crassulaceae. *Cact. Succ. J. (Los Angeles)* 35: 80–84.
- Uhl, C. H. 1970. Chromosomes of *Graptopetalum* and *Thompsonella*. *Amer. J. Bot.* 57: 1115–1121.
- Uhl, C. H. 1992. Polyploidy, dysploidy, and chromosome pairing in *Echeveria* (Crassulaceae) and its hybrids. *Amer. J. Bot.* 79: 556–566.
- Uhl, C. H. 1993. Intergeneric hybrids of Mexican Crassulaceae. I. *Lenophyllum*. *Cact. Succ. J. (Los Angeles)* 65: 271–273.
- Uhl, C. H. 1994. Intergeneric hybrids in the Mexican Crassulaceae: II. *Dudleya* (and plate tectonics). *Cact. Succ. J. (Los Angeles)* 66: 74–80.
- Uhl, C. H. 1995. Chromosomes and hybrids of *Echeveria* III. Series *Secundae* (Baker) Berger (Crassulaceae). *Haseltonia* 3: 34–48.
- Uhl, C. H. 1996. Chromosomes and polyploidy in *Lenophyllum* (Crassulaceae). *Amer. J. Bot.* 83: 216–220.
- Uhl, C. H. and R. V. Moran. 1953. The cytotaxonomy of *Dudleya* and *Hasseanthus*. *Amer. J. Bot.* 40: 492–502.
- Uhl, C. H. and R. V. Moran. 1999. Chromosomes of *Villadia* and *Altamiranoa* (Crassulaceae). *Amer. J. Bot.* 86: 387–397.

- Underhill, T. L. 1971. Heaths and Heathers: *Calluna*, *Daboecia* and *Erica*. Newton Abbot.
- Univ. Calif. Publ. Bot. = University of California Publications in Botany.
- University of Chicago Press. 1993. The Chicago Manual of Style, ed. 14. Chicago.
- Upton, R. 2001. Bilberry Fruit: *Vaccinium myrtillus* L. Standards of Analysis, Quality Control, and Therapeutics. Santa Cruz.
- Upton, R., ed. 2002. Cranberry Fruit: *Vaccinium macrocarpon* Aiton. Standards of Analysis, Quality Control, and Therapeutics. Santa Cruz.
- Urban, I., ed. 1898–1928. Symbolae Antillanae seu Fundamenta Florae Indiae Occidentalis.... 9 vols. Berlin etc. (Symb. Antill.)
- Uttal, L. J. 1986. The taxonomic position of *Vaccinium sempervirens* (Ericaceae). *Rhodora* 88: 515–516.
- Vahl, M. 1796[1797]–1807. Eclogae Americanae seu Descriptiones Plantarum Praesertim Americae Meridionalis.... 3 parts. Copenhagen. (Eclog. Amer.)
- Van Arsdel, E. P. and B. W. Geils. 2004. The *Ribes* of Colorado and New Mexico and Their Rust Fungi. Fort Collins.
- Van Jaarsveld, E. J. 2003. *Crassula*. In: U. Eggli, ed. 2003. Illustrated Handbook of Succulent Plants. Crassulaceae. New York. Pp. 32–84.
- Vander Kloet, S. P. 1976. Nomenclature, taxonomy, and biosystematics of *Vaccinium* section *Cyanococcus* (the blueberries) in North America: 1. Natural barriers to gene exchange between *Vaccinium angustifolium* Ait. and *Vaccinium corymbosum* L. *Rhodora* 78: 503–515.
- Vander Kloet, S. P. 1977. The taxonomic status of *Vaccinium boreale*. *Canad. J. Bot.* 55: 281–288.
- Vander Kloet, S. P. 1978. The taxonomic status of *Vaccinium pallidum*, the hillside blueberries including *Vaccinium vacillans*. *Canad. J. Bot.* 56: 1559–1574.
- Vander Kloet, S. P. 1980. The taxonomy of the highbush blueberry, *Vaccinium corymbosum*. *Canad. J. Bot.* 58: 1187–1201.
- Vander Kloet, S. P. 1980b. Erratum: The taxonomy of the highbush blueberry, *Vaccinium corymbosum*. *Canad. J. Bot.* 58: 2028–2029.
- Vander Kloet, S. P. 1983. The taxonomy of *Vaccinium* sect. *Oxycoccus*. *Rhodora* 85: 1–43.
- Vander Kloet, S. P. 1988. The Genus *Vaccinium* in North America. Ottawa. [Agric. Canada, Res. Branch, Publ. 1828.]
- Vander Kloet, S. P. and B. A. Bohm. 1991. Taxonomy of *Vaccinium* sect. *Oxycoccoides* (Ericaceae). *Rhodora* 93: 226–237.
- Vander Kloet, S. P. and T. A. Dickinson. 1999. The taxonomy of *Vaccinium* sect. *Myrtillus* (Ericaceae). *Brittonia* 51: 231–254.
- Vasc. Pl. Pacif. N.W.—See: C. L. Hitchcock et al. 1955–1969
- Vasc. Pl. Wyoming—See: R. D. Dorn 1988
- Vassiljev, V. N. 1961. Rod *Empetrum*. Moscow.
- Veg. Mater. Med. U.S.—See: W. P. C. Barton 1817–1819
- Vega Exp. Vetensk. Iaktag.—See: A. E. Nordenskiöld 1882–1887
- Veitch, J. H. 1906. Hortus Veitchii.... London.
- Veldkamp, J. F., J. L. Reveal, and K. N. Gandhi. 2008. Proposal to reject the name *Dodecatheon jeffreyanum* (Primulaceae). *Taxon* 57: 1004–1006.
- Ventenat, É. P. [1800–1803.] Description des Plantes Nouvelles et Peu Connues Cultivés dans le Jardin de J. M. Cels.... 10 parts. Paris. [Plates numbered consecutively.] (Descr. Pl. Nouv.)
- Ventenat, É. P. 1803–1804[–1805]. Jardin de la Malmaison.... 2 vols. Paris. [Plates numbered consecutively.] (Jard. Malmaison)
- Verh. K. K. Zool.-Bot. Ges. Wien = Verhandlungen der Kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien.
- Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2 = Verhandelingen der Koninklijke Nederlandse (Nederlandse) Akademie van Wetenschappen. Afdeeling Natuurkunde, Sectie 2.
- Villars, D. 1786–1789. Histoire des Plantes de Dauphiné. 3 vols. Grenoble, Lyon, and Paris. (Hist. Pl. Dauphiné)
- Virginia J. Sci. = Virginia Journal of Science.
- Vivian, V. E. 1967. *Shortia galacifolia*, its life history and microclimate requirements. *Bull. Torrey Bot. Club* 94: 369–387.
- Vogel, S. 1974+. Ölblumen und ölsammelnde Bienen. 3+ vols. Mainz and Wiesbaden. [Trop. Subtrop. Pflanzenwelt 7, 54, 73.]
- Vogelmann, H. W. 1956. A Biosystematic Study of *Primula mistassinica* Michaux. Ph.D. dissertation. University of Michigan.
- Vogelmann, H. W. 1960. Chromosome numbers in some American farinose primulas with comments on their taxonomy. *Rhodora* 62: 31–42.
- Wagner, D. H. 1991. Noteworthy collections, Oregon. *Madroño* 38: 145–146.
- Wahlenberg, G. 1812. Flora Lapponica Exhibens Plantas Geographice et Botanice Consideratas.... Berlin. (Fl. Lapp.)
- Wakabayashi, M. 2001. *Mitella*. In: K. Iwatsuki et al., eds. 1993+. Flora of Japan. 3+ vols. in 6+. Tokyo. Vol. 2b, pp. 70–75.
- Walcott, M. V. 1935. Illustrations of North American Pitcherplants. Washington.
- Wallace, G. D. 1975. Studies of the Monotropoideae (Ericaceae): Taxonomy and distribution. *Wasmann J. Biol.* 33: 1–88.
- Wallnöfer, B. 1997. A revision of *Styrax* L. sect. *Pamphilia* (Mart. ex A. DC.) B. Walln. (Styracaceae). *Ann. Naturhist. Mus. Wien, B* 99: 681–720.
- Walter, T. 1788. Flora Caroliniana, Secundum Systema Vegetabilium Perillustris Linnaei Digesta.... London. (Fl. Carol.)
- Walters, S. M. et al., eds. 1984+. The European Garden Flora.... 6+ vols. Cambridge etc.
- Walther, E. 1972. *Echeveria*. San Francisco.
- Wang, Y. et al. 2004. Phylogeny and infrageneric classification of *Symplocos* (Symplocaceae) inferred from DNA sequence data. *Amer. J. Bot.* 91: 1901–1914.
- Wangenheim, F. A. J. von. 1787. Beytrag zur teutschen holzgerechten Forstwissenschaft, die Anpflanzung nordamerikanischer Holzarten.... Göttingen. (Beytr. Teut. Forstwiss.)
- Wann, J. D. 1997. Clethraceae. In: S. M. Walters et al., eds. 1984+. The European Garden Flora.... 6+ vols. Cambridge etc. Vol. 5, pp. 415–416.

- War Department [U.S.]. 1855–1860. Reports of Explorations and Surveys, to Ascertain the Most Practicable and Economical Route for a Railroad from the Mississippi River to the Pacific Ocean. Made under the Direction of the Secretary of War, in 1853[–1856].... 12 vols. in 13. Washington. (Pacif. Railr. Rep.)
- Ward, D. B. and A. K. Gholson. 1987. The hidden abundance of *Lepuropetalon spathulatum* (Saxifragaceae) and its first reported occurrence in Florida. *Castanea* 52: 59–66.
- Warr, H. J. 1981. Variation in *Vaccinium uliginosum* in Northeastern North America. M.Sc. thesis. Acadia University.
- Waselkov, K. and W. S. Judd. 2008. A phylogenetic analysis of *Leucothoe* s.l. (Ericaceae; tribe Gaultherieae) based on phenotypic characters. *Brittonia* 60: 382–397.
- Wasmann J. Biol. = Wasmann Journal of Biology.
- Watson, S. 1871. United States Geological Exploration [sic] of the Fortieth Parallel. Clarence King, Geologist-in-charge. [Vol. 5] Botany. By Sereno Watson.... Washington. [Botanical portion of larger work by C. King.] [Botany (Fortieth Parallel)]
- Watson, T. J. 1977b. An analysis of populations formed by hybridization between *Phyllodoce empetriformis* and *P. glanduliflora* (Ericaceae). *Rhodora* 79: 1–16.
- Weakley, A. S. 2002. Flora of the Carolinas and Virginia. Chapel Hill.
- Weakley, A. S. 2006. Flora of the Carolinas, Virginia, Georgia, and Surrounding Areas. Chapel Hill.
- Weakley, A. S. 2007. Flora of the Carolinas, Virginia, Georgia, and Surrounding Areas. Working Draft of 11 January 2007. Chapel Hill.
- Weathers, S. A. 1998. Field Guide to Plants Poisonous to Livestock: Western U.S. Fruitland, Utah.
- Webb, D. A. and R. J. Gornall. 1989. A Manual of Saxifrages and Their Cultivation. Portland.
- Webb, P. B. and S. Berthelot. [1835–]1836–1850. Histoire Naturelle des îles Canaries.... 3 vols. in 9. Paris. [Tome troisième, Botanique: Première partie, 1 vol; deuxième partie, 4 vols.] (Hist. Nat. îles Canaries)
- Weber, R. M. 1979. Species Biology of *Chrysosplenium iowense*. Master's thesis. University of Northern Iowa.
- Weber, W. A. 1990. Colorado Flora: Eastern Slope. Niwot, Colo.
- Weigend, M. 2007. Grossulariaceae. In: K. Kubitzki et al., eds. 1990+. The Families and Genera of Vascular Plants. 9+ vols. Berlin etc. Vol. 9, pp. 168–176.
- Weigend, M. and M. Binder. 2001. Three new species of *Ribes* L. (Grossulariaceae) from Central and South America. *Syst. Bot.* 26: 727–732.
- Weigend, M., O. Mohr, and T. Motley. 2002. Phylogeny and classification of the genus *Ribes* (Grossulariaceae) based on 5S-NTS sequences and morphological and anatomical data. *Bot. Jahrb. Syst.* 124: 163–182.
- Wells, E. F. 1979. Interspecific hybridization in eastern North American *Heuchera* (Saxifragaceae). *Syst. Bot.* 4: 319–338.
- Wells, E. F. 1984. A revision of the genus *Heuchera* (Saxifragaceae) in eastern North America. *Syst. Bot. Monogr.* 3: 45–121.
- Wells, P. V. 2000. The Manzanitas of California: Also of Mexico and the World. Lawrence, Kans.
- Wells, T. C. and B. A. Bohm. 1994. Isozyme variation in North American *Menziesia* (Ericaceae). *Syst. Bot.* 19: 407–423.
- Welsh, S. L. 1974. Anderson's Flora of Alaska and Adjacent Parts of Canada. Provo.
- Werdenda = Werdenda. Beiträge zur Pflanzenkunde.
- Wherry, E. T. 1933. The geographic relations of *Sarracenia purpurea*. *Bartonia* 15: 1–6.
- Wherry, E. T. 1935. Distribution of the North American pitcherplants. In: M. V. Walcott. 1935. Illustrations of North American Pitcherplants. Washington. Pp. 1–23.
- Wherry, E. T. 1971. Georgia's rare plant, *Elliottia*. *Pl. & Gard.* 27(2): 57.
- Wherry, E. T. 1972. Notes on *Sarracenia* subspecies. *Castanea* 37: 146–147.
- Whetstone, R. D. 1985. *Bumelia reclinata* var. *austrofloridensis* (Sapotaceae), a new variety from south Florida, U.S.A. *Ann. Missouri Bot. Gard.* 72: 544–547.
- White, F. 1962. Geographic variation and speciation in Africa with particular reference to *Diospyros*. In: D. Nichols, ed. 1962. Taxonomy and Geography: A Symposium.... London. Pp. 71–103.
- Whittemore, A. T. 2003. Noteworthy collections: District of Columbia. *Castanea* 68: 260.
- Wiggs, D. N. and R. B. Platt. 1962. Ecology of *Diamorpha cymosa*. *Ecology* 43: 654–670.
- Wilbur, R. L. 1964. Notes on the genus *Diamorpha* (Crassulaceae). *Rhodora* 66: 87–92.
- Wilbur, R. L. 1970b. Infraspecific classification in the Carolina flora. *Rhodora* 72: 51–65.
- Wilbur, R. L. 1977. Nomenclatural notes on the genus *Diamorpha* (Crassulaceae). *Taxon* 26: 137–139.
- Wilbur, R. L. 1988. What do we know about *Diamorpha smallii* (Crassulaceae), "one of the better-known taxa in the southeastern flora"? *Sida* 13: 1–16.
- Wilbur, R. L. and S. Bloodworth. 2004. Notes on the box huckleberry, *Gaylussacia brachycera* (Ericaceae), and its unexpected presence in North Carolina. *Rhodora* 106: 371–377.
- Wilkes, C. et al. 1854–1876. United States Exploring Expedition. During the years 1838, 1839, 1840, 1841, 1842. Under the Command of Charles Wilkes, U.S.N.... 18 vols. (1–17, 19). Philadelphia. [Vol. 15: Botany, Phanerogamia (A. Gray), 1854; Atlas, 1856. Vol. 16: Botany, Cryptogamia, Filices (W. D. Brackenridge), 1854; Atlas, 1855. Vol. 17: incl. Phanerogamia of Pacific North America (J. Torrey), 1874. Vol. 19 (2 parts): Geographical Distribution of Animals and Plants (C. Pickering), 1854. Vol. 18: Botany, Phanerogamia, part 2 (A. Gray) not published.] (U.S. Expl. Exped.)
- Wilkins, C. K. and B. A. Bohm. 1976. Chemotaxonomic studies in the Saxifragaceae s.l. 4. The flavonoids of *Heuchera micrantha* var. *diversifolia*. *Canad. J. Bot.* 54: 2133–2140.
- Willdenow, C. L., C. F. Schwägrichen, and J. H. F. Link. 1797–1830. Caroli a Linné Species Plantarum.... Editio Quarta.... 6 vols. Berlin. [Vols. 1–5(1), 1797–1810, by Willdenow; vol. 5(2), 1830, by Schwägrichen; vol. 6, 1824–1825, by Link.] (Sp. Pl.)
- Williams, L. O. 1936. Revision of the western primulas. *Amer. Midl. Naturalist* 17: 744–748.

- Wilson, E. H. and A. J. Rehder. 1921. A Monograph of Azaleas: *Rhododendron* Subgenus *Anthodendron*. Cambridge, Mass. (Monogr. Azaleas)
- Wipff, J. K. 1995. A Biosystematic Study of Selected Facultative Apomictic Species of *Pennisetum* (Poaceae: Paniceae) and Their Hybrids. Ph.D. dissertation. Texas A&M University.
- Wislizenus, F. A. 1848. Memoir of a Tour to Northern Mexico, Connected with Col. Doniphan's Expedition, in 1846 and 1847.... Washington. (Mem. Tour N. Mexico)
- Wood, A. 1861. A Class-book of Botany.... New York. [Class-book Bot. ed. s.n.(b)]
- Wood, A. 1863. Leaves and Flowers: Or, Object Lessons in Botany. With a Flora. New York and Troy, N.Y. (Leaves Flowers)
- Wood, A. 1870. The American Botanist and Florist; Including Lessons in the Structure, Life, and Growth of Plants; Together with a Simple Analytical Flora, Descriptive of the Native and Cultivated Plants Growing in the Atlantic Division of the American Union.... New York and Chicago. (Amer. Bot. Fl.)
- Wood, C. E. Jr. 1959b. The genera of Theaceae of the southeastern United States. *J. Arnold Arbor.* 40: 413–419.
- Wood, C. E. Jr. 1961. The genera of Ericaceae in the southeastern United States. *J. Arnold Arbor.* 42: 10–80.
- Wood, C. E. Jr. and R. B. Channell. 1959. The Empetraceae and Diapensiaceae of the southeastern United States. *J. Arnold Arbor.* 40: 161–171.
- Wood, C. E. Jr. and R. B. Channell. 1960. The genera of the Ebenales in the southeastern United States. *J. Arnold Arbor.* 41: 1–35.
- Wu, Z. and P. H. Raven, eds. 1994+. Flora of China. 12+ vols. Beijing and St. Louis.
- Wunderlin, R. P. 1998. Guide to the Vascular Plants of Florida. Gainesville.
- Wunderlin, R. P. and B. F. Hansen. 2003. Guide to the Vascular Plants of Florida, ed. 2. Gainesville.
- Wyatt, R. 1981. Ant-pollination of the granite outcrop endemic *Diamorpha smallii*. *Amer. J. Bot.* 68: 1212–1217.
- Wyatt, R. and A. Stoneburner. 1981. Patterns of ant-mediated pollen dispersal in *Diamorpha smallii* (Crassulaceae). *Syst. Bot.* 6: 1–7.
- Xi, Y. C. and Tang Y. C. 1990. Pollen morphology and phylogenetic relationships in the Diapensiaceae. *Cathaya* 2: 89–112.
- Xiang, Q. Y. et al. 2004. Regional differences in rates of plant speciation and molecular evolution: A comparison between eastern Asia and eastern North America. *Evolution* 58: 2175–2184.
- Yang, S. X. et al. 2004. Reassessing the relationships between *Gordonia* and *Polyspora* (Theaceae) based on the combined analyses of molecular data from the nuclear, plastid, and mitochondrial genomes. *Pl. Syst. Evol.* 248: 45–55.
- Young, S. B. 1970. On the taxonomy and distribution of *Vaccinium uliginosum*. *Rhodora* 72: 439–459.
- Zeybek, N. 1970. Liefert *Styrax officinalis* L. ein Harz? *Ber. Schweiz. Bot. Ges.* 80: 189–193.
- Zhang, L. B. and M. P. Simmons. 2006. Phylogeny and delimitation of the Celastrales inferred from nuclear and plastid genes. *Syst. Bot.* 31: 122–137.
- Zhang, X. P. and A. A. Anderberg. 2002. Pollen morphology in the ericoid clade of the order Ericales, with special emphasis on Cyrillaceae. *Grana* 41: 201–215.
- Zhu, H. and A. U. Mallik. 1994. Interactions between *Kalmia* and black spruce—Isolation and identification of allelopathic compounds. *J. Chem. Ecol.* 20: 407–421.
- Zika, P. F. 2002. A small addition to the flora of British Columbia, *Crassula tillaea*, mossy stonecrop. *Douglasia* 26(2): 19–20.

Index

Names in *italics* are synonyms, casually mentioned hybrids, or plants not established in the flora. Page numbers in **boldface** indicate the primary entry for a taxon. Page numbers in *italics* indicate an illustration. Roman type is used for all other entries, including author names, vernacular names, and accepted scientific names for plants treated as established members of the flora.

- Abiu, 244
Abrams's dudleya, 183
Abrams's liveforever, 183
Achras
 bahamensis, 235
 emarginata, 235
 salicifolia, 243
 zapota, 235
 zapotilla
 parvifolia, 235
Acre, 172
Adromischus, 156
Aeonium, 149, 167, 168
 arboreum, 168
 arboreum, 168
 haworthii, 165, 168
African star apple, 245
Agarista, 370, 376, 499
 populifolia, 499, 500
 sleumeri, 499
Agauria, 499
Ahles, H. E., 394
Air plant, 161
Airelle à feuilles ovées, 524
Airelle des marécages, 518
Airelle gazonnante, 524
Airelle vigne-d'Ida, 520
Airy Shaw, H. K., 322
Aizopsis, 223
Alabama azalea, 467
Alabama canebrake pitcher
 plant, 353
Alameda manzanita, 433
Alaska boykinia, 128
Alaska dwarf primrose, 267
Alaska moss heather, 495
Alaskan pincushion plant, 338
Alaskan shootingstar, 283
Aleut saxifrage, 140
Aleutian mountain heather, 476
Alkali-meadows shootingstar,
 283
Allard, H. A., 163
Allen, G. A., 269, 283
Allorge-Boiteau, L., 158, 160,
 161
Allotropa, 373, 391
 virgata, 390, 391
Almeda, F., 329
Alniphyllum, 339
Alpine alum-root, 89
Alpine azalea, 485
Alpine bearberry, 404
Alpine brook saxifrage, 145
Alpine gooseberry, 28
Alpine prickly currant, 26
Alpine primrose, 298
Alpine saxifrage, 54, 64
Alpine shootingstar, 277
Alpine spicy wintergreen, 513
Alsinanthemum
 europaeum
 latifolium, 305
Altamiranoa, 226
Altingiaceae, 44
Alum-root, 84, 85
American alum-root, 94
American featherfoil, 259
American golden-saxifrage, 72
American orpine, 162
American snowbell, 342
American wintergreen, 380
Amerosedium, 199
 divergens, 210
 leibergii, 209
 nesioticum, 207
 rupicola, 207
 stenopetalum, 209
Ampelothamnus, 497
 phillyreifolius, 498
Anacampseros
 telephiooides, 162
Anagallidastrum
 exiguum, 307
Anagallis, 302, 303, 305, 306,
 309
 arvensis, 306, 307
 caerulea, 306
 caerulea, 306
 coerulea, 306
 foemina, 306
 linifolia, 306
 minima, 306, 307
 monelli, 306
 pumila, 306, 307
 tenella, 305
Anderberg, A. A., 232, 237,
 243, 248, 257, 258, 265,
 303, 309, 322, 332, 339,
 367, 486, 489, 490
Anderson, L. C., 238, 244
Andrena
 carlini, 529
Andromeda, 376, 496, 497,
 503, 504, 507
 arborea, 497
 axillaris, 509
 baccata, 534
 bracteosa, 440
 hebeclada, 440
 caerulea, 477
 calyculata, 508
 angustifolia, 508
 latifolia, 508
 nana, 508
 canescens, 505
 cassinefolia, 506
cupressina, 448
ferruginea, 503
fruticosa, 503
floribunda, 498
fontanesiana, 509
glaucophylla, 505
 iodandra, 505
hypnooides, 495
xjamesiana, 504
lanceolata, 509
lucida, 502
lycopodioides, 448
marihana, 502
mertensiana, 447
paniculata
 foliosiflora, 502
phillyreifolia, 498
polifolia, 372, 500, 504
 acerosa, 505
 concolor, 505
 glaucophylla, 505
 iodandra, 505
 jamesiana, 504
 latifolia, 500, 504, 505
 polifolia, 500, 504, 505
 populifolia, 499
 pulverulenta, 506
 racemosa, 511
 recurva, 511
 stelleriana, 495
 tetragona, 447
Andromède, 503
Andromède à feuilles de
 polium, 505
Andromède glauche, 505
Andromedae, 497, 504
Androsace, 257, 258, 259, 260,
 262, 263, 264
 sect. *Aretia*, 263, 265

- Androsace* (*continued*)
 sect. *Chamaejasme*, 264
 sect. *Pseudoprimula*, 264
acuta, 261
alaskana, 264
reediae, 264, 265
albertina, 260
arctica, 267, 297
arguta, 262
arizonica, 262
asprella, 261
capillaris, 262
carinata, 260
chamaejasme, 260, 261
andersonii, 260, 261
arctica, 260
carinata, 260
chamaejasme, 260
lehmanniana, 260, 261
elongata, 260, 261, 262
acuta, 261
filiformis, 260, 262
gormanii, 262
lehmanniana, 260
maxima, 260
occidentalis, 260, 261, 262
acuta, 261
arizonica, 262
simplex, 262
ochotensis, 267
platysepala, 262
puberulenta, 262
septentrionalis, 260, 261, 262
262, 263
diffusa, 262
glandulosa, 262, 263
puberulenta, 262
robusta, 262
subulifera, 261, 262
subumbellata, 262
tschuktschorum, 267
Androsace septentrionale, 262
Aneshansley, D. J., 450
Angle-leaf mitrewort, 113
Anthodendron, 455
Antiphylla, 132
Appalachian loosestrife, 318
Arbutaeae, 397
Arbutoideae, 370, 373, 397, 407
Arbutus, 372, 375, 397, 398
 sect. *Arbutus*, 398
 subg. *Americanae*, 398
 subg. *Gerontogeae*, 398
alpina, 405
arizonica, 398, 399, 400
menziesii, 396, 398, 399, 400
procera, 399
texana, 400
tomentosa, 439
unedo, 398
uva-ursi, 414
xalapensis, 398, 399, 400
arizonica, 399
texana, 400
Arcterica, 497
Arctic primrose, 296
Arctic starflower, 304
Arctic white heather, 447
Arctic wintergreen, 382
Arctostaphylos, 371, 375, 397, 405, 406, 407, 408, 415
 sect. *Comarostaphylis*, 401
 subg. *Arctous*, 404
 subg. *Comarostaphylis*, 401
acutifolia, 416
alpina, 405
rubra, 405
andersonii, 406, 410, 432
imbricata, 435
pajaroensis, 432
pallida, 433
arguta
diversifolia, 401
auriculata, 413, 430, 431
bakeri, 412, 439
bakeri, 439
sublaevis, 439
benitoensis, 416, 417
bicolor, 404
bowermaniae, 437
bracteosa, 440
hebeclada, 440
xcampbelliae, 409, 441, 445
campbelliae, 441
candidissima, 429
canescens, 408, 413, 428, 429, 430
candidissima, 429
canescens, 428, 429
malloryi, 430
sonomensis, 429
catalinae, 414, 427
cinerea, 429
coloradensis, 415
columbiana, 414, 415, 423, 425
nortensis, 428
tracyi, 425
confertiflora, 414, 428
crustacea, 406, 409, 440, 441
crinita, 441
crustacea, 409, 441, 442, 445
eastwoodiana, 441
insulicola, 441, 442
rosei, 441, 442
subcordata, 441, 442
tomentosiformis, 441
trichoclada, 441
cruzensis, 410, 435
cushingiana, 444
densiflora, 412, 419
diversifolia, 401
drupacea, 427
edmundsii, 406, 410, 424
parvifolia, 424
elegans, 438
franciscana, 410, 411, 425
gabilanensis, 412, 431
gabrielensis, 444
glandulosa, 409, 435, 441, 442, 443, 444
adamsii, 443, 444
australis, 443
campbelliae, 441
crassifolia, 443, 444
cushingiana, 443, 444
gabrielensis, 443, 444, 445
glandulosa, 443, 444
glaucomollis, 445
howellii, 443, 445
leucophylla, 443, 445
mollis, 443, 445
zacaensis, 443
glauca, 412, 422, 423, 427
puberula, 422
glutinosa, 413, 431
hearstiorum, 418
hispidula, 412, 420
hookeri, 411, 417
franciscana, 425
hearstiorum, 418
hookeri, 418
montana, 436
ravenii, 437
hooveri, 413, 414, 433
howellii, 445
imbricata, 410, 435
montaraensis, 434
insularis, 406, 408, 410, 422
pubescens, 422
intricata, 443
oblongifolia, 443
klamathensis, 410, 436
knightii, 436
laevigata, 438
luciana, 413, 431
malloryi, 413, 430
manzanita, 410, 411, 412, 413, 437
elegans, 437, 438
glaucescens, 437, 438
laevigata, 437, 438
manzanita, 437, 438
rooffii, 437, 438
wieslanderi, 437, 438
mariposa, 424
bivisa, 424
xmedia, 415, 425
mendocinoensis, 419
mewukka, 409, 411, 421
mewukka, 421
truei, 421, 422
montana, 411, 412, 436
montana, 436
ravenii, 436, 437
montaraensis, 414, 434
montereyensis, 414, 426
morroensis, 406, 410, 432
myrtifolia, 411, 415
nevadensis, 409, 410, 411, 435
knightii, 435, 436
nevadensis, 435
nissenana, 406, 413, 425
nitens, 443
nortensis, 413, 428, 429
nummularia, 406, 407, 410, 418
mendocinoensis, 418, 419
nummularia, 418, 419
sensitiva, 418
obispoensis, 413, 430
oblongifolia, 424
ohloneana, 412, 417
oppositifolia, 403
osoensis, 406, 413, 434
otayensis, 414, 426
pacifica, 406, 408, 409, 415
pajaroensis, 406, 410, 426, 428, 432
pallida, 413, 433
parryana, 409, 413, 420
desertica, 421
parryana, 421
pinetorum, 416
tumescens, 421
parvifolia, 435
patula, 406, 409, 410, 412, 415, 416, 435, 438
coalescens, 416
platyphylla, 416
pechoensis, 413, 434
viridissima, 433
pilosula, 414, 426, 427
pismoensis, 426, 427
platyphylla, 416
pringlei, 406, 408, 414, 427, 428
drupacea, 427
pringlei, 427, 428
pseudopungens, 416, 417
pulchella, 424
pumila, 406, 410, 424
pungens, 411, 416, 417
montana, 436
purissima, 413, 434
rainbowensis, 409, 422
refugioensis, 414, 431, 432
regismontana, 414, 433
roofii, 438
rosei, 442
rubra, 405
rudis, 406, 409, 411, 416
sensitiva, 406, 407, 410, 417, 418
serpenticola, 424
silvicola, 413, 430
sonomensis, 429
stanfordiana, 411, 412, 417, 419, 437
bakeri, 439
decumbens, 419, 420
hispidula, 420
raichei, 419, 420
repens, 420
stanfordiana, 417, 419, 420
subcordata, 442
confertiflora, 428
tomentosa, 406, 409, 439
bracteosa, 440
crassifolia, 444
crinita, 441
crustacea, 440
daciticola, 440
eastwoodiana, 441
hebeclada, 440
insulicola, 442
rosei, 442
subcordata, 442
tomentosa, 440
tomentosiformis, 441
trichoclada, 440
truei, 422
uva-ursi, 372, 406, 407, 409, 410, 414, 415, 425
adenotricha, 414
coactilis, 414

- edmundsii*, 424
leobreweri, 414
longipilosa, 414
marinensis, 414
monoensis, 414
pacifica, 414
parvifolia, 424
stipitata, 414
suborbiculata, 414
virgata, 414, 426
viridissima, 413, 433
viscosa, 411, 423, 429, 430
 mariposa, 423, 424
 oblongifolia, 424
 pulchella, 423, 424
 viscida, 423
wellsii, 426, 427
zacaensis, 443
Arctous, 371, 375, 397, 404,
 405, 407
 alpina, 405, 406
 rubra, 405
erythrocarpa, 405
rubra, 405
Ardisia, 302, 303, 318
 crenata, 316, 319
 crispa, 319
elliptica, 302, 319, 320
escallonioides, 319, 320
japonica, 318, 319, 320
polycephala, 320
solanacea, 320
Arizona dudleya, 190
Arizona madrone, 399
Arkansas alum-root, 90
Arnott, G. A. W., 128
Arsenococcus, 500
 ligustrinus, 501
Aruncus, 130
 diocicus, 130
Ashe, W. W., 521
Asperula, 310
Asterosedium, 223
Astilbe, 43, 44, 45, 46, 129,
 130
 biternata, 129, 130
 crenatiflora, 129, 130
 japonica, 129
Astilbeae, 45
Astilbinae, 45
Astrolooma, 371
Aulaxis
 micranthidifolia, 60
Azalea, 372, 452, 455, 466
 alabamensis, 467
 arborescens, 470
 atlantica, 468
 austrina, 466
 calendulacea, 465
 flammea, 466
 californica, 467
 candida, 469
 canescens, 469
 cumberlandensis, 471
 lapponica, 462
 oblongifolia, 471
 occidentalis, 467
 periclymenoides, 468
 pilosa, 452
 prinophylla, 469
procumbens, 485
prunifolia, 470
serrulata, 471
speciosa, 466
vaseyi, 465
viscosa, 471
Azaleastrum, 455
 albiflorum, 464
Bacigalupi, R., 127
Bain, F., 259
Baja birdbush, 403
Baja California birdbush, 403
Baker's manzanita, 439
Balata tree, 234
Balsam fir, 483
Barclay, R. M., 269
Bartel, J. A., 181
Barton, B. S., 481
Bartram, W., 499
Batodendron, 524
 arboreum, 525
Bayer, C., 364
Bayer, R. J., 349
Beamish, K. I., 64, 65, 66, 68,
 273
Bear flower, 128
Bear huckleberry, 535
Bearberry, 414
Beetleweed, 333
Bejaria, 370, 371, 374, 449,
 450
 sect. *Racemosae*, 450
 floridana, 450
 racemosa, 443, 450
Bell, C. R., 359, 362
Bensel, C. R., 44, 45
Bensonia, 83
 oregona, 84
Bensiella, 43, 44, 47, 83, 84
 oregona, 77, 84
Berger, A., 9, 41, 148, 151,
 161, 172
Bering dwarf primrose, 265
Berneuxia, 332
Berry, P. E., 247
Bethers, B. L., 69
Bidartondo, M. I., 377, 392
Big pyxie, 336
Bigberry manzanita, 422
Bigleaf snowbell, 343
Bilberry, 522
Biltia, 455
 vaseyi, 465
Binder, M., 9
Bird's-eye primrose, 293
Bishop's-cap, 108
Bitter gooseberry, 30
Bitternut, 345
Björkman, E., 377
Black currant, 10, 18
Black huckleberry, 534
Black laurel, 510
Black persimmon, 249
Black spruce, 482
Black titi, 368
Bladbia
 japonica, 320
Blake, S. F., 387
Bleuet à feuilles étroites, 528
Bleuet boréal, 528
Bleuet en corymbe, 526
Bleuet fausse-myrtille, 529
Blister rust, 18
Block, T. A., 331
Blue pimpernel, 306
Blue Ridge blueberry, 529
Blue Ridge huckleberry, 533
Blueberry, 482, 522, 526
Bluedome primrose, 291
Böcher, T. W., 136, 383
Bog bilberry, 518
Bog huckleberry, 533
Bog laurel, 485
Bog loosestrife, 317
Bog pimpernel, 305
Bog rosemary, 503
Bog saxifrage, 67
Bog wintergreen, 381
Bohm, B. A., 44, 45, 71, 85,
 108, 117, 120, 124, 127,
 128, 451, 452, 473, 517
Boiteau, P., 158, 160, 161
Bolander's woodland star, 82
Bolandria, 43, 47, 120, 124
 californica, 120, 121
 oregana, 118, 120, 121
Bombus, 451, 481, 529
Bonellia, 252, 253
 cavanillesii, 252
 macrocarpa, 246, 252
 macrocarpa, 246, 252
Boykinia, 45, 47, 120, 124,
 125, 132
 sect. *Telenonix*, 116
aconitifolia, 126, 127
cincinnata, 127
elata, 127
 cincinnata, 127
 occidentalis, 127
heucheriformis, 117
intermedia, 125, 126, 127
jamesii, 117
 heucheriformis, 117
lycoctonifolia, 126
major, 126, 127
 intermedia, 127
nuttallii, 127
occidentalis, 123, 126, 127,
 128
 cincinnata, 127
elata, 127
purpurea, 124
richardsonii, 126, 128
rotundifolia, 126, 128
turbinata, 126
vancouverensis, 127
Braceletwood, 253
Branch-lettuce, 60
Brand, A., 331
Brayodendron, 248, 249
 texanum, 249
Breitungia, 199
Bremer, B., 248
Brewer, W. H., 196
Brewer's mitrewort, 112
Brewer's mountain heather, 477
Bright green dudleya, 174
Bristly black currant, 26
Brittleleaf manzanita, 440
Britton, N. L., 9, 153, 165, 186
Brook saxifrage, 56, 126
Brookweed, 254
Broom crowberry, 489
Brouillet, L., 48, 49, 132, 133
Brown's peony, 5
Brummitt, R. K., 333
Bruns, T. D., 377, 392
Bruyère commune, 491
Bryanthus
 breweri, 477
Bryophyllum, 147, 149, 157,
 158
 daigremontianum, 159, 160
 delagoense, 158, 159, 160
 fedtschenkoi, 159
 gastonis-bonnieri, 159, 161
 pinnatum, 158, 159, 160,
 161
 tubiflorum, 160
Buckthorn bully, 240
Buckwheat tree, 368
Bulblet loosestrife, 317
Bulbous woodland star, 83
Bullet, 234
Bulliarda, 150
Bully, 234, 236
Bumblebee, 451, 481
Bumelia, 236, 237, 242
 angustifolia, 238
 celastrina, 238
 angustifolia, 238
lacuum, 243
lanuginosa, 239
 albicans, 240
 anomala, 238
 oblongifolia, 240
 rigida, 240
 texana, 240
lycioides, 240, 241
 ellipsoidalis, 240
 reclinata, 241
 virginiana, 240
macrocarpa, 241
megacocca, 243
microcarpa, 242
oblongifolia, 240
reclinata, 241
 austrofloridensis, 242
 rufotomentosa, 242
reticulata, 242
rufotomentosa, 242
salicifolia, 243
smallii, 240
tenax, 243
texana, 240
thornei, 243
Burbanck, M. P., 198
Burke, J. W., 481
Burton, T. L., 334
Busserole rouge, 405
Buxella
 brachycera, 532
Bywater, M., 151, 152, 153,
 154

- Cainito, 245
 Calder, J. A., 56, 85, 487
 Calie, P. J., 203
 California huckleberry, 530
 California peony, 5
 California pitcher plant, 349
 California rhododendron, 462
 California rock jasmine, 261
 California saxifrage, 64
 California styrax, 345
Calluna, 372, 374, 491
vulgaris, 491, 492
Callunae, 491
 Camarine, 486
Camellia, 323
oleifera, 323
sinensis, 323
 Camp, W. H., 384
 Canadian gooseberry, 39
 Cancer wintergreen, 513
 Candleholder dudleya, 188
 Canistel, 232, 245
 Canneberge à gros fruits, 519
 Canneberge commune, 519
 Canyon dudleya, 180
 Canyon gooseberry, 32
 Canyon liveforever, 180
 Carey's saxifrage, 61
 Carlson, M. L., 296
 Carolina alum-root, 95
 Carolina beechdrops, 394
 Carolina bog myrtle, 483
 Carolina silverbell, 346
 Carolina wicky, 483
 Carolina yellow loosestrife, 310
 Carpenter, W. M., 154
 Carpenteria, 44
 Cascade bilberry, 523
 Cascadia, 43, 44, 48, 49, 50,
 133
nuttallii, 33, 49
 Case, F. W., 350, 354, 361
 Case, R. B., 354, 361
Cassandra, 507, 510
calyculata, 508
angustifolia, 508
calyculata, 508
latifolia, 508
nana, 508
cuneata, 483
hirsuta, 483
latifolia, 482
Chamberlain, D. F., 460, 462
Chamisso, L. A., von, 292
 Chandelier plant, 160
Channell, R. B., 331, 489
 Chaparral currant, 19
 Chapman's rhododendron, 461
Chapote, 249
Chase, M. W., 45, 147
 Checkerberry, 514
Cheilotheeca, 377
Chetysion, 199
pusillum, 204
vigilimontis, 204
 Chicle tree, 235
Chimaphila, 374, 378, 385,
 386
acuta, 387
maculata, 385, 386
dasystemma, 386
menziesii, 386
occidentalis, 387
umbellata, 386, 387
acuta, 387
cisatlantica, 387
domingensis, 387
mexicana, 387
occidentalis, 387
umbellata, 387
Chimaphile, 385
Chimaphile à ombelles, 387
Chimaphile maculée, 386
Chiogenes
hispidula, 513
Chiricahua Mountain
 alum-root, 103
Chiricahua Mountain
 brookweed, 256
Chittamwood, 239
Cholewa, A. F., 251, 254, 257,
 259, 273, 302, 303, 305,
 308
Christmas tree kalanchoë, 157
Chrysanthora, 349
Chrysophyllum, 233, 245
africanum, 245
cainito, 232, 245
oliviforme, 232, 246
oliviforme, 246
Chrysosplenium, 43, 45, 46,
 70, 71, 109
alternifolium, 71, 73, 74, 75
iowense, 73
rosendahlii, 74
sibiricum, 73
tetrandrum, 74
wrightii, 75
americanum, 71, 72
glechomifolium, 71, 72
iowense, 71, 72, 73
oppositifolium
scouleri, 72
rosendahlii, 71, 72, 74
scouleri, 72
tetrandrum, 71, 72, 73, 74,
 75
wrightii, 70, 71, 75
beringianum, 75
wrightii, 75
Chukchi primrose, 297
Chumley, T. W., 37
Ciliaria
austromontana, 141
Cladothamnus, 473
pyroliflorus, 474
Clammy azalea, 471
Clark, R., 177
Clark, R. B., 237, 243
Clausen, R. T., 162, 163, 164,
 165, 166, 167, 196, 198,
 199, 203, 205, 206, 208,
 211, 212, 213, 216, 217,
 226
Clausenella, 199
ternata, 203
Clavija, 251
Clawson, A. B., 481
Clemants, S. E., 449
Clethra, 364
acuminata, 365
alnifolia, 354, 365, 366
glabella, 365
michauii, 365
paniculata, 365
pubescens, 366
tomentosa, 366
paniculata, 365
tomentosa, 365, 366
Clethraceae, 364, 371
 Cliff dwarf primrose, 266
Cliftonia, 367, 368
monophylla, 368
Climbing fetterbush, 498
Clove currant, 16
Coast boykinia, 127
Coast dudleya, 190
Coast jepsonia, 120
Coast Ranges gooseberry, 32
Coastal dog-hobble, 509
Coastal sweet pepperbush, 365
Cobra-lily, 349
Cobra-plant, 349
Cockerellia, 199
cockerelli, 205
nivea, 205
Cody, W. J., 65, 141, 153, 305,
 338
Coffey, V. J., 308, 311, 312,
 313
Coleosporium, 10
Colicwood, 321
Collins, F. W., 71
Coma, 238
Comarostaphylis, 375, 397,
 398, 401
diversifolia, 401, 402
discolor, 401
diversifolia, 402
planifolia, 402, 403
Common alum-root, 104
Common houseleek, 169
Common manzanita, 437
Common pyxie-moss, 336
Common sweetleaf, 331
Conejo dudleya, 186
Conimitella, 47, 85, 105
williamsii, 105, 106, 109, 114
Constance, L., 266
Contra Costa manzanita, 438
Cooley, G. W., 127
Copeland, H. F., 378, 388, 453,
 455
Copperbush, 474
Coral ardisia, 319
Coralbells, 85, 100
Coral-berry, 319
Cordyloblaste, 329
Corema, 374, 489, 490
album, 489
conradii, 488, 490
Corème, 489
Corème de Conrad, 490
Cornales, 45, 329
Corner, E. J. H., 234
Cornish heath, 493
Correll, D. S., 239
Cortusa, 288
Cory, V. L., 345
Costa, S. S., 159
Cotyledon, 148, 149, 156, 172
attenuata, 176
cespitosa, 190
paniculata, 182
glandulifera, 220
integra, 157
laciniata, 157
laxa, 180
setchellii, 184
oblonga, 156
orbiculata, 153, 156
oblonga, 153, 156
oregonensis, 220
palmeri, 190
parviflora
squamulosa, 226
pinnata, 161
rusbyi, 227
saxosa, 187
viscosa, 175

- Coville, F. V., 9, 15
 Cowslip primrose, 301
 Cox, D. G., 177
 Cox, G. W., 177
 Cox, P. A. bis, 344
 Crackleberry, 534
 Craft, J. H., 161
 Cranberry, 372, 519
 Crassula, 149, 150, 151
 sect. Glomeratae, 151
 sect. Helophytum, 151
 aquatica, 151, 152, 153, 154
 argentea, 151, 155
 colligata, 151, 155
 lamprosperma, 155
 connata, 141, 151, 152, 195
 erectoides, 152
 eremica, 152
 subsimplex, 152
 drummondii, 151, 152, 154
 erecta, 152
 longipes, 151, 152, 154
 multicava, 151, 155
 muscosa, 152
 obovata, 151
 saginoides, 153
 solieri, 151, 152, 154
 tetragona, 151, 155
 tillaea, 151, 152
 viridis, 151, 152, 154
 Crassulaceae, 44, 147, 148,
 168, 170, 172, 175, 196,
 199, 230
 subfam. Crassuloideae, 148
 subfam. Sedoideae, 148
 Crassuloideae, 148
 Crater Lake currant, 25
 Creel, M., 466
 Creeping jenny, 314
 Creeping mitrewort, 112
 Creeping snowberry, 513
 Crevice alum-root, 91
 Cronartium, 10
 ribicola, 10
 Cronquist, A., 6, 8, 44, 45,
 230, 237, 238, 239, 241,
 242, 243, 244, 247, 248,
 257, 322
 Crooked-wood, 503
 Crossleaf heath, 494
 Cross-wort, 316
 Crowberry, 486
 Cudjoe-wood, 252, 253
 Cullen, J., 460, 461
 Cullings, K. W., 377, 392
 Cumberland azalea, 471
 Currant, 9, 10
 Currant Family, 8
 Curtain plant, 161
 Cushing's manzanita, 444
 Cushion saxifrage, 139
 Cusick's primrose, 299
 Cusick's shootingstar, 284
Cyanococcus
 amoenus, 526
 atrococcus, 526
 canadensis, 529
 corymbosus, 526
 cuthbertii, 526
 elliottii, 526
 fuscatus, 526
 hirsutus, 529
 holophyllus, 526
 liparis, 529
 margarettae, 526, 529
 myrsinites, 527
 pallidus, 529
 simulatus, 526
 subcordatus, 529
 tallapusae, 529
 tenellus, 528
 vacillans, 529
 virgatus, 526
Cyclamen, 258, 303
Cyrilla, 367, 369
 arida, 369
 parvifolia, 369
 racemiflora, 368, 369
 subglobosa, 369
Cyrilla Family, 367
Cyrillaceae, 364, 367, 371
 Dacite manzanita, 440
 Damson-plum, 246
 Dangleberry, 534
 Daphniphyllaceae, 44
 Darlingtonia, 349, 350
 californica, 347, 348, 350
 rediviva, 345
 Darmera, 43, 45, 46, 75
 peltata, 73, 76
 Darrow's evergreen blueberry,
 527
 Day, R. T., 338
 Dayton, W. A., 481
 de Candolle, A. P., 156, 398
 de Jussieu, A. L., 329
Decachaena, 530
 baccata, 534
 frondosa, 534
 nana, 534
 tomentosa, 535
 ursina, 535
 Deciduous mountain fetterbush,
 511
 Deciduous swamp fetterbush,
 511
 Decumaria, 44
 Deerberry, 521
 Del Norte manzanita, 428
Dendrium, 480
 bugeri, 485
 Denford, K. E., 480
 Desert gooseberry, 27
Desmothamnus, 500
 lucidus, 502
 Deutzia, 44
 Devil's backbone, 159
 Diablo range dudleya, 186
 Diamond-leaf saxifrage, 69
Diamorpha, 147, 150, 197, 198
 cymosa, 198, 204
 smallii, 198, 204
Diapensia, 332, 333, 337
 lapponica, 332, 335, 338
 lapponica, 338
 obovata, 338
 obovata, 332, 338
Diapensia Family, 332
Diapensiaceae, 329, 332, 339
 Diapensie de Laponie, 338
 Dickinson, T. A., 522
 Dickison, W. C., 45
 Diggs, G. M. Jr., 401, 403
 Dilcher, D. L., 323
 Dilleniaceae, 3
Dionysia, 288
 Diospyros, 247, 248
 ebenum, 248, 249, 250
 kaki, 248
 maritima, 249
 mosieri, 250
 texana, 246, 248, 249, 250
 virginiana, 246, 248, 249,
 250
 mosieri, 250
 platycarpa, 250
 pubescens, 250
Dipholis, 236, 237, 243
 salicifolia, 243
 jamaicensis, 243
 Diploid flame azalea, 471
 Dirr, M. A., 371, 372, 475, 481
 Ditch-stonecrop, 231
 Ditch-stonecrop Family, 230
 Dodecatheon, 257, 258, 268,
 269, 273, 288
 alpinum, 270, 276, 277
 majus, 277
 amethystinum, 269, 271, 285
 austrorfrigidum, 271, 278
 clevelandii, 269, 270, 273,
 274
 clevelandii, 274
 gracile, 274, 275
 insulare, 274, 275
 patulum, 273, 274, 275
 sanctarum, 275
 conjugens, 270, 271, 272,
 282, 284
 beamishiae, 272
 conjugens, 272, 284
 viscidum, 272, 273, 284
cusickii, 284
 dentatum, 271, 278, 285
 ellisiae, 279
 utahense, 279
ellisiae, 271, 279
 frenchii, 271, 285, 286
 frigidum, 271, 277, 282
 hansenii, 273
 hendersonii, 268, 269, 270,
 271, 273, 274, 275, 285
 cruciatum, 273
 hansenii, 273, 275
 hendersonii, 273
 parvifolium, 273
 yosemitanum, 274
jeffreyanum, 276
 jeffreyi, 268, 269, 270, 276,
 277
 pygmaeum, 276
 redolens, 275
latilobum, 278
 macrocarpum
 alaskanum, 283
 meadia, 268, 269, 271, 280,
 285, 286
 alpinum, 277
 amethystinum, 285
 brachycarpum, 286
 frenchii, 285
 latilobum, 278
 macrocarpum, 283
 membranaceum, 285
 obesum, 286
 puberulum, 281
 patulum, 275
 gracile, 275
 pauciflorum, 281
 alaskanum, 283
 monanthum, 282
 shoshonense, 283
 watsonii, 281
 poeticum, 268, 269, 270,
 271, 272, 284, 285
 puberulum, 281
 pulchellum, 268, 269, 271,
 279, 280, 282, 285
 alaskanum, 283
 atwoodii, 283
 cusickii, 272, 273, 281,
 284, 285
 distolum, 281, 284
 huberi, 282
 macrocarpum, 280, 281,
 283
 monanthum, 280, 281,
 282, 283
 pauciflorum, 281
 pulchellum, 272, 278, 280,
 281, 282, 284
 shoshonense, 281, 283
 superbum, 283
 watsonii, 280, 281, 282
 zionense, 280, 281, 282
radicatum, 281, 282
 monanthum, 282
 watsonii, 281
 redolens, 261, 270, 275, 276,
 281
spilantherum, 283
 subalpinum, 268, 269, 270,
 271, 274
tetrandrum, 277
 utahense, 271, 279
viscidum, 272
 zionense, 282
 Dodero, M., 172, 183, 192,
 194, 195
 Dogberry, 37
 Dog-hobble, 508
 Dog-laurel, 508, 510
 Donoghue, M. J., 9, 29, 34, 41
 Dorine, 70
 Dorine à quatre étamines, 74
 Dorine d'Amérique, 72
 Dorr, L. J., 387, 404, 506
 Doskotch, R. W., 481
 Dotted saxifrage, 54
Douglasia, 257, 258, 263, 264,
 265
 alaskana, 263, 264, 265
 arctica, 264, 265, 266
 gormanii, 265
 beringensis, 261, 264, 265,
 266
 biflora, 266
 dentata, 267

- Douglasia (*continued*)
gormanii, 264, 265, 266
idahoensis, 264, 266
laevigata, 264, 266
ciliolata, 266
montana, 264, 266, 267
biflora, 266, 267
nivalis, 264, 267
dentata, 267
glabra, 265
nivalis, 267
ochotensis, 264, 266, 267,
 297
gormanii, 262
Downy alum-root, 95
Downy sweet pepperbush, 366
Dudleya, 147, 148, 150, 171,
 172, 175, 178, 188, 191,
 192, 227, 228
subg. Dudleya, 172, 173,
 177, 178, 183, 188, 192,
 194
subg. Hesseanthus, 172, 173,
 183, 186, 192, 194
subg. Stylophyllum, 172,
 173, 177, 179, 192
abramsii, 173, 179, 183,
 185, 186
abramsii, 183, 184
affinis, 183, 185
bettinae, 183, 184, 185,
 186
calcicola, 183, 185
costatifolia, 183, 185
murina, 183, 184, 185
parva, 186
setchellii, 183, 184, 185
alainae, 187
albida, 174
alisoensis, 180
alooides, 187
angustiflora, 180
anomala, 175
anthonyi, 191
arizonica, 178, 190, 191
attenuata, 173, 174, 176,
 192
attenuata, 176, 193
australis, 176
orcuttii, 176
bettinae, 184
blochmaniae, 172, 192, 193,
 194
blochmaniae, 177, 190,
 193, 194
brevifolia, 195
insularis, 193, 194
brauntonii, 186
brevifolia, 172, 177, 192,
 195
brittonii, 176, 188
calcicola, 185
candelabrum, 178, 181, 188,
 189
cespitosa, 179, 189, 190
collomiae, 187
cymosa, 173, 178, 179, 180,
 181, 182, 183, 185, 188
agourensis, 180, 182
costatifolia, 185
crebrifolia, 180, 182
cymosa, 180, 181, 182,
 183
gigantea, 180, 181, 182
marcescens, 177, 180, 183,
 186
minor, 186
ovatifolia, 180, 182, 183
paniculata, 180, 182
pumila, 180, 181, 182
setchellii, 184
delicata, 187
densiflora, 171, 174, 176
eastwoodiae, 188
edulis, 171, 172, 174, 175,
 176, 177, 179, 194, 195
elongata, 186
farinosa, 178, 188, 189
formosa, 176
gigantea, 181
gnoma, 179, 189
goldmanii, 181
grandiflora, 187
greenei, 179, 189
hassei, 175
insularis, 175
lanceolata, 179, 186, 187
lurida, 186
marcescens, 183
multicaulis, 192, 193
murina, 184
nana, 189
nesiotica, 173, 192, 194
nevadensis, 180
minor, 186
ovatifolia, 182
palmeri, 179, 190
parva, 177, 178, 183, 184,
 185, 186
pulverulenta, 172, 175, 178,
 191
arizonica, 190
pumila, 181
saxosa, 179, 187
aloides, 187, 188
collomiae, 187, 188
saxosa, 187
septentrionalis, 188
setchellii, 184
stolonifera, 173, 177, 178,
 179, 180
traskiae, 173, 174, 177
variegata, 176, 181, 192, 193
verityi, 179, 189, 190
virens, 173, 174
extima, 174
hassei, 174, 175
insularis, 172, 174, 175
virens, 174
viscida, 174, 175
Dumbwatches, 355
Duncan, W. H., 217, 461
Dunster, P. J., 158
Dunwoodie, P. W., 490
Dwarf azalea, 468
Dwarf bilberry, 524
Dwarf cassandra, 507
Dwarf dangleberry, 534
Dwarf huckleberry, 532
Dymock, W., 234
Early azalea, 469
Early blueberry, 524
Early low-bush blueberry, 528
Early saxifrage, 61
Eastern teaberry, 514
Eastwood's manzanita, 442
Ebenaceae, 247, 248, 249
Ebenales, 248, 329
Ebinger, J. E., 480, 481, 484
Ebony, 248, 250
Ebony Family, 247
Echeveria, 147, 148, 150, 172,
 224, 226, 227, 228
bartramii, 227
collomiae, 187
cymosa, 180
farinosa, 188
lanceolata, 186
laxa, 180
nudicaulis, 176
pulverulenta, 191
rusbyi, 227
strictiflora, 226, 229
traskiae, 177
Eckenwalder, J. E., 247
Edwards, J. M., 372, 481
Egg-fruit, 232, 244
Eggli, U., 196
Eisner, T., 450
Election-pink, 468, 469
Elf orpine, 197
Elisens, W. J., 232, 233, 236,
 449, 489, 490
Elliottia, 370, 372, 374, 449,
 473
bracteata, 473
paniculata, 473
pyroliflora, 472, 474
racemosa, 474
Ellis's shootingstar, 279
Ellison, A. M., 359
Elmera, 47, 85, 105
racemosa, 106
puberulenta, 106
Elvander, P. E., 43, 49, 50, 68,
 69, 70, 75, 76, 80, 83,
 105, 107, 120, 124, 130,
 132, 133
Elven, R., 486
Embelia, 302
Empetraceae, 371, 449, 489,
 490
Empetrum, 374, 375, 486, 487,
 489, 490
aciculare, 491
atropurpureum, 487, 488,
 489
conradii, 490
eamesii, 486, 487, 488
atropurpureum, 488
hermaphroditum, 487
nigrum, 486, 487, 488, 489
atropurpureum, 488
eamesii, 488
hermaphroditum, 487
purpureum, 489
rubrum, 486, 487
atropurpureum, 488
eamesii, 488
Engler, H. G. A., 44, 45, 128,
 132, 133
Enkianthoideae, 371
Enkianthus, 371, 372
campanulatus, 371
Epacridoideae, 371
Epacris, 371
Epigaea, 370, 374, 449, 475
asiatica, 475
gaultherioides, 475
repens, 472, 475, 479
glabrifolia, 475
rubicunda, 475
Erica, 371, 372, 375, 492
arborea, 492
carnea, 492
cinerea, 492, 493
xdarleyensi, 492
erigena, 492
lusitanica, 493
tetralix, 492, 493, 494
vagans, 492, 493
vulgaris, 491
Ericaceae, 364, 367, 370, 371,
 372, 377, 479, 489, 490,
 498, 504
subfam. Arbutoideae, 370,
 373, 397, 407
subfam. Cassiopoideae, 373,
 446
subfam. Enkianthoideae, 371
subfam. Epacridoideae, 371
subfam. Ericoideae, 370,
 373, 449
subfam. Harrimanelloideae,
 373, 494
subfam. Monotropoideae,
 370, 372, 377, 388, 394
subfam. Pyroloideae, 377
subfam. Styphelioidae, 371
subfam. Vaccinioideae, 370,
 373, 496, 507
tribe Andromedae, 497, 504
tribe Cassiopeae, 446
tribe Gaultherieae, 507
tribe Oxydendreae, 497
tribe Rhodoreae, 456
tribe Vaccinieae, 371
Ericales, 248, 258, 322, 329,
 339
Ericoideae, 370, 373, 449
Escallonia, 8, 44
Escalloniaceae, 6, 8, 44, 45
subfam. Escallonioideae, 44
Escallonioideae, 44
Etiosedum
annuum, 213
Eubotrys, 371, 376, 510
elongata, 511
racemosa, 510, 511
elongata, 511
recurva, 510, 511, 512
Euclea, 247, 248
European gooseberry, 42
Evergreen currant, 16
Evergreen mountain saxifrage,
 137
Exinia
pulchella, 279, 281

- Fabijan, D. M., 450, 503, 507
Fagopyrum, 368
False azalea, 451, 452
False goatsbeard, 129
False mastic, 239
False spiraea, 129
Farkleberry, 525
Fassett, N. C., 286
Faux bleuets, 507
Favarger, C., 170
Featherfoil, 259
Feather-tree, 129
Fendlera, 44
Fendlerella, 44
Ferguson, L. F., 306
Fernald, M. L., 163, 292, 380,
 489, 508
Fetterbush, 498, 502, 508, 510
Filiform rock jasmine, 262
Fir-tree kalanchoë, 157
Fish, D., 357
Fishbein, M., 6
Five-stamen mitrewort, 111
Flame azalea, 465
Flaxleaf pimpernel, 306
Fletcher, H. R., 292
Floppers, 161
Florida azalea, 466
Florida bully, 241
Florida pimpernel, 307
Florida rosemary, 490
Flowering-moss, 336
Floyd, J. W., 531
Fly-catcher, 450
Fly-catchers, 355
Fly-traps, 355
Fly-weed, 450
Foamflower, 114
Folkerts, D. R., 357
Folkerts, G. W., 357
Fool's huckleberry, 451
Foothills jepsonia, 119
Formica
 schaufussi, 198
 subsericea, 198
Forster, P. I., 156, 158, 161
Foster, W. A., 341
Four-flower loosestrife, 315
Foxberry, 520
Franklin tree, 326
Franklinia, 324, 325
 alatamaha, 323, 326
Fraser's loosestrife, 312
Freeman, C. C., 70, 108, 131,
 230, 377, 378, 384, 385,
 388
Freire-Fierro, A., 9
French's shootingstar, 285
Freudenstein, J. V., 379, 383,
 384
Frigid shootingstar, 278
Fringecup, 76
Fringed loosestrife, 311
Fringed pinesap, 397
Fritsch, P. W., 329, 330, 331,
 339, 341, 342, 343, 345,
 346, 347
Frog's-britches, 359
Front Range alum-root, 102
Fuchsia-flowered gooseberry,
 30
Fuller, T. C., 156
Furman, T. E., 377

Gabilan manzanita, 431
Gadellier amer, 14
Gadellier d'Amérique, 17
Gadellier doré, 15
Gadellier glanduleux, 24
Gadellier lacustre, 26
Gadellier noir, 18
Galax, 332, 333, 334
 aphylla, 333
 urceolata, 327, 334
Galle, F. C., 466
Gandhi, K. N., 239, 281
Garden black currant, 18
Garden loosestrife, 318
Garden orpine, 163
Gaspé saxifrage, 65
Gasquet manzanita, 420
Gaultheria, 370, 372, 374, 497,
 512
 hispidula, 512, 513
 humifusa, 512, 513
 miqueliania, 514
 myrsinoides, 513
 ovatifolia, 513
 procumbens, 513, 514
 pyrroloides, 512, 514
 shallon, 511, 512, 514, 515
Gaultherieae, 507
Gaylussacia, 372, 374, 496,
 515, 530, 531
 sect. Decamerium, 531
 sect. Gaylussacia, 531
 sect. Vitis-idaea, 531
 baccata, 531, 534
 glauccarpa, 534
 bigeloviana, 531, 532, 533,
 534
 brachycera, 530, 531, 532
 dumosa, 531, 532, 533, 534
 bigeloviana, 533
 hirtella, 532
 humilis, 532
 frondosa, 527, 531, 534, 535
 nana, 534
 tomentosa, 535
 hirtella, 532
 mosieri, 531, 533
 nana, 531, 534, 535
 orocola, 531, 533
 tomentosa, 531, 535
 ursina, 527, 530, 531, 535
Geils, B. W., 10, 15, 18, 29
Georgia bully, 243
Georgia gooseberry, 40
Georgia-plume, 474
Gervais, C., 65
Gibbs, P. E., 306
Glandular Kamtchatka
 rhododendron, 454
Glaucoïdes
 maritima, 314
Glaux, 303, 308
 maritima, 314
 angustifolia, 314
 macrophylla, 314

obtusifolia, 314
Glaux maritime, 314
Glossyleaf manzanita, 418
Gnome plant, 396
Goat's-beard, 130
Godfrey, R. K., 242, 369
Golden currant, 15
Golden-saxifrage, 70, 140
Gonsoulin, G. J., 342
Good, R., 455, 486
Good-luck leaf, 161
Gooseberry, 9, 10
Gooseneck loosestrife, 311
Gordonia, 324, 325
 alatamaha, 326
 brandegeei, 324
 lasianthus, 323, 324, 325
Gordonieae, 324
Gorham, B. K., 481
Gorman's dwarf primrose, 265
Gorman's saxifrage, 62
Gormania
 debilis, 211
 eastwoodiae, 219
 glandulifera, 220
 laxa, 218
 obtusata, 217
 oregana, 221
 retusa, 218
Gornall, R. J., 50, 65, 116,
 117, 120, 124, 125, 127,
 128, 132, 133
Gould, A. J., 476
Govaerts, R., 232
Grandtner, M. M., 338
Granite gooseberry, 40
Grant, K. A., 191
Grant, V., 191
Graptopetalum, 147, 148, 149,
 150, 172, 224, 226, 227,
 228
 bartramii, 225, 227
 occidentale, 228
 orpetii, 227
 rusbyi, 227, 228
Grass-leaved loosestrife, 312
Great laurel, 463
Green liveforever, 174
Green pitcher plant, 358
Greene, E. L., 521
Greene's dudleya, 189
Greene's shootingstar, 282
Green-flower wintergreen, 381
Green-flowered alum-root, 101
Greenland primrose, 295
Greenleaf manzanita, 416
Groner, M. G., 160
Groseillier de Missouri, 35
Groseillier des chiens, 37
Groseillier épineux, 42
Groseillier hérissé, 36
Groseillier rouge, 14
Grossularia, 9
 amara, 30
 binominata, 27
 californica, 29
 cognata, 40
 cruenta, 32
 curvata, 40
 cynosbati, 37

divaricata, 38
echinella, 41
greeneiana, 32
hesperia, 30
hystrix, 32
inermis, 35
irrigua, 40
klamathensis, 36
lasiantha, 28
leptosma, 32
lobbii, 33
marshallii, 33
menziesii, 32
missouriensis, 35
parishii, 38
quercketorum, 28
roezlii, 31
rotundifolia, 41
senilis, 32
sericea, 34
speciosa, 30
tularensis, 27
velutina, 27
victoris, 32
watsoniana, 34
Grossulariaceae, 6, 8, 44
 subfam. *Ribesoideae*, 44
Grote, P. J., 323
Ground laurel, 475
Grouse whortleberry, 522
Guggisberg, A., 288, 293, 294,
 295
Gulf Coast red pitcher plant,
 362
Gum bully, 239
Gummy gooseberry, 33

Haber, E., 380, 381, 382, 383,
 384, 389
Hairy alum-root, 89, 95
Hairy blueberry, 529
Hairy dangleberry, 535
Hairy manzanita, 425
Hairy minnie-bush, 452
Hairy sycamore-leaf snowbell,
 344
Halesia, 339, 340, 346
 carolina, 346, 347
 monticola, 346
 diptera, 346, 347
 magniflora, 347
 macgregorii, 346
 monticola, 346
 vestita, 346
 parviflora, 346, 347
 tetraptera, 346
 monticola, 346
Hall, I. V., 482
Haloragaceae, 44, 230
Halvorson, W. L., 177
Hamamelidaceae, 44
Handel-Mazzetti, H., 308, 331
Hansen, B. F., 237
Hao, G., 303
Hara, H., 73, 75
Harder, L. D., 269
Hardin, J. W., 331, 332, 483
Harrimanella, 376, 494
 hypnoides, 495
 stelleriana, 495

- Harrimanelloideae, 373, 494
 Harris, S. A., 66
Hartia, 326
 Hartman, R. L., 37
 Haskins, M. L., 44, 148
Hasseanthus, 192
blochmaniae, 193
brevifolius, 195
insularis, 194
elongatus, 193
multicaulis, 193
nesioticus, 194
variegatus, 193
blochmaniae, 193
elongatus, 193
 Hatch, S. L., 152
 Hawkweed-leaved saxifrage, 66
 Hayden, W. J., 44, 148
 Hearst's manzanita, 418
 Heart-leaf foamflower, 115
 Heath, 492
 Heath Family, 370
 Heather, 491
 Hedberg, O., 138
 He-huckleberry, 501
 Heisey, R. M., 481
Heliamphora, 348, 349
Hemievea, 124
ranunculifolia, 125
richardsonii, 128
Hemitomes, 373, 395
congestum, 396
 Hen's eyes, 319
 Hen-and-chickens, 169, 170
 Hen-and-chicks, 169, 170
 Henderson, D. M., 259, 273
 Henrickson, J., 255
Herpothamnus, 525
crassifolius, 525
 Herring, B. J., 242
Heterisia, 132
Heuchera, 43, 44, 45, 47, 84, 85, 86, 108, 115
 sect. *Heuchera*, 85
 sect. *Heucherella*, 85
 sect. *Holochloa*, 85
 sect. *Rhodoheuchera*, 85
abramsii, 87, 99, 100
aceroides, 97
alba, 84, 88, 96
alpestris, 98
americana, 84, 85, 88, 92, 94, 95, 96
americana, 92, 94, 95
brevipetala, 94
caroliniana, 95
heteradenia, 94
hirsuticaulis, 94, 95, 96
hispida, 94, 95, 96
interior, 95
subtruncata, 94
arkansana, 90
bracteata, 84, 88, 97, 102
brevistaminea, 87, 99, 100
caespitosa, 87, 99, 100
calycosa, 94
caroliniana, 84, 88, 95
chlorantha, 84, 85, 86, 101
curtisia, 94
crenata, 94
cusickii, 103
cylindrica, 85, 86, 98, 101, 102
alpina, 101
glabella, 101
orbicularis, 101
diversifolia, 93
duranii, 104
xeasthamii, 101
eastwoodiae, 84, 85, 86, 102
elegans, 87, 99, 100
erubescens, 92
flabellifolia, 104
subsecta, 104
flavescens, 104
glabella, 101
glabra, 88, 89, 127
glomerulata, 87, 103
grossulariifolia, 85, 86, 87, 103
tenuifolia, 103
hallii, 84, 86, 102
hapemanii, 122
hartwegii, 92
hemisphaerica, 93
hirsuticaulis, 95
hirsutissima, 87, 99, 100
hispida, 95, 96
hirsuticaulis, 95
lancipetala, 94
leptomeria, 97
peninsularis, 97
longiflora, 84, 88, 94, 97
aceroides, 97
macrorhiza, 89
maxima, 84, 87, 93, 94
merriami, 87, 93
micrantha, 84, 85, 88, 89, 91, 92
diversifolia, 91, 93, 101
erubescens, 91, 92
hartwegii, 91, 92
macropetala, 91
micrantha, 91
pacifica, 93
missouriensis, 90
nivalis, 104
novamexicana, 86, 103
ovalifolia, 101
parishii, 84, 87, 98, 99
parviflora, 84, 85, 88, 90, 94, 104
parviflora, 90
puberula, 90
rugelii, 90
parviflora, 85, 86, 90, 98, 104
arizonica, 104
flavescens, 104
nivalis, 104
utahensis, 104
pilosissima, 84, 87, 93
hartwegii, 92
hemisphaerica, 93
pringlei, 97
puberula, 90
pubescens, 84, 88, 94, 95, 96
brachyandra, 95
pulchella, 84, 87, 99, 100
racemosa, 106
richardsonii, 84, 85, 88, 92, 94, 95, 96
affinis, 96
grayana, 96
hispidior, 96
rubescens, 84, 85, 87, 97, 98
alpicola, 97
glandulosa, 97
oregonensis, 97
pachypoda, 97
rydbergiana, 97
truncata, 97
versicolor, 97
sanguinea, 85, 87, 100, 101
pulchra, 100, 101
scabra, 97
tenuifolia, 103
utahensis, 104
versicolor, 97
leptomeria, 97
villosa, 85, 88, 89, 94, 115
arkansana, 89, 90
intermedia, 89
macrorhiza, 89
villosa, 89
williamsii, 105
woodsiaephila, 101, 102
wootonii, 86, 104
Heucherella, 85
Hexaphoma
petiolaris, 58
 Heywood, V. H., 258
 Hickman, J. C., 452
 High-bush blueberry, 371, 526
 Hileman, L. C., 398
 Hillside gooseberry, 29
 Hillside woodland star, 82
Hirculus, 132
platysepalus
crandallii, 139
prorepens, 138
serpyllifolius
chrysanthus, 140
 Hirsute huckleberry, 533
 Hitchcock, C. L., 144
 Hitchcock's saxifrage, 70
Hjaltalinia, 199
 Hoary manzanita, 429
 Hobblebush, 508, 510
 Holmgren, N. H., 98, 102, 104, 138, 144, 269, 280, 287
 Holmgren, P. K., 98, 102, 104, 138, 144
 Honey-cup, 506
 Hooded pitcher plant, 357
 Hooker, J. D., 148
 Hooker, W. J., 128
 Hooker's manzanita, 417
 Hoot, S. B., 45
 Hoover, R. F., 184, 186
 Hoover's manzanita, 433
Hopea
tinctoria, 331
 Horner, H. T., 319
 Horse-sugar, 331
Hottonia, 257, 258, 259
inflata, 254, 259
palustris, 259
 House Range primrose, 300
 Houseleek, 169
 Howell, J. T., 152
 Huckleberry, 515, 522, 523, 530
 Hudson Bay currant, 17
 Hufford, L., 45
Hugeria
erythrocarpa, 517
 Hultén, E., 60, 166, 292, 305, 338, 453, 476, 486, 487
 Hultgård, U.-M., 294
 Huntsman's-horns, 359
Huodendron, 341
 Hupa gooseberry, 33
 Hurrah-bush, 502
 Husband, B. C., 334
 Hutchins, C. R., 22
 Hutchinson, J., 44, 45
 Hydrangea, 44
 Hydrangeaceae, 44, 45
 Hydrangeoideae, 44
 Hydrophyllaceae, 333
Hylotelephium, 149, 161, 162, 164
anacampseros, 162
erythrostictum, 162, 163
telephiooides, 160, 162
telephium, 162, 163
Hymenanthes, 455
Hypericum
lasianthus, 325
Hypopitys, 371, 392
americana, 393
fimbriata, 393
lanuginosa, 393
monotropa, 393
Icacorea, 318
paniculata, 320
 Idaho dwarf primrose, 266
 Idaho saxifrage, 64
 Iltis, H. H., 285
 Indian manzanita, 421
 Indian rhubarb, 75
 Indian-pipe, 392
 Ione manzanita, 415
 Iowa golden-saxifrage, 73
 Irmscher, E., 133
 Island green dudleya, 175
 Island jepsonia, 119
 Island manzanita, 422
 Island marlberry, 320
 Island shootingstar, 275
 Ismail, A. A., 482
Itea, 6, 8, 44
virginica, 4, 6, 7
Iteaceae, 6, 8, 44
 subfam. *Iteoideae*, 44
Iteoideae, 44
 Jacobson, A. L., 152
 Jacquemart, A. L., 504
Jacquinia, 251, 252, 253
arborea, 253, 254
armillaris, 253
arborea, 253
aurantiaca, 252
keyensis, 253, 254
macrocarpa, 252
 Jade plant, 155
 James's saxifrage, 117

- Jamesia, 44
 Janczewski, M. E., 9
 Japanese loosestrife, 313
 Japanese snowbell, 343
 Japanese wintergreen, 514
 Jaynes, R. A., 481, 484
 Jensen, L. C. W., 378
 Jepson, W. L., 153, 172, 196
 Jepsonia, 43, 44, 46, 118, 119, 120, 132
 heterandra, 119
 malvifolia, 119
 parryi, 118, 119, 120
- Jeweled shootingstar, 285
 Jill of the rocks, 93
 Joewood, 253
 Jog, S., 114
 Johnson, A. F., 491
 Johnson, F. D., 127
 Johnson, L. A., 124, 125
 Johnson, M. P., 452
 Johnston, M. C., 239
 Jones, J. M., 236
 Jones, S. B., 308, 311, 312, 313
 Jones, S. C., 364
 Jørgensen, M. H., 144
 Jovibarba, 147, 149, 170
 heuffelii, 170, 171
 Judd, W. S., 107, 242, 367, 453, 455, 460, 464, 475, 496, 497, 499, 500, 510
 Junak, S., 194
- Kabiki, 234
 Kalanchoë, 149, 157, 158
 sect. *Bryophyllum*, 158
 blossfeldiana, 157, 158
 coccinea, 157, 158
 dagremontiana, 159
 delagoensis, 160
 fedtschenkoi, 159
 gastonis-bonnieri, 161
 globulifera
 coccinea, 158
 grandiflora, 160
 integra, 153, 157
 laciiniata, 157
 pinnata, 161
 tubiflora, 160
 verticillata, 160
 Källersjö, M., 251, 252, 253, 258, 268, 303
 Kalmia, 371, 372, 374, 375, 449, 480, 481
 angustifolia, 481, 482
 angustifolia, 482
 carolina, 482, 483
 buxifolia, 372, 477, 480, 481, 485
 carolina, 483
 ciliata, 483
 cuneata, 374, 480, 481, 483
 glauca, 485
 microphylla, 484
 hirnsuta, 480, 481, 483
 latifolia, 480, 481, 482
 laevipes, 482
 microphylla, 481, 484, 485
 microphylla, 484
- occidentalis, 484
occidentalis, 484, 485
 polifolia, 481, 484, 485
 microphylla, 484
 procumbens, 372, 480, 481, 485
Kalmiella, 480
 hirsuta, 483
Kalmiopsis, 375, 478, 479, 480
 fragrans, 479, 480
 leachiana, 477, 479, 480
 Kamchatka rhododendron, 454
 Kartesz, J. T., 239
Kaukenia
 elengi, 234
 Keeley, J. E., 406, 445
 Keep, E., 10
 Keever, C., 198
 Kelso, S., 257, 259, 263, 265, 286, 287, 299, 300
 Keng, H., 322
 King's crown, 165
 Kings Mountain manzanita, 433
 Kingsbury, J. M., 372, 481, 508
 Kinnikinnik, 414
 Klamath gooseberry, 36
 Klamath manzanita, 436
 Klopfen, K., 45
 Klotz, L. H., 285
 Knapp, U., 148, 172
 Knight's manzanita, 436
 Knudsen, J. T., 378, 383
 Knuth, P., 161
 Konoceti manzanita, 438
 Kral, R., 483
 Krause, D. L., 64, 65, 66
 Kress, A., 481
 Křísa, B., 380
 Kron, K. A., 367, 371, 451, 453, 455, 456, 460, 464, 465, 466, 467, 468, 469, 470, 471, 472, 475, 489, 490, 492, 497, 507, 510
 Kurashige, Y., 451
 Kuzoff, R. K., 45, 76, 109
- La Cruz manzanita, 435
 La Panza manzanita, 426
 La Purissima manzanita, 434
 Labrador tea, 372, 459, 460
 Laguna Beach dudleya, 179
 Laguna Mountains alum-root, 99
 Lakela, O., 160, 242, 244
 Lambert, B., 319
 Lambkill, 482
 Lance-leaf loosestrife, 313
 Lance-leaved dudleya, 186
 Lane, M. A., 464
 Langenheim, J. H., 340
Laplacea, 324
 fruticosa, 324
 haematoxylon, 324
 portoricensis, 324
 Lapland pincushion plant, 338
 Lapland rose-bay, 462
 Large loosestrife, 315
 Large-flower wintergreen, 382
 Large-fruited bulby, 241
- Lasianthus, 324
Lasiococcus, 530
 dumosus, 532
 mosieri, 533
 orocola, 533
 Late low-bush blueberry, 529
 Laurel, 480
 Lauzac-Marchal, M., 158
 Lavender scallops, 159
 Lawrence, G. H. M., 371
 Leafstemmed saxifrage, 57
 Leatherleaf, 507
 Leatherleaf saxifrage, 132
Ledum, 371, 455, 460
 sect. *Leiophyllum*, 480
 buxifolium, 485
 columbianum, 459
 decumbens, 459
 glandulosum, 459
 groenlandicum, 372, 460
 palustre, 459
 decumbens, 459
Leiophyllum, 371, 480, 481
 buxifolium, 485
 hugeri, 485
 prostratum, 485
 hugeri, 485
 prostratum, 485
 pyroliflorum, 474
 serpyllifolium, 485
 Lemke, D. E., 367
 Lems, K., 504, 507
 Lenophyllum, 150, 224, 226, 227, 228
 texanum, 225
 LePiniec, 480
 Leptarrhenea, 43, 45, 48, 131, 132
 pyrolifolia, 130, 132
 Leptarrheneae, 45
 Leptarrheninae, 45
Leptasea, 132
 funstonii, 140
 hirculus, 138
 vespertina, 142
 Lepropetalon, 45
 Lersten, N. R., 319
 Lesser wintergreen, 383
Leucosedum, 172
 Leucothoë, 371, 372, 376, 508, 510
 subg. *Agarista*, 499
 acuminata, 499
 axillaris, 509
 ambigens, 509
 editorum, 509
 catesbeiae, 509
 davisiae, 507, 509, 510
 elongata, 511
 fontanesiana, 509
 platyphylla, 509
 populifolia, 499
 racemosa, 511
 projecta, 511
 recurva, 511
 Levan, A., 167
 Levin, G. A., 178, 191
 Levensen, N. D., 70
 Li, H. Q., 349
 Li, J. H., 486, 489, 490
- Life plant, 161
 Limestone dudleya, 185
 Limewater brookweed, 255
 Linear-leaf loosestrife, 315
 Ling, 491
 Lingonberry, 372, 520
Liquidambar
 orientalis, 340
 Lis, R. A., 169, 170
Lissocarpa, 247, 248
 Lissocarpaceae, 247, 248
 Lithophragma, 43, 45, 46, 76, 77
 affine, 78, 80, 81
 mixtum, 80
 anemonoides, 80
 australe, 79
 austromontanum, 80
 bolanderi, 79, 82
 brevilobum, 79
 bulbiferum, 83
 campanulatum, 78, 81
 catalinae, 80
 cymbalaria, 78, 81
 glabrum, 79, 80, 83
 bulbiferum, 83
 heterophyllum, 79, 82, 83
 bolanderi, 82
 scabrellum, 82
 intermedium, 80
 laciniatum, 81
 maximum, 78, 79
 parviflorum, 77, 78, 79, 80, 81
 trifoliatum, 80
 rupicola, 79
 scabrellum, 82
 peirsonii, 82
 tenellum, 78, 79, 80
 floridum, 83
 thompsonii, 79
 thompsonii, 79, 80
 trifidum, 80
 trifoliatum, 78, 80
 trilobum, 82
 tripartitum, 80
 Little coltsfoot, 334
 Little prince's-plume, 386
 Little pyxie, 337
 Little Sur manzanita, 424
 Little-flower alum-root, 90
 Littleleaf alum-root, 104
 Liu, S., 478, 480, 482, 484, 485
 Live leaf, 161
 Live-everlast, 162, 163, 171
 Liver-leaf wintergreen, 380
Lobaria, 132
 Loblolly bay, 325
 Loeffler, C., 285
Loiseleuria, 371, 480, 481
 procumbens, 485
 Long, R. W., 160, 242, 244
 Long-bract wintergreen, 381
 Long-flowered alum-root, 97
 Loomis's loosestrife, 313
 Loosestrife, 308
 Löve, Á., 144, 165, 196, 385, 487, 488, 489
 Löve, D., 144, 196, 385, 487, 488, 489

- Lovell, H. B., 378
 Lovell, J. H., 378
 Low-bush blueberry, 371
 Lowland loosestrife, 312
 Lucas, S. A., 347
Lucuma, 244
campechiana, 245
nervosa, 245
 Ludlow, F., 337
 Luna, I., 325
 Lyall's saxifrage, 57
 Lyonia, 372, 376, 497, 500,
 507
ferruginea, 372, 500, 501,
 503
fruticosa, 501, 503
ligustrina, 501
caprifolia, 502
foliosiflora, 501, 502
ligustrina, 501
salicifolia, 502
lucida, 501, 502
mariana, 501, 502
racemosa, 511
Lysimachia, 302, 303, 308, 309
 sect. *Seleucia*, 303
 subg. *Seleucia*, 308, 309
angustifolia, 313
asperulifolia, 310
barystachys, 311
bulbifera, 317
capitata, 317
capitellata, 317
ciliata, 308, 309, 311
tossa, 318
validula, 312
clethroides, 309, 311
 ×*commixta*, 317
foliosa, 314
fraseri, 310, 312
graminea, 308, 309, 312
greeniana, 311
herbemontii, 310
heterophylla, 313
birsuta, 316
hybrida, 308, 309, 312, 313
japonica, 310, 313
lanceolata, 308, 309, 313
angustifolia, 313
hybrida, 312, 313
longifolia, 315
longipedicellata, 311
loomisii, 310, 313, 314, 316
lunellii, 312
maritima, 307, 308, 309, 314
membranacea, 311
nummularia, 307, 308, 309,
 310, 314
polyantha, 314
 ×*producta*, 310, 314, 315
punctata, 309, 310, 315
quadriflora, 308, 309, 315,
 316
quadrifolia, 308, 310, 314,
 315, 316
variegata, 316
racemosa, 317
 ×*radfordii*, 314, 316
radicans, 308, 309, 316
revoluta, 315
stricta, 317
angustifolia, 313
producta, 314
subcapitata, 317
terrestris, 308, 310, 315,
 316, 317
angustifolia, 313
ovata, 317
thyrsiflora, 308, 309, 317
tonsa, 308, 309, 318
simplex, 318
validula, 312
vulgaris, 310, 318
Lysimachieae, 303
Lysimachusa
thyrsiflora, 317
Lysimaque à quatre feuilles,
 316
Lysimaque ciliée, 311
Lysimaque commune, 318
Lysimaque hybride, 312
Lysimaque nummulaire, 314
Lysimaque ponctuée, 315
Lysimaque terrestre, 317
Lysimaque thyrsiflore, 317
Maba, 247
Mabey, R., 14
MacBryde, B., 484
Macior, L. W., 269
Mackenzie River dwarf
primrose, 265
MacSwain, J. F., 259
Madrone, 398
Madroño, 398
Maesa, 258
Maesaceae, 258
Maguire primrose, 300
Maguire, B., 349
Mairania
alpina, 405
Malachodendron
monogynum, 327
ovatum, 328
pentagynum, 328
Malay persimmon, 249
Maleberry, 500
Male-blueberry, 501
Mallik, A. U., 483
Mallory's manzanita, 430
Mamey, 232
Mananasilaitra, 161
Manchurian loosestrife, 311
Mancini, S. D., 372, 481
Manilkara, 233, 234, 237
bahamensis, 235
jaimiqui, 234, 235, 236
emarginata, 235, 236
parvifolia, 235
zapota, 232, 234, 235
Manzanita, 406
Maple-leaved alum-root, 89
Maple-leaved currant, 25
Marin manzanita, 426
Mariposa manzanita, 424
Marlberry, 318
Marsh saxifrage, 67
Marsh, C. D., 481
Marshall's gooseberry, 33
Marshall's saxifrage, 63
Martin, W. C., 22
Martine, C. T., 490
Martins, L., 258, 268, 303
Mast, A. R., 258, 268, 273,
 288, 299
Mastichodendron, 236, 237,
 239
foetidissimum, 239
Maternity plant, 159
Maunden, J., 487
Mauritzon, J., 148
May white azalea, 473
Mayflower, 475
Maystar, 304
Mayuzumi, S., 199, 223
McClintock, E., 156
McCormick, J. F., 198, 199
McDaniel, S., 359, 361
McGee, M. D., 456
McGuire, A. F., 492
McKenzie, R. A., 158, 160
McMinn, H. E., 401
McVaugh, R., 198
Meadia
patula, 275
Meadow alum-root, 101
Mediterranean pimpernel, 306
Meinke, R. J., 478
Melampsora, 10
Mellichamp, T. L., 129, 348,
 349, 350, 362
Mellioidendron, 339, 346
Menzies' wintergreen, 386
Menziesia, 372, 375, 449, 450,
 451, 456
aleutica, 476
empetiformis, 478
ferruginea, 451, 452
ferruginea, 452
glabella, 451, 452
glabella, 451
glanduliflora, 478
pilosa, 451, 452, 453
Merten's saxifrage, 146
Merxmüller, H., 151
Mes, T. H. M., 168
Mescalero currant, 23
Mesler, M. R., 10, 32
Messinger, W., 10, 25
Metheny, D., 492
Mexican love plant, 161
Mexican manzanita, 416
Miccosukee gooseberry, 41
Michaux's saxifrage, 58
Micranthes, 43, 44, 45, 48, 49,
 50, 54, 68, 69, 133
 sect. *Merkiana*, 50, 133
apetala, 49, 51, 68
apraca, 52, 65, 69
bryophora, 49, 50, 53, 58, 59
californica, 51, 60, 64, 69
calycina, 51, 52, 59, 60
careyana, 54, 61, 63
caroliniana, 53, 61, 63
davurica, 59, 60
eriophora, 51, 53, 64
ferruginea, 49, 50, 53, 58
foliolosa, 49, 50, 53, 57
fragosa, 52, 68, 69
gaspensis, 52, 65
gormannii, 54, 62
hieraciifolia, 51, 65, 66, 67
hitchcockiana, 51, 70
howellii, 54, 63
idahoensis, 53, 60, 62, 63, 64
integrifolia, 52, 66, 67
lyallii, 52, 57
marshallii, 53, 63, 64
merkii, 50
mexicana, 62
micranthidifolia, 53, 60, 61
nelsoniana, 50, 52, 53, 54,
 55, 56
carlottae, 55, 56
cascadensis, 55, 56
insularis, 55, 56
nelsoniana, 55
pacifica, 56
porsildiana, 55, 56
nidifica, 52, 68, 69
nivalis, 52, 64, 65, 66
nudicaulis, 52, 59
occidentalis, 54, 62, 64, 65,
 69
odontoloma, 53, 55, 56, 57
oregana, 51, 66, 67, 70
palmeri, 54, 61
parvifolia, 64
pensylvanica, 51, 66, 67
purpuripetala, 67
petiolaris, 49, 50, 53, 55, 58
plantaginea, 68
porsildiana, 56
razshivinii, 51, 52, 59, 60
reflexa, 53, 63
rhomboidea, 51, 65, 66, 69
rufidula, 54, 62, 63, 70
spicata, 53, 57
stellaris, 49, 50, 53, 57
subapetala, 49, 51, 65, 66,
 67
tempestiva, 49, 51, 69, 70
tenuis, 51, 65, 66
texana, 50, 52, 68
tischii, 54, 63
tolmiei, 49, 50, 52, 54, 55
unalaschensis, 50, 52, 60
virginiensis, 54, 60, 61
Micropyxis, 305
exigua, 307
pumila, 307
Mikolajski, A., 492
Mill Creek alum-root, 98
Mimusops, 233
balata, 233
coriacea, 233
elengi, 229, 232, 233, 234
emarginata, 235
floridana, 235
jaimiqui, 235
parvifolia, 235
Miquel's spicy wintergreen, 514
Miracle leaf, 161
Mirré, V., 486, 487, 488
Mission dudleya, 177
Mission manzanita, 404
Mission shootingstar, 275
Mission woodland star, 81
Mississippi loosestrife, 312

- Mistassini primrose, 293
Mitella, 43, 46, 47, 77, 84, 85, 105, 108, 109, 115
breweri, 109, 110, 112
caulescens, 77, 109, 112
diphylla, 109, 110, 111
diversifolia, 105, 109, 110, 113, 114
grandiflora, 77
intermedia, 111
nuda, 109, 110, 111
ovalis, 109, 110, 112, 113
pentandra, 109, 111
prostrata, 110
stauropetala, 105, 109, 110, 111, 113, 114
stauropetala, 113
stenopetala, 113
trifida, 105, 109, 110, 113, 114
violacea, 114
Mitellastra
caulescens, 112
Mitrelle, 108
Mitrelle à deux feuilles, 110
Mitrelle nue, 110
Mitrewort, 108
Mock arbute, 401
Mock arbutus, 401
Mock azalea, 451
Mock-orange, 342
Moerman, D. E., 76, 81, 89, 90, 91, 94, 96, 98, 102, 103, 104, 108, 110, 111, 114, 132, 231, 379, 385, 386, 389
Moneses, 374, 378, 384
uniflora, 384, 385
reticulata, 384
Monès uniflore, 384
Moneywort, 314
Monotropa, 371, 373, 392
brittonii, 392
californica, 395
hypopitys, 392, 393, 394
lanuginosa, 393
latisquama, 393
uniflora, 392, 393
Monotropaceae, 371, 377
Monotropastrum, 377
Monotrope du pin, 393
Monotrope uniflore, 392
Monotropoideae, 370, 372, 377, 388, 394
Monotropsis, 373, 394
lehmiae, 394
odorata, 393, 394
lehmiae, 394
reynoldiae, 394
Montara manzanita, 434
Monterey manzanita, 426
Moorwort, 505
Moran, R. V., 147, 150, 151, 152, 153, 154, 156, 157, 158, 161, 163, 164, 167, 171, 172, 176, 177, 179, 186, 189, 191, 193, 194, 195, 196, 197, 224, 225, 226, 227, 228
Moreno currant, 20
Morgan, D. R., 44, 45, 147, 230
Morin, N. R., 6, 8, 223
Morrisett, P., 487
Morro manzanita, 432
Mort, M. E., 48, 147, 170, 199
Morton, C. M., 248, 339
Mosquito-bill, 273
Moss heather, 494
Mossy stonecrop, 215
Mossy tillaea, 152
Mother of millions, 161
Mother-in-law, 161
Mount Adams gooseberry, 34
Mount Diablo manzanita, 430
Mount Tamalpais manzanita, 436
Mountain camellia, 328
Mountain currant, 22
Mountain dog-hobble, 509
Mountain dog-laurel, 509
Mountain gooseberry, 26
Mountain heather, 446, 476
Mountain huckleberry, 535
Mountain laurel, 482, 510
Mountain rosebay, 463
Mountain stewartia, 328
Mountain sweet pepperbush, 365
Mountain sweet pitcher plant, 356
Mouron rouge, 306
Muenscher, W. C., 481
Mulligan, G. A., 165
Mulroy, T. W., 178, 191
Munchkin dudleya, 189
Munz, P. A., 131, 172, 401
Murphy, H. T., 332
Murray, D. F., 210, 486
Muscaria, 132
adscendens, 145
delicatula, 146
micropetala, 146
monticola, 146
Myrica
gale, 533
Myrsinaceae, 251, 257, 258, 302, 303
Myrsine, 302, 303, 321
subg. *Crispardinia*, 319
cubana, 321, 323
floridana, 321
guyanensis, 321
Myrsine Family, 302
Nakahashi, C. D., 319
Nakai, K. M., 185, 187
Nakanishi, H., 71
Nakazawa, M., 71
Naked mitrewort, 110
Narrow-flowered alum-root, 101
Naumburgia, 308
thyrsiflora, 317
Nelson, P. W., 483
Nelson's saxifrage, 54
Nemophila, 333
Neoboykinia, 125
Neopieris, 500
marijuana, 502
Nesom, G. L., 212, 332, 333, 334, 336, 337
Nevada primrose, 300
Newton, P. F., 483
Nissenan manzanita, 425
Nodding saxifrage, 143
Northern black currant, 17
Northern blueberry, 528
Northern bog rosemary, 505
Northern golden-saxifrage, 74
Northern primrose, 292
Northern starflower, 304
Northern wild rosemary, 505
Nummularia
ciliata, 311
hybrida, 312
lanceolata, 313
longifolia, 315
radicans, 316
thyrsiflora, 317
Nuttall's saxifrage, 49
Oak gooseberry, 28
Ochoterena, H., 325
Oconee azalea, 466
Oconee bells, 334
Odara pear, 245
Ohba, H., 162, 199, 223
Ohwi, J., 311
Okuyama, Y., 109
Olesen, J. M., 378, 383
Olympic saxifrage, 63
One-flowered wintergreen, 384
One-sided wintergreen, 388
Ootoova, I., 447
Opossum-wood, 346
Orange gooseberry, 28
Orcutt's dudleya, 176
Oregon saxifrage, 67
Ornduff, R., 119
Ornithostaphylos, 375, 397, 403
oppositifolia, 402, 403
Orphanidesia, 475
Orpin, 199
Orpin acré, 215
Orpin aizoon, 223
Orpin bâtarde, 223
Orpin d'Espagne, 212
Orpin sarmenteux, 216
Orpin velu, 212
Orpine, 161
Orpine Family, 147
Orthilia, 374, 378, 388
secunda, 385, 388
obtusata, 388, 389
Oso manzanita, 434
Otay manzanita, 426
Oval-leaf huckleberry, 524
Oval-leaf mitrewort, 112
Oxycoccus, 371, 515, 518
erectus, 517
hagerupii, 519
intermedius, 519
macrocarpus, 519
microcarpus, 519
ovalifolius, 519
oxyccos, 519
palustris, 519
intermedius, 519
microphyllus, 519
ovalifolius, 519
quadripetalus, 519
microphyllus, 519
Oxydendreae, 497
Oxydendrum, 372, 376, 496, 497
arboreum, 495, 497
Özhan, H., 504
Ozomelis, 109
anomola, 114
diversifolia, 113
micrantha, 114
stauropetala, 113
trifida, 114
Pachyphytum, 172, 224, 226, 228
Pacific golden-saxifrage, 72
Pacific madrone, 399
Pacific manzanita, 415
Pacific menziesia, 451
Pacific mitrewort, 114
Packer, J. G., 71, 73, 74, 117, 476, 480
Padre's shootingstar, 274
Paeonia, 3
brownii, 4, 5
californica, 5
californica, 4, 5
lactiflora, 4
officinalis, 4
suffruticosa, 4
Paeoniaceae, 3, 44
Pajaro manzanita, 432
Pale laurel, 485
Pale pitcher plant, 355
Palmer's liveforever, 190
Palmer's saxifrage, 61
Palsler, B. F., 44, 45, 508
Pamphilia, 339
Panamint dudleya, 187
Parastyrax, 346
Parish's gooseberry, 38
Parker, V. T., 406
Parks, C. R., 323, 324
Parnassia, 45
Parnassiaceae, 45
subfam. *Parnassioideae*, 45
Parnassioideae, 45
Parnell, J., 170
Parrot pitcher plant, 358
Parry manzanita, 420
Parry's primrose, 300
Partridgeberry, 520
Parvisedum, 195, 196
congdonii, 196
leiocarpum, 196
pentandrum, 197
pumilum, 196
Patrick, T. S., 474
Pavlik, B. M., 172, 197
Pecho manzanita, 434
Pectiantia, 109
breweri, 112
ovalis, 112
pentandra, 111
Peltiphyllum, 75
Peltophyllum, 75

- Pennington, T. D., 232, 233, 237, 238, 239, 241, 242, 243, 244
 Pennsylvania saxifrage, 67
 Pentaphylacaceae, 322
 Penthoraceae, 44, 148, 230
 Penthoideae, 44
 Penthorum, 44, 148, 230, 231
chinense, 231
sedoides, 229, 231
 Peony, 3, 4
 Peony Family, 3
 Peridiscaceae, 44
 Perkins, W. E., 70
 Persimmon, 248
 Peterson, E. B., 483
 Peter-Stibar, E., 331
 Petit-daphné, 507
 Phedimus, 147, 148, 149, 150, 223
aizoon, 223
hybridus, 223, 224
spurius, 221, 223
 Philadelphia, 44
 Philbrick, R. N., 177
 Philipson, M. N., 453, 455, 464
 Philipson, W. R., 453, 455, 464
Phyllobacterium myrsinacearum, 319
 Phylodoce, 375, 476
aleutica, 476, 477, 478
glanduliflora, 478
breweri, 476, 477
caerulea, 476, 477
empetriformis, 476, 478
glanduliflora, 476, 477, 478
xintermedia, 478
 Phylodoce bleue, 477
Picea mariana, 482
 Piedmont pinxterbloom azalea, 469
 Piedmont rhododendron, 460
Pieris, 372, 376, 496, 497
 sect. Phillyreoides, 498
cubensis, 498
floribunda, 497, 498
formosa, 498
japonica, 498
phillyreifolia, 495, 498
swinhoei, 498
 Pierpont Springs liveforever, 185
 Pig-a-back plant, 107
 Pimpnel, 305
 Pincushion plant, 337
 Pine foot, 395
 Pinedrops, 389
 Pinemat manzanita, 435
 Pine-sap, 393
 Pink alum-root, 97
 Pink mountain heather, 478
 Pink pitcher plant, 360
 Pink wintergreen, 380
 Pinkbracted manzanita, 427
 Pink-shell azalea, 465
Pinus, 398
muricata, 426
 Pinxterbloom azalea, 468
 Pinxter-flower, 468
 Pinyon blister rust, 15
 Pinyon leaf rust, 15
 Pipe-plant, 499
 Pipe-stem wood, 499
Pipoly, J. J. III, 302, 318, 321
 Pipsissewa, 387
Pistorinia, 172
 Pitcher plant, 350
 Pitcher Plant Family, 348
Pityopus, 373, 394
californicus, 393, 395
 Platt, R. B., 198, 199
Pleurendotria, 77
reniformis, 80
Pleuricospora, 373, 396
fimbriolata, 396, 397
longipetala, 397
Plumleaf azalea, 470
 Podostemaceae, 148
 Poet's shootingstar, 284
Pointleaf manzanita, 416
 Poker alum-root, 101
Polycodium, 521
ashei, 521
candicans, 521
depressum, 521
floridanum, 521
leptosepalum, 521
macilentum, 521
melanocarpum, 521
neglectum, 521
stamineum, 521
 Polygonaceae, 368
Polypodium californicum, 179
Polyspora, 323, 324
axillaris, 324
chrysandra, 324
hainanensis, 324
kwangsiensis, 324
longicarpa, 324
yunnanensis, 324
 Poor-grub, 503
 Poorman's weatherglass, 305
 Porsild, A. E., 338, 383
Portuna, 497
floribunda, 498
 Possumwood, 250
Pouteria, 233, 244
caimito, 244
campechiana, 232, 236, 245
domingensis, 244
mammosa, 232
 Powdery dudleya, 188
 Presidio manzanita, 437
 Pretty shootingstar, 281
 Prickly black currant, 26
 Prickly saxifrage, 142
 Pride-of-Ohio, 286
 Primack, R. B., 337
 Primevère du fjord Egalik, 295
 Primevère du lac Mistassini, 293
 Primevère laurentienne, 293
Primrose, 286, 289, 293, 300, 301
 Primrose Family, 257
Primula, 257, 258, 264, 266, 268, 269, 286, 287, 288, 289, 300
 sect. *Aleuritia*, 288, 291, 292, 293, 294, 295
 sect. *Armerina*, 288, 290, 295
 sect. *Auricula*, 288
 sect. *Capitata*, 268
 sect. *Crystallophlomis*, 288, 290
 sect. *Cuneifolia*, 288, 290
 sect. *Dodecatheon*, 268, 288
 sect. *Farinosae*, 288
 sect. *Nivales*, 288
 sect. *Parryi*, 288, 290, 299, 301
 sect. *Primula*, 289, 290
 sect. *Purpureo-tubulosa*, 268
 sect. *Suffrutescens*, 288
 subg. *Aleuritia*, 288
 subg. *Auriculastrum*, 258, 268, 288
ajanensis, 292
alcalina, 291
americana, 292
angustifolia, 290, 298, 299
cusickiana, 299
helenae, 298
anisodora, 289
anvilensis, 291, 292, 294
arctica, 267, 297
austrofrigida, 278
beringensis, 297
borealis, 291, 292, 294, 296
ajanensis, 292
brodheadiae, 299
minor, 299
capillaris, 290, 298, 299
chamissonis, 292
clevelandii, 274
gracilis, 275
insularis, 275
patula, 275
conjugens, 271
viscosa, 272
cuneifolia, 288, 290, 297
cuneifolia, 287, 297, 298
dubyi, 297
elongata, 297
saxifragifolia, 287, 297, 298
cusickiana, 287, 290, 299, 300
cusickiana, 299
domensis, 299, 300
maguirei, 299, 300
nevadensis, 299, 300
domensis, 300
douglasii, 267
egaliksensis, 288, 290, 294, 295
ellisiæ, 301
eximia, 296
farinosa, 294
groenlandica, 294, 295
incana, 292
macropoda, 293
mistassinica, 293
fassettii, 285
fauriei, 292
fragrans, 275
frenchii, 285
frigida, 277
groenlandica, 295
hendersonii, 273
hornemanniana, 294
hunnewellii, 294
incana, 291, 292, 293, 294
intercedens, 293
japonica, 289
jeffreyi, 276
kawasimae, 292
latiloba, 278
laurentiana, 291, 293, 294
macalliana, 293
macounii, 296
maguirei, 300
matsumurae, 292
meadia, 286
mistassinica, 280, 291, 292, 293, 294, 295
intercedens, 293
macropoda, 293
noveboracensis, 293
modesta, 292
nevadensis, 300
nivalis
pumila, 296
nutans, 286, 288, 290, 292, 295, 296
finmarchia, 296
officinalis, 301
parryi, 290, 300
parvifolia, 292
pauciflora, 281
cusickii, 284
distola, 284
macrocarpa, 283
monantha, 282
shoshonensis, 283
zionensis, 282
poetica, 284
xpolyantha, 289
pumila, 287, 288, 290, 296, 297
arctica, 296
ledebouriana, 296
rusbyi, 289, 290, 301
ellisiæ, 301
saxifragifolia, 298
scandinavica, 294
scotica, 294
serra, 301
sibirica, 295, 296
minor, 295
specuicola, 291, 294
standleyana, 279
stricta, 291, 293, 294, 295
groenlandica, 295
subalpina, 274
suffrutescens, 268, 269, 286, 287, 288, 290, 295, 298
tenuis, 292
tetrandra, 277
tschuktschorum, 287, 288, 290, 296, 297
arctica, 296
beringensis, 297
caernesiana, 296
eximia, 296
pumila, 296
utahensis, 279

- veris, 287, 289, 290, 301
vulgaris, 289
- Primulaceae, 251, 252, 257, 258, 303
- Prince, L. M., 322, 323, 324, 326
- Prince's-plume, 385
- Pringle manzanita, 427
- Prunus*
paniculata, 330
- Ptelea*
monophylla, 368
- Pterospora, 373, 389
andromedea, 389, 390
- Ptérospore andromeda, 389
- Pterostemon*, 6
- Pterostemonaceae, 44
- Pterostyrax*, 339, 346
- Puccinia*, 10
- Puck's orpine, 204
- Pullen, T. M., 461
- Purdiae*, 364
- Purgio, 234
- Purple laurel, 463
- Purple mountain heather, 477
- Purple mountain saxifrage, 136
- Purple pitcher plant, 359
- Purple saxifrage, 136
- Pygmy manzanita, 419
- Pygmy saxifrage, 144
- Pygmyflower, 262
- Pygmy-pipes, 394
- Pygmyweed, 150
- Pyrola*, 371, 373, 374, 377, 378, 379, 383
sect. *Pyrola*, 379, 380
americana, 379, 380
aphylla, 379, 383, 384
asarifolia, 379, 380, 383
americana, 380
asarifolia, 379, 380, 381
bracteata, 381
incarnata, 381
purpurea, 381
bracteata, 381
californica, 381
chlorantha, 378, 379, 381, 382, 383, 384
dentata, 383, 384
integra, 383
elliptica, 379, 382
grandiflora, 379, 382, 383
canadensis, 382, 383
gormanii, 382, 383
grandiflora, 383
incarnata, 381
maculata, 386
media, 379
menziesii, 386
minor, 378, 379, 382, 383
oxypetala, 381
picta, 368, 378, 379, 382, 383, 384
dentata, 383
integra, 383
rotundifolia, 379, 380
americana, 380
grandiflora, 383
secunda, 388
obtusata, 388
- uliginosa*, 381
umbellata, 387
uniflora, 384
urceolata, 334
virens, 381
convoluta, 381
- Pyrolaceae*, 371, 377
- Pyrole à feuilles d'asaret, 380
- Pyrole à fleurs verdâtres, 381
- Pyrole à grandes fleurs, 382
- Pyrole d'Amérique, 380
- Pyrole elliptique, 382
- Pyrole unilatérale, 388
- Pyroloideae*, 377
- Pyxidanthera*, 332, 333, 336, 337
barbulata, 335, 336, 337
brevifolia, 337
brevifolia, 336, 337
- Pyxie*, 336
- Pyxie-moss*, 336
- Quimby, M. W., 162
- Quinilla, 234
- Rabeler, R. K., 131
- Radford, A. E., 163, 337, 463
- Raiche's manzanita, 420
- Rainbow manzanita, 422
- Raisin d'ours, 414
- Rand, E. S., 482
- Range alum-root, 103
- Ranunculaceae, 3
- Rapanea*, 321
punctata, 321
- Raulston, J. C., 341
- Ray, J. D., 303, 308, 309, 311, 317
- Red bearberry, 405
- Red garden currant, 14
- Red huckleberry, 522
- Red manzanita, 405
- Red Mountain stonecrop, 219
- Red orpine, 164
- Red pitcher plant, 361
- Red-flowering currant, 21
- Red-stemmed saxifrage, 57
- Red-twigs doghobble, 511
- Redwool saxifrage, 62
- Refugio manzanita, 431
- Rehder, A. J., 342, 468
- Rehderodendron*, 339, 346
- Reisch, C., 138
- Reveal, J. L., 268, 280, 281, 288
- Rhabdanthe*, 247
- Rhoads, A. F., 331
- Rhodiola*, 147, 149, 164
subg. *Clementsia*, 164
alaskana, 166
- integrifolia*, 164, 165, 166
integrifolia, 166
leedyi, 166, 167
neomexicana, 166
procera, 166
- neomexicana*, 166
- polygama*, 166
- rhodantha*, 164, 165
- roanensis*, 167
- rosea*, 164, 165, 166, 167
- integrifolia*, 165
- semenovii*, 164
- Rhododendron*, 371, 372, 374, 375, 451, 453, 455, 456
sect. *Pentanthera*, 466, 472
sect. *Rhodora*, 464
sect. *Therorhodion*, 453
sect. *Tsususi*, 451
subg. *Candidastrum*, 464
subg. *Hymenanthes*, 462
subg. *Rhododendron*, 460, 461
subg. *Therorhodion*, 453, 455
subsect. *Edgeworthia*, 460
subsect. *Ledum*, 460
alabamense, 458, 467, 469, 473
albiblorum, 455, 457, 464
warrenii, 464
arborescens, 457, 470, 471, 472
ashleyi, 463
atlanticum, 458, 468, 469, 472
austrinum, 458, 466, 467, 469
bakeri, 471
calendulaceum, 458, 465, 466, 469, 470, 471
californicum, 462
camtschaticum, 454
glandulosum, 454
canadense, 372, 455, 457, 461, 464
canescens, 459, 466, 467, 468, 469, 470, 471
carolinianum, 461
catawbiense, 456, 462, 463
insularis, 463
chapmanii, 461
columbianum, 455, 456, 459, 460
coryi, 471, 472
cumberlandense, 457, 465, 466, 470, 471, 472
cuthbertii, 461
eastmanii, 458, 466, 467, 473
flammeum, 458, 466, 469, 470, 471
glandulosum, 454, 459
groenlandicum, 372, 452, 455, 457, 460
lapponicum, 372, 455, 456, 460, 461, 462
leachianum, 479
luteum, 456, 467, 469
macrophyllum, 456, 462
maximum, *frontispiece*, 456, 461, 462, 463
minus, 456, 460, 461
chapmanii, 461
minus, 461
molle, 456
neoglandulosum, 459
nudiflorum, 469
oblongifolium, 471, 472
obtusum, 456
occidentale, 458, 467, 468
- paludosum*, 467
- palustre*, 459
- pendulum*, 460
- periclymenoides*, 458, 468, 469, 470
- prinophyllum*, 459, 465, 466, 469, 470
- prunifolium*, 457, 466, 470
- punctatum*, 461
chapmanii, 461
- roseum*, 470
- serrulatum*, 471, 472
- simsii*, 456
- sonomense*, 467
- speciosum*, 466
- subarcticum*, 459
- tolmachevii*, 459
- tomentosum*, 455, 457, 459, 460, 462
decumbens, 459
subarcticum, 459
- xvanhoeffenii*, 462
- vaseyi*, 455, 457, 464, 465
- viscosum*, 458, 468, 471, 472
serrulatum, 471
xuellesleyanum, 463
- Rhodora*, 455, 464
canadensis, 464
- Rhodoreae, 456
- Rhodothamnus*
leachianus, 479
- Rhytisma*, 504
- Ribes, 8, 9, 10, 44
sect. *Berisia*, 9
sect. *Grossularia*, 9, 34, 41
sect. *Parilla*, 9
subg. *Grossularia*, 9
subg. *Parilla*, 9
acerifolium, 11, 25
alpinum, 10
amarum, 12, 29, 30
hoffmannii, 30
americanum, 12, 16, 17, 35
amictum, 31
aureum, 10, 11, 15, 16
aureum, 15, 16
gracillimum, 15, 16
villosum, 15, 16
- binominatum*, 10, 13, 27, 29
- bracteosum*, 11, 18
- californicum*, 12, 29
californicum, 29, 30
hesperium, 29, 30
- canthariforme*, 12, 20
- cereum*, 11, 22, 23, 24, 25
cereum, 22, 23
colubrinum, 22, 23
- inebrians*, 23
pedicellare, 23
- cognatum*, 40
- coloradense*, 24
- cruentum*, 32
- curvatum*, 12, 40, 41
- cynosbati*, 12, 13, 35, 37
atrox, 37
glabratum, 37
- diacanthum*, 8, 9, 11, 14
- divaricatum*, 13, 33, 38
divaricatum, 38
inerme, 35

- Ribes divaricatum* (*continued*)
parishii, 38
pubiflorum, 33, 38
echinellum, 13, 41
erythrocarpum, 11, 19, 25
glandulosum, 11, 23, 24, 25
glutinosum, 21
gooddingii, 27
gracillimum, 16
grossularia, 42
hendersonii, 39
hesperium, 30
hirtellum, 10, 13, 36
calcicola, 36
saxosum, 36
howellii, 25
hudsonianum, 11, 17, 18
hudsonianum, 18
petiolare, 17, 18
indecorum, 12, 20
inebrians, 23
inerme, 13, 35
inerme, 35, 36
klamathense, 35, 36
irriguum, 40
klamathense, 36
lacustre, 10, 11, 23, 26, 27
lasianthum, 13, 28
laxiflorum, 11, 24, 25
leptanthum, 13, 29
lobbii, 10, 13, 29, 33, 38
malvacuum, 12, 16, 19, 20
clementinum, 19
malvacuum, 20
viridifolium, 19, 20
marshallii, 10, 13, 29, 33, 34
menziesii, 12, 29, 32, 33
hystris, 32
ixodeme, 32
leptossum, 32
senile, 32
thacherianum, 31
mescalerium, 11, 23, 24
missouriense, 13, 35
ozarkanum, 35
mogollonicum, 19
montanum, 27
montigenum, 10, 11, 26
nevadaense, 12, 19
glaucescens, 19
jaegeri, 19
nigrum, 10, 11, 17, 18
niveum, 13, 37, 38
nubigenum, 26
odoratum, 16
oligacanthum, 30
oxyacanthoides, 13, 35, 39
calcicola, 36
cognatum, 39, 40
hendersonii, 39
hirtellum, 36
irriguum, 39, 40
lacustre, 26
oxyacanthoides, 39
saxosum, 36
setosum, 39, 40
parishii, 38
petiolare, 17, 18
petraeum, 10
pinetorum, 13, 28, 29
quercretorum, 13, 28
reniforme, 23
roezlii, 12, 29, 31
amictum, 31
cruentum, 10, 31, 32
roezlii, 31
rotundifolium, 13, 41
rubrum, 4, 10, 11, 14
sativum, 14
sanguineum, 10, 12, 21, 25
deductum, 21
glutinosum, 21
melanocarpum, 21
sanguineum, 21
sativum, 14
sericeum, 13, 34
setosum, 40
speciosum, 8, 10, 12, 29, 30
spicatum, 10, 14
sylvestre, 14
thacherianum, 12, 29, 31
triste, 11, 14
tularensis, 13, 27
uva-crispa, 10, 12, 42
velutinum, 13, 27, 28, 29
glanduliferum, 27
gooddingii, 27
viburnifolium, 8, 11, 16, 17
victoris, 12, 29, 32, 33
minus, 32
viscidulum, 23
viscosissimum, 11, 19, 22, 25
hallii, 22
viscosissimum, 22
watsonianum, 13, 34
wolfii, 12, 19
Ribesideae, 44
Richards, A. J., 287
Richardson's alum-root, 96
Ricketson, J. M., 302, 318, 321
Rincon manzanita, 420
River-leek, 153
Robertsonia
micranthidifolia, 60
Rock jasmine, 259, 262
Rock-lettuce, 180
Rocky Mountain alumroot, 97
Rocky Mountain dwarf primrose, 266
Rönblom, K., 332
Ronse Decraene, L.-P., 71, 74
Roof's manzanita, 438
Rosaceae, 130
Rosales, 230
Rosatti, T. J., 415
Rose crown, 164
Rose of the Andes, 449
Rose, J. N., 153, 165, 186, 225
Rose's manzanita, 442
Rosebay, 463
Rosendahl, C. O., 71, 85, 95,
96, 104
Rosendahl's golden-saxifrage,
74
Roseroot, 164, 167
Roseshell azalea, 469
Rosewort, 167
Rosularia, 172
Rothrock currant, 19
Rough-leaf yellow loosestrife,
310
Round-fruited stewartia, 327
Round-leaved pyrola, 380
Royena, 247, 248
Rubiaceae, 310
Ruby Mountains primrose, 298
Rue-leaved saxifrage, 145
Rufous Florida bully, 242
Rusby's primrose, 301
Rusty menziesia, 451
Rusty saxifrage, 58
Rusty-leaf menziesia, 451
Rydberg, P. A., 117, 128, 133
Saffron plum, 238
Saffron-tree, 246
Salal, 514
Samodia
ebracteata, 255
Samolaceae, 252, 258
Samole à petites fleurs, 255
Samolus, 251, 252, 254
alyssoides, 255
cuneatus, 255
ebracteatus, 255
alyssoides, 255
cuneatus, 255
floribundus, 255, 256
parviflorus, 254, 255, 256
vagans, 255, 256
valerandi, 256
parviflorus, 255
San Bernardino Mountains
dudleya, 185
San Bruno Mountain
manzanita, 435
San Clemente Island woodland star, 79
San Francisco woodland star,
80
San Gabriel alum-root, 99
San Gabriel manzanita, 444
San Gabriel Mountains
dudleya, 176
San Luis Obispo dudleya, 184
San Luis Obispo serpentine dudleya, 184
Sand heath, 490
Sand pygmyweed, 152
Sandhill laurel, 483
Sandhills pyxie-moss, 337
Sand-lettuce, 190
Sandmat manzanita, 424
Sand-myrtle, 485
Santa Barbara Island dudleya,
177
Santa Catalina Island
manzanita, 427
Santa Clara Valley dudleya, 184
Santa Cruz Island gooseberry,
31
Santa Cruz Island manzanita,
442
Santa Cruz manzanita, 432
Santa Lucia gooseberry, 34
Santa Lucia manzanita, 431
Santa Rosa Island manzanita,
428
Sapodilla, 234
Sapodilla Family, 232
Sapota
achras, 235
Sapotaceae, 232, 248
tribe Sideroxyleae, 237
Sapphire-berry, 330
Sarazina
venosa, 360
Sarcodes, 373, 390
sanguinea, 390, 391
Sarcosperma, 232
Sargent, C. S., 331
Sarracenia, 348, 349, 350, 351,
357, 358, 359, 362, 533
xablesii, 362
alabamensis, 350, 352, 353,
354, 361
alabamensis, 353, 354,
355, 361
wherryi, 353, 354, 355,
361, 362
alata, 352, 355, 356, 362,
363
xareolata, 362
xbellii, 362
xcaseii, 362
xcatesbaei, 362
xcharlesmoorei, 363
xchelsonii, 363
xcourtii, 363
drummondii, 356
xexornata, 363
flava, 352, 354, 355, 356,
362, 363
xgilpinii, 363
gronovii
alata, 355
xharperi, 363
jonesii, 350, 353, 356, 360,
361, 363, 533
leucophylla, 351, 352, 356,
357, 362, 363
minor, 350, 352, 357, 358,
363
okefenokeensis, 358, 359
xmitchellian, 363
xmooreana, 363
xmoorei, 363
xnaczi, 363
oreophila, 352, 358
xpopei, 363
psitticina, 350, 352, 358,
359, 362, 363
purpurea, 348, 350, 351,
352, 359, 360, 361, 362,
363
burkii, 360
gibbosa, 359
heterophylla, 351, 360
montana, 360, 533
purpurea, 359, 360
ripicola, 359
stolonifera, 359
terrae-novae, 359
venosa, 359, 360
xreadei, 363
xrehderi, 363
rosea, 348, 350, 352, 359,
360, 361, 363
luteola, 361
rubra, 350, 351, 353, 355,
356, 361, 362, 363
alabamensis, 354

- gulfensis*, 361, 362
jonesii, 356
rubra, 361, 362
wherryi, 355
sledgei, 355
xswaniana, 363
xurigleyana, 363
Sarraceniaceae, 348, 349
Sarracénie, 350
Sarracénie pourpre, 359
Satin leaf, 246
Savile, D. B. O., 56, 71, 85, 109
Savolainen, V., 45
Sawyer, J. O., 32
Saxifraga, 43, 44, 45, 48, 49,
 50, 68, 131, 132, 133,
 141, 146
aconitifolia, 126
adscendens, 132, 134, 145
 oregonensis, 145
aequidentata, 62
aestivalis, 54
aizoides, 132, 134, 137
aizoön, 137
 neogaea, 137
aleutica, 135, 140
allenii, 62
apetala, 68
aprlica, 69
arctolitoralis, 145
austrina, 69
austromontana, 141
bracteata, 134, 143, 144
bronchialis, 135, 140, 141,
 142
austromontana, 140, 141
cherlerioides, 142
codyana, 140, 141
funstonii, 140, 141
purpureomaculata, 140
vespertina, 142
bryophora, 58
 tobiasiæ, 58, 59
californica, 64
calycina, 59
unalaschensis, 60
careyana, 61
caroliniana, 61
cernua, 133, 134, 135, 141,
 143
debilis, 143
cespitosa, 134, 146
 decipiens, 146
emarginata, 146
exaratioides, 146
laxiuscula, 146
lemonii, 146
minima, 146
monticola, 146
sileneflora, 146
subgemmifera, 146
uniflora, 146
cherlerioides, 136, 140, 142
chrysanthia, 135, 140
claytoniifolia, 68
codyana, 140, 141
columbiana, 68
crandallii, 139
cymbalaria, 133
davurica
grandipetala, 59
unaliaschensis, 60
debilis, 134, 143, 144
elata, 127
eriophora, 64
eschscholtzii, 133, 135, 139
exilis, 143
fallax, 64
ferruginea, 58
 macounii, 58
newcombei, 58
vreelandii, 58
firma, 140
flagellaris, 134, 135, 137,
 138
crandallii, 138, 139
flagellaris, 138
platysepala, 137, 138, 139
setigera, 138, 139
flexuosa, 144
foliolosa, 57
 multiflora, 57
forbesii, 67
fragarioides, 131
fragosa, 68
 claytoniifolia, 68
funstonii, 140, 141
gasپensis, 65
xgeum, 133
gormanii, 62
ballii, 64
beucheriformis, 117
hieraciifolia, 66
angusticapsula, 66
rufopilosa, 66
hirculus, 135, 137, 138
coloradensis, 138
compacta, 138
hirculus, 138
propinqua, 138
hirsuta, 133
bitchcockiana, 70
howellii, 63
hyperborea, 134, 144
debilis, 143, 144
idahoensis, 64
integriifolia, 67
 apetala, 68
claytoniifolia, 68
columbiana, 68
leptopetalata, 68
jamesii, 117
latepetiolata, 70
laurentiana, 143
lyallii, 57
hultenii, 57
malvifolia, 119
marshallii, 63
idahoensis, 64
mertensiana, 133, 134, 135,
 146
eastwoodiae, 146
michaixii, 58
micranthidifolia, 60
montana, 68
montanensis, 67
nathorstii, 132, 133, 135,
 136
nelsoniana, 54, 128
astivalis, 54
- carlottae*, 55
cascadensis, 56
insularis, 56
pacifica, 56
porsildiana, 56
newcombei, 58
nidifica, 68
claytoniifolia, 68
nivalis, 64
rufopilosa, 65
tenuis, 65
nudicaulis, 59
nuttallii, 48, 49
occidentalis, 62
allenii, 62
dentata, 62
idahoensis, 64
rufidula, 62
wallowensis, 62
odontoloma, 56
oppositifolia, 132, 133, 135,
 136, 137
glandulifepala, 136
nathorstii, 136
oppositifolia, 136, 137
smalliana, 136
oregana, 67
montanensis, 67
subapetala, 66
oregonensis, 145
palmeri, 61
paniculata, 132, 134, 137,
 138
laestadii, 137, 138
neogaea, 137
parryi, 120
parvifolia, 64
peltata, 76
pensylvanica, 67
forbesii, 67
interior, 67
purpuripetala, 67
tenuirostrata, 67
petiolaris, 58
plantaginea, 68
platysepala, 139
punctata
carlottae, 55
cascadensis, 56
insularis, 56
nelsoniana, 54
pacifica, 56
porsildiana, 56
purpuripetala, 67
pyrolifolia, 132
radiata, 135, 143
ranunculifolia, 125
razshivini, 59
reflexa, 63
 occidentalis, 62
renifolia, 122
rhomboidea, 69
austrina, 69
franciscana, 69
richardsonii, 128
rivularis, 134, 144
arctolitoralis, 144, 145
debilis, 143
flexuosa, 144
hyperborea, 144
- laurentiana*, 143
purpurascens, 144
rivularis, 145
rosacea, 146
rufidula, 62
rufopilosa, 65
rydbergii, 66
sarmentosa, 133
saximontana, 62
serpyllifolia, 135, 136, 139
chrysanthia, 140
purpurea, 139
setigera, 139
sibirica, 143, 145
sibthorpii, 133
spicata, 57
stellaris, 57
comosa, 57
stolonifera, 133
subapetala, 66
sullivantii, 122
taylorii, 135, 140, 142, 143
tempestiva, 69
tennesseensis, 61
tenuis, 65
texana, 68
tischii, 63
tolmiei, 54
ledifolia, 54
tricuspidata, 135, 140, 141,
 142
tridactylites, 132, 134, 145,
 146
umbrosa, 133
unalaschensis, 60
vaginata, 143
vespertina, 135, 136, 140,
 141, 142
virginiensis, 61
californica, 64
subintegra, 61
- Saxifragaceae, 43, 44, 45, 85,
 109, 115, 132, 147, 148,
 230
subfam. Hydrangeoideae, 44
subfam. Parnassioideae, 45
subfam. Penthoroidae, 44
subfam. Saxifragoideae, 44,
 45
subtribe Astilbinae, 45
subtribe Leptarrheninae, 45
subtribe Saxifraginae, 45
subtribe Vahlia, 45
tribe Astilbeae, 45
tribe Leptarrhenae, 45
tribe Saxifrageae, 45
Saxifragales, 3, 6, 44, 147
Saxifrage, 49, 132
Saxifrage à bulilles, 57
Saxifrage à feuilles opposées,
 136
Saxifrage à trois dents, 142
Saxifrage cespitueuse, 146
Saxifrage de Gaspésie, 65
Saxifrage de Virginie, 61
Saxifrage des neiges, 64
Saxifrage des ruisseaux, 145
Saxifrage étoilée, 57
Saxifrage Family, 43
Saxifrage hyperboréale, 144
Saxifrage jaune, 137

Saxifrage oeil-de-bouc, 138
 Saxifrage paniculée, 137
 Saxifrage penchée, 143
 Saxifrageae, 45
 Saxifraginae, 45
Saxifragodes, 48
 Saxifragoideae, 44, 45
Saxifragopsis, 43, 44, 48, 130,
 131
fragarioides, 130, 131
 Scarlet pimpernel, 306
 Scented shootingstar, 275
Schima, 323
 Schischkin, B. K., 338
 Schlectendahl, D. F. L., von,
 292
 Schmidt, M. G., 401
 Schneeweiss, G. M., 258, 263,
 264
 Schneider, J. V., 364
 Schnell, D. E., 356, 358, 359,
 361
 Schönenberger, J., 322, 329,
 339
 Schreiber's manzanita, 431
 Schultheis, L. M., 9, 29, 34, 41
 Schulze-Menz, G. K. W., 44, 45
 Scoggan, H. J., 5, 338, 508
 Scotch heather, 491
 Scots heath, 493
 Scott, P. J., 338
 Sea milkwort, 314
 Seaside alum-root, 93
 Seaside brookweed, 255
 Sedella, 147, 150, 195, 196,
 199
congdonii, 196
leiocarpa, 181, 196
pentandra, 181, 196, 197
pumila, 196
congdonii, 196
 Sedoideae, 148
Sedum, 148, 150, 162, 168,
 172, 197, 199, 212, 223,
 226, 228
 subg. *Rhodiola*, 164
 subg. *Telephium*, 161
 acre, 172, 202, 215, 216
aizoon, 223
albomarginatum, 202, 220
alboroseum, 163
 album, 172, 200, 213
annuum, 200, 213
atropurpureum, 166
blochmaniae, 193
borschii, 202, 210
ciliosum, 208
cockerelli, 198, 201, 205
congdonii, 196
debile, 201, 211
divaricatum, 209
divergens, 201, 210
douglasii, 209
edule, 177
elrodii, 215, 216
erythrostictum, 163
fabaria, 163
frigidum, 166
glaucocephalum, 200, 203,
 204

havardii, 201, 214
beckneri, 219
hispanicum, 200, 212, 213
hybridum, 224
integrifolium, 165, 166
neomexicanum, 166
procerum, 166
kamtschaticum
ellacombeanum, 223
lanceolatum, 202, 206, 207,
 208
lanceolatum, 206, 207
nesioticum, 206, 207
rupicola, 207
subalpinum, 207
laxum, 201, 202, 217, 218
eastwoodiae, 218, 219
flavidum, 218, 219
heckneri, 218, 219
latifolium, 218, 219
laxum, 218
perplexum, 218
leibergii, 200, 209, 210
borschii, 210
lineare, 201, 216, 217
mexicanum, 201, 216
monanthum, 209
moranii, 202, 220, 221
nanifolium, 202, 211, 212
nesioticum, 207
nevii, 200, 203, 204
niveum, 201, 205
nuttallianum, 211
nuttallii, 200, 211, 213
oblanceolatum, 201, 219
obtusatum, 201, 202, 217
boreale, 217
obtusatum, 217
paradisum, 217, 218
retusum, 217, 218
ochroleucum, 201, 202, 213,
 214
oreganum, 202, 221
oreganum, 221
tenue, 221, 222
oregonense, 201, 202, 207,
 217, 220
parvum, 212
nanifolium, 211, 212
robertsonianum, 212
pinetorum, 205
praealtum, 202, 215
pruinatum, 222
pulchellum, 200, 204
pumilum, 196
congdonii, 196
purdyi, 222
purpureum, 163
pusillum, 198, 200, 204
radiatum, 200, 208
ciliatum, 208, 209
depauperatum, 208, 209
radiatum, 208
reflexum, 214
rhodanthum, 164
rhodiola, 167
roanense, 167
robertsonianum, 202, 211, 212
rosea, 165, 166, 167
integrifolium, 165
leedyi, 167
roanense, 167
rupestre, 202, 214
rupicola, 202, 207, 208
sarmentosum, 201, 216
sexangulare, 202, 214
smallii, 198
spathulifolium, 202, 221,
 222
anomalum, 222
pruinatum, 222
purdyi, 222
spathulifolium, 221, 222
yosemitense, 222
spectabile, 163
spurium, 223
stelliforme, 201, 215
stenopetalum, 200, 201, 202,
 208, 209
ciliatum, 208
monanthum, 209
radiatum, 208
stropetalum, 209
subalpinum, 206
taqueti, 163
telephiooides, 162
telephium, 163
ternatum, 198, 200, 203
texanum, 225
topsentii, 215
variegatum, 193
vigilimontis, 204
villosum, 200, 201, 207, 212
viridescens, 163
wrightii, 200, 205
densiflorum, 206
priscum, 206
wrightii, 206
Segraves, K. A., 85, 103, 104
Selaginella
cinerascens, 195
Sempervivum, 149, 168, 169,
 170
 sect. *Jovibarba*, 170
arboreum, 168
beuffelii, 170
tectorum, 165, 169, 170
arvernense, 169
tectorum, 169
 Senters, A. E., 9, 19, 25
Sequoia gooseberry, 27
 Serpentine manzanita, 430
 Seymour, F. C., 508
 Shagbark manzanita, 416
 Shaggyhair alum-root, 99
 Shallal, 514
 Sharsmith, H. K., 196
 Shaughnessy, W. M., 285
 Sheep laurel, 372, 482
 Sheepkill, 482
 Sheridan, P., 363
 Sherwin, P. A., 197
Sherwoodia
galacifolia, 335
 Sheth, K., 386
 Shiny blueberry, 527
 Shipes, B. G., 84, 85
 Shittim-wood, 346
 Shoebutton ardisia, 320
 Shootingstar, 268, 270
 Shortia, 332, 333, 334
galacifolia, 335
brevistyla, 335
galacifolia, 335, 336
 Siberian primrose, 296
 Side-bells wintergreen, 388
 Side-flower mitrewort, 113
Sideroxylon, 232, 233, 236,
 237, 241, 243
alachuenense, 238
anomalum, 238
celastrinum, 237, 238, 239
dulcificum, 237
 foetidissimum, 237, 239, 243
foetidissimum, 239
lanuginosum, 237, 238, 239,
 240, 241, 244
albicans, 239, 240
lanuginosum, 240, 241
oblongifolium, 239, 240
rigidum, 239, 240
texanum, 239
lycioides, 236, 237, 240, 241
macrocarpum, 238, 241
masticodendron, 239
persimile, 243
reclinatum, 237, 238, 241,
 242, 244
austrofloridense, 242
reclinatum, 242
rufotomentosum, 242
rufohirtum, 238, 241, 242
rufotomentosum, 242
salicifolium, 237, 243
tenax, 237, 238, 241, 243
thornei, 237, 238, 241, 243,
 244
 Sidesaddle-flower, 359
 Siempreviva, 171
 Sierra gooseberry, 31
 Sierra laurel, 510
 Sierra Nevada currant, 19
 Sierra primrose, 298
 Sierran shootingstar, 274
 Silky camellia, 327
 Silver bully, 238
 Silverbell, 346
 Silvery buckthorn, 238
 Silvery primrose, 292
 Simmons, M. P., 45
 Single delight, 384
 Sinnott, Q. P., 9, 10, 41
Sinojackia, 339
 Siskiyou kalmiopsis, 479
 Siskiyou Mountain woodland
 star, 81
 Skinner, M. W., 172, 197
 Skunk currant, 24
 Slender woodland star, 79
 Sleumer, H., 531
Sloanea
emarginata, 235
 Small black blueberry, 528
 Small cranberry, 519
 Small, J. K., 133, 237, 248,
 342, 453, 484
 Smallflower woodland star, 80
 Small-leaved kalmia, 484
 Smith, C. F., 156
 Smith, W. S. T., 175

- Smith, W. W., 292
 Smooth azalea, 470
 Smooth menziesia, 451
 Snow dwarf primrose, 267
 Snow plant, 391
 Snowbell, 340
 Snowbell Family, 339
 Snowdrop bush, 345
 Snowdrop tree, 346
 Snow-line wintergreen, 383
 Snowy gooseberry, 37
 Solanum, 268
 Soltis, D. E., 9, 19, 25, 44, 45,
 48, 50, 61, 71, 76, 84,
 85, 105, 107, 108, 109,
 114, 120, 121, 124, 132,
 133, 147, 230, 334
 Soltis, P. S., 45, 107, 114, 147,
 230
 Somers, P., 315
 Sonoma manzanita, 429
 Soper, J. H., 489
 Sørensen, P. D., 398
 Sørensen, T. J., 137
 Sorrel-tree, 496
 Sorrie, B. A., 315, 336, 530
 Sourtop, 529
 Sourwood, 496
 Southall, R. M., 483
 Southern gooseberry, 521
 Southern loosestrife, 318
 Southern pinxterbloom azalea,
 469
 Southern shortia, 335
 Spanish cherry, 234
 Spanish heath, 493
Spathulata, 223
 Spice-berry, 319
 Spider plant, 138
 Spider saxifrage, 138
 Spider-legged saxifrage, 138
 Spongberg, S. A., 45, 85, 109,
 341
 Spotted loosestrife, 315
 Spotted pitcher plant, 357
 Spotted saxifrage, 140
 Spotted wintergreen, 386
 Spreading currant, 24
 Sprouting leaf, 161
 Staggerbush, 500, 503
 Ståhl, B., 251, 252, 253, 257,
 258, 303, 329
 Standley, P. C., 402
 Stanford's manzanita, 419
 Star-apple, 232, 245
 Starflower, 303
 Starry saxifrage, 57
 Steele, R., 127
Steironema, 308
 ciliatum, 311
 gramineum, 312
 heterophyllum, 313
 intermedium, 318
 laevigatum, 312
 lanceolatum, 313
 hybridum, 312
 longifolium, 315
 longipedicellatum, 311
 lunellii, 312
 membranaceum, 311
 pumilum, 311
 quadriflorum, 315
 radicans, 316
 tonsum, 318
 validulum, 312
 verticillatum, 312
 Stern, D. L., 341
 Stevens, P. F., 258, 371, 453,
 473, 480, 497, 504
 Stevenson, G. A., 14
 Stewartia, 322, 323, 324, 326
 malacodendron, 327, 328
 nobilis, 327
 ovata, 326, 327, 328
 grandiflora, 328
 virginica, 327
 Sticky currant, 22
 Sticky dudleya, 175
 Sticky shootingstar, 272
 Sticky whiteleaf manzanita, 423
 Stiffly short-hair alum-root, 95
 Stink currant, 18
 Stinking currant, 17
 Stoloniferous saxifrage, 138
 Stoneburner, A., 198
 Stonecrop, 161, 199
 Stonecrop Family, 147
 Storax, 340
 Storax Family, 339
 Storm saxifrage, 69
 Straggly gooseberry, 38
 Strict primrose, 294
 Striped prince's-plume, 386
 Stuessy, T. F., 287
Stylophylum, 173
 albidum, 174
 attenuatum, 176
 densiflorum, 176
 edule, 177
 hassei, 175
 insulare, 175
 nudicaule, 176
 orcuttii, 176
 parishii, 176
 traskiae, 177
 virens, 174
 viscidum, 175
Styphelia, 371
Styphelioidae, 371
 Styracaceae, 248, 329, 339, 340
 Styrax, 339, 340, 341
 sect. *Styrax*, 341
 sect. *Valvatae*, 341
 ser. *Cyrtia*, 341
 ser. *Styrax*, 341
 americanus, 341, 342, 343
 pulverulentus, 342
 benzoin, 340
 bodinieri, 343
 californicus, 345
 fulvescens, 345
 duclouxii, 343
 glabrescens, 341
 grandiflorus, 343
 grandifolius, 340, 341, 342,
 343
 japonicus, 341, 343
 kotoensis, 343
 officinalis, 340, 341, 345
 californicus, 345
 fulvescens, 345
 paralleloneurus, 340
 platanifolius, 341, 343, 344,
 345
 mollis, 343
 platanifolius, 343, 344
 stellatus, 343, 344
 texanus, 343, 344, 345
 youngiae, 343, 344, 345
 pulverulentus, 342
 ramirezii, 341
 redivivus, 341, 342, 345
 fulvescens, 345
 texanus, 344
 tonkinensis, 340
 youngiae, 345
 Sugarstick, 391
 Suksdorffia, 43, 47, 120, 124
 alchemilloides, 124
 ranunculifolia, 124, 125
 violacea, 123, 124, 125
 Sullivantia, 44, 47, 120, 121,
 132
 halmicola, 123
 hapemanii, 122
 hapemanii, 123
 purpusii, 123, 124
 oregana, 122
 hapemanii, 122
 purpusii, 124
 sullivantii, 122, 123
 Summer-blooming-manzanita,
 401
 Summer-holly, 401
 Summersweet, 365
 Suttil, T. A., 269, 283
 Swamp azalea, 471
 Swamp black currant, 26
 Swamp buckthorn, 243
 Swamp candles, 317
 Swamp dog-laurel, 509
 Swamp laurel, 485
 Swamp loosestrife, 317
 Swamp saxifrage, 67, 68
 Swamp sweetbells, 511
 Sweet azalea, 470
 Sweet hurts, 528
 Sweet pepperbush, 364
 Sweet pinesap, 394
 Sweet pitcher plant, 361
 Sweetbells, 508
 Sweetflower rock jasmine, 260
 Sweetleaf, 330
 Sweetleaf Family, 329
 Sweetspire, 6
 Sweetspire Family, 6
 Swenson, U., 232, 237, 243
 Switch-ivy, 509
 Sycamore-leaf snowbell, 344
 Symplocaceae, 248, 329, 330,
 339
 Symplocos, 330, 331
 sect. *Barberina*, 331
 subg. *Hopea*, 331
 subg. *Palura*, 331
 subg. *Symplocos*, 331
 japonica, 331
 martinicensis, 330
 paniculata, 330, 331
 setchuensis, 331
 theifolia, 331
 tinctoria, 327, 330, 331
 ashei, 331
 pygmaea, 331
 tinctoria, 331
 wikstroemiifolia, 331
 Syncline shootingstar, 284
 't Hart, H., 148, 151, 162, 163,
 169, 170, 172, 199, 226
 Tahbaz, F., 3
 Takahashi, Hiroshi, 381, 384,
 387
 Takhtajan, A. L., 44, 45
 Talavera, S., 306
 Tall alum-root, 101
 Tall mountain shootingstar, 276
Tanakaea, 132
 Tar-flower, 450
 Taylor, R. L., 77, 80, 83, 165,
 484, 487
 Taylor's saxifrage, 142
 Tea Family, 322
 Telesonix, 48, 116, 120, 132
 heucheriformis, 117, 118
 jamesii, 117, 118
 heucheriformis, 117
 Tellima, 45, 46, 76, 77, 85
 [unranked] *Lithophragma*,
 77
 bulbifera, 83
 catalinae, 80
 cymbalaria, 81
 glabra, 83
 grandiflora, 77, 108
 heterophylla, 82
 bolanderi, 82
 intermedia, 80
 odorata, 77
 parviflora, 80
 scabrella, 82
 tenella, 79
 tripartita, 80
Terminalia
 catappa, 249
 Ternstroemiacae, 322
 Ternstroemoideae, 322
 Tetracarpaeaceae, 44
Tetraclis, 247
 Texas madrone, 400
 Texas saxifrage, 68
 Texas snowbell, 344
 The Cedars manzanita, 439
 Theaceae, 322, 323
 subfam. Theoideae, 322
 tribe Gordoniace, 324
 tribe Theeae, 324
 Theales, 329
 Theeae, 324
 Theoideae, 322
 Theophrasta Family, 251
 Theophrastaceae, 251, 252,
 258, 303
Therofon, 125
 aconitifolium, 126
 cincinnatum, 127
 elatum, 127
 heucheriforme, 117
 intermedium, 127
 jamesii, 117

- Therofon* (*continued*)
major, 127
intermedium, 127
napelloides, 127
occidentale, 127
purpusii, 124
richardsonii, 128
rotundifolium, 128
turbinatum, 126
vancouverense, 127
Therorhodion, 375, 453, 455
camtschaticum, 452, 454
pumilum, 454
glandulosum, 454
redowskianum, 453
Thinleaf huckleberry, 523
Thomas, J. L., 367, 369
Thompson, H. J., 268, 269,
 273, 283, 285
Thompson, I. D., 483
Thompson, J. N., 85, 103, 104
Thomson, P. H., 172, 175
Thorne, R. F., 6, 44, 45, 175
Three-leaf foamflower, 115
Thyme-leaved saxifrage, 139
Thysanthus
palustris, 317
Tiarella, 43, 44, 45, 46, 85,
 108, 114, 115
bifernata, 129
bracteata, 97
cordifolia, 111, 115
austrina, 115
bracteata, 115
collina, 115
cordifolia, 115
laciniata, 116
macrophylla, 115
menziesii, 108
polyphylla, 115
trifoliata, 115
laciniata, 116
trifoliata, 116
unifoliata, 116
unifoliata, 116
wherryi, 115
Tiarelle, 114
Tiarelle cordifoliée, 115
Tiffney, B. H., 340
Tillaea, 150, 151
aquatica, 153
connata, 152
drummondii, 154
erecta, 152
leptopetala, 152
muscosa, 152
solieri, 154
viridis, 154
Tillaeastrum, 150, 151
aquaticum, 153
longipes, 154
Tilliwort, 152
Tingo tingo, 160
Tiny swamp saxifrage, 68
Titi, 369
Toelken, H. R., 156, 160
Tolmachevia
integrifolia, 165
leedyi, 167
neomexicana, 166
procera, 166
Tolmie's saxifrage, 54
Tolmiea, 43, 44, 45, 46, 107,
 108, 109
diplomenziesii, 107, 108
menziesii, 106, 107, 108
Torpedoberry, 405
Tough bully, 243
Trailing arbutus, 475
Trailing azalea, 485
Trailing black currant, 24
Trailing gooseberry, 27
Trailing loosestrife, 316
Trappe, J., 377
Trappers tea, 459
Trientale boréale, 304
Trientalis, 302, 303, 304, 309
americana, 304
arctica, 304, 305
borealis, 295, 304
latifolia, 305
tenuifolia, 304
europaea, 304, 305
aleutica, 304, 05
arctica, 304, 305
latifolia, 305
latifolia, 304, 305
Trift, I., 258
Trimen, H., 234
Tripetaleia, 473
Trock, D. K., 118, 512
True's manzanita, 422
Trumpet gooseberry, 29
Trumpets, 355
Tsou, C. H., 322
Tsusiophyllum, 451, 455
Tsutsusi, 455
Tucker, G. C., 364, 370, 377,
 397, 404, 446, 449, 473,
 480, 491, 492, 494, 496,
 508, 510, 530
Tuckermania, 489
conradii, 490
Tufted alpine saxifrage, 146
Tufted loosestrife, 317
Tufted saxifrage, 146
Turner, B. L., 212, 239
Two-leaf mitrewort, 110
Two-wing silverbell, 347
Tylocodon, 156
Uhl, C. H., 148, 156, 165, 167,
 172, 179, 186, 189, 224,
 226, 227, 228
Umatilla gooseberry, 40
Umbrella plant, 75
Umpqua kalmiopsis, 479
Unedo, 398
Urn-flowered alum-root, 100
Uva-ursi
pechoensis, 434
Vacciniae, 371
Vaccinioideae, 370, 373, 496,
 507
Vaccinium, 371, 372, 374, 496,
 497, 515
sect. Batodendron, 516, 524
sect. Cyanococcus, 516, 526
sect. Herpothamnus, 516,
 525
sect. Myrtillus, 516, 522
sect. Oxycoccoides, 516, 517
sect. Oxycoccus, 515, 516,
 518
sect. Polycodium, 515, 516,
 521
sect. Pyxothamnus, 516, 530
sect. Vaccinium, 516, 518
sect. Vitis-idaea, 516, 520
alaskaense, 524
altomontanum, 529
amoenum, 526
angustifolium, 371, 517,
 528, 529
hypolasium, 528
laevifolium, 528
myrtilloides, 529
nigrum, 528
arboreum, 516, 525
glaucescens, 525
arbuscula, 524
atrococcum, 526
australe, 526
boreale, 517, 528
brachycerum, 532
brittonii, 528
caesium, 521
caespitosum, 516, 522, 524
arbuscula, 524
paludicola, 524
canadense, 529
coccineum, 523
constabiae, 526
corymbosum, 371, 516, 526,
 527
albiflorum, 526
glabrum, 526
pallidum, 529
crassifolium, 516, 525
sempervirens, 525
darrovii, 516, 527
deliciosum, 516, 523
xdobbinii, 529
dumosum, 532
humile, 532
elliottii, 526
erythrocarpum, 516, 517
erythrocarpum, 517
japonicum, 517
erythrococcum, 522
formosum, 526
frondosum, 534
fuscatum, 526
gaultherioides, 518
geminiflorum, 524
glaucum, 527
globulare, 523
hirsutum, 517, 529
hirtellum, 532
hispidulum, 513
humifusum, 513
xintermedium, 521
japonicum, 517
lamarckii, 528
ligustrinum, 501
macrocarpon, 372, 511, 515,
 516, 519
margarettae, 529
melanocarpum, 521
membranaceum, 516, 523
rigidum, 523
microcarpum, 519
myrsinites, 516, 527
glaucum, 527
myrtilloides, 517, 527, 529
myrtillus, 516, 521, 522, 523
microphyllum, 522
oreophilum, 523
neglectum, 521
nigrum, 528
nitidum, 527
nivictum, 524
occidentale, 518
oreophilum, 523
ovalifolium, 516, 520, 522,
 524
ovatum, 516, 530
saporosum, 530
oxyccos, 516, 519
intermedium, 519
microphyllum, 519
ovalifolium, 519
pallidum, 517, 529
paludicola, 524
parvifolium, 516, 522
pensylvanicum
nigrum, 528
scoparium, 516, 522
semperfurens, 525
simulatum, 526
stamineum, 516, 520, 521
affine, 521
auströmäntanum, 521
interius, 521
melanocarpum, 521
neglectum, 521
virginianum, 521
tenellum, 517, 528
uliginosum, 516, 518
alpinum, 518
gaultherioides, 518
microphyllum, 518
occidentale, 518
pedris, 518
pubescens, 518
salicinum, 518
ursinum, 535
vacillans, 529
crinitum, 529
missouriense, 529
virgatum, 526
viride, 529
vitis-idaea, 372, 516, 520
minus, 520
Vahlia, 45
Valley shootingstar, 275
van Arkel, J., 163
Van Arsdel, E. P., 10, 15, 18, 29
van Ham, R. C. H. J., 170,
 199, 226
Van Jaarsveld, E. J., 151
Vander Kloet, S. P., 515, 517,
 519, 521, 522, 526
Vasey, M. C., 406
Vassiljev, V. N., 486
Veitch, J. H., 351, 362
Veldkamp, J. F., 276
Velvetleaf blueberry, 529
Verity's dudleya, 189
Victor's gooseberry, 32

- Villadia, 150, 172, 225, 226, 227, 228
sect. Altamiranoa, 226
laxa, 226
minutiflora, 226
misera, 226
parviflora, 226
squamulosa, 225, 226
- Villaseñor, J. L., 325
- Vine Hill manzanita, 419
- Vine-wicky, 498
- Virginia saxifrage, 61
- Virginia stewartia, 327
- Virginia sweetspire, 7
- Virginia-tea, 7
- Virginia-willow, 7
- Viscum*
terrestris, 317
- Vitt, D. H., 117
- Vit-toujours, 163
- Vogel, S., 303
- Vogelmann, H. W., 293
- Voss, E. G., 489
- Wagner, D. H., 152
- Wakabayashi, M., 109
- Wallace, G. D., 377, 389, 390, 391, 392, 394, 395, 396, 446, 494
- Wallnöfer, B., 339
- Wand-flower, 333
- Wang, Y., 330, 331
- Wann, J. D., 366
- Warr, H. J., 518
- Wasatch shootingstar, 279
- Waselkov, K., 510
- Water pimpernel, 254
- Water pygmyweed, 153
- Water-carpet, 72
- Water-mat, 72
- Water-violet, 259
- Wax currant, 23
- Wax-flower shinleaf, 382
- Wax-flower wintergreen, 382
- Weakley, A. S., 41, 204, 336, 369, 530
- Weatherglass, 306
- Weatherhairs, S. A., 510
- Webb, D. A., 50, 65, 133
- Weber, R. M., 71, 73
- Weber, W. A., 144
- Wedgeleaf primrose, 297
- Wedge-leaf saxifrage, 145
- Weigend, M., 9, 25, 41
- Wells, E. F., 43, 75, 76, 83, 84, 85, 94, 95, 105, 120, 124, 130
- Wells, T. C., 451
- Wells's pyxie-moss, 337
- Welsh, S. L., 305
- Western alpine laurel, 484
- Western arctic shootingstar, 277
- Western azalea, 467
- Western black currant, 17
- Western bog laurel, 484
- Western Labrador tea, 459
- Western rock jasmine, 262
- Western roseroot, 165
- Western saxifrage, 62
- Western starflower, 305
- Western swamp laurel, 484
- Western teaberry, 513
- Wherry, E. T., 359
- Wherry's pitcher plant, 355
- Whetstone, R. D., 232, 234, 242, 244, 245, 253
- Whipplea, 44
- White Alder Family, 364
- White bully, 243
- White Mountain alum-root, 104
- White mountain saxifrage, 137
- White pine blister rust, 10, 29
- White rhododendron, 464
- White shootingstar, 278
- White Sprite, 189
- White squaw currant, 23
- White wicky, 483
- White, F., 248
- White-flowered currant, 20
- White-flowered gooseberry, 37
- Whitehair manzanita, 433
- White-stemmed gooseberry, 36
- White-top pitcher plant, 356
- White-vein wintergreen, 383
- Whittemore, A. T., 331
- Whole-leaf saxifrage, 67
- Whorled loosestrife, 316
- Whortleberry, 522, 523
- Wickens, G. E., 151, 152, 153, 154
- Wiegand, K. M., 489
- Wieslander's manzanita, 438
- Wiggs, D. N., 198
- Wilbur, R. L., 197, 198, 204, 394
- Wild black currant, 17
- Wild currant, 17
- Wild dilly, 235
- Wild gooseberry, 35, 36, 41
- Wild laurel, 331
- Wild red currant, 14
- Wilkins, C. K., 85
- Willow bustic, 243
- Wilson, E. H., 468
- Winged pitcher plant, 355
- Wintergreen, 378, 512, 514
- Witches'-moneybags, 163
- Wood saxifrage, 146
- Wood, C. E. Jr., 328, 331, 483, 489, 497
- Woodland saxifrage, 146
- Woodland-star, 77
- Woodnymph, 384
- Woolly berry, 529
- Woollyleaf manzanita, 439
- Wooten, J., 369
- Wright's golden-saxifrage, 75
- Wunderlin, R. P., 232, 234, 237, 242, 244, 245, 252, 253
- Wyatt, R., 198, 337
- Wyeomyia*, 360
- Xiang, Q. Y., 326
- Xolisma*
ferruginea, 503
fruticosa, 503
- Xylococcus, 375, 397, 404
- bicolor, 402, 404
- Yang, S. X., 324
- Yarborough, D. E., 482
- Yellow coralbells, 105
- Yellow marsh saxifrage, 138
- Yellow mountain heather, 478
- Yellow mountain saxifrage, 137
- Yellow pitcher plant, 355
- Yellow stonecrop, 211
- Yellowstone saxifrage, 66
- Yellow-wood, 331
- Young, S. B., 518
- Young's snowbell, 344
- Zapote blanco, 245
- Zapotillo, 245
- Zenobia, 376, 496, 504, 506
- cassinefolia*, 506
- pulverulenta*, 506, 507
- nuda*, 506
- racemosa*, 511
- Zeybek, N., 341
- Zhang, L. B., 45
- Zhu, H., 483
- Zika, P. F., 152, 487
- Zion shootingstar, 281, 282