5. CHRYSOPHYLLUM Linnaeus, Sp. Pl. 1: 192. 1753.

金叶树属 jin ye shu shu

Shrubs or trees. Leaves alternate; stipules absent. Flowers small, 2 to many, fascicled, axillary, pedicellate or sessile. Sepals 5(or 6), usually glabrous or inside tomentose. Corolla tube campanulate, usually extended, (4 or)5–11-lobed. Stamens (4 or)5–10 in 1 whorl, inserted in throat, opposite corolla lobes; staminodes absent. Ovary 1–10-locular, villous or glabrous. Style longer to shorter than ovary. Fruit 1–8-seeded, exocarp thick to very thin. Seed coat papery to crusty; scar narrow to wide, lateral, sometimes almost covering entire seed.

About 70 species: tropical and subtropical America, tropical Africa and Asia, Madagascar; one species in China.

1. Chrysophyllum lanceolatum (Blume) A. de Candolle var. stellatocarpon P. Royen in Vink, Blumea 9: 32. 1958.

金叶树 jin ye shu

Trees 10-20 m tall. Branchlets yellow pubescent. Petiole 2-7 mm; leaf blade oblong to oblong-lanceolate, rarely obovate, 5-12 × 1.7-4 cm, papery, rust colored tomentose when young but soon glabrescent except on midrib, base obtuse to cuneate and usually slightly oblique, apex obtuse, acuminate, or caudate; lateral veins many pairs, closely spaced, slender. Flowers fascicled. Pedicel 3-6 mm, rust colored pubescent to subglabrous. Sepals 5, rust colored pubescent or glabrous when young, margin fimbriate. Corolla broadly campanulate, 1.8-3 mm, glabrous; 5-lobed, margin fimbriate. Stamens 5. Ovary subglobose, ca. 0.6 mm, 5 locular, 5-ribbed, rust colored tomentose. Style ca. 1.5 mm, glabrous. Fruit brown to purplish black, subglobose, 5-ribbed into a stellate shape, 1.5-2(-4) cm in diam., rust colored tomentose when young but glabrescent, (1–)4- or 5-seeded. Seeds compressed obovoid, 1.1-1.3 cm \times 6–7 mm; seed coat thick; scar oblong to oblanceolate. Fl. May,

Forests; middle altitude. Guangdong, Guangxi [Cambodia, Indonesia, Laos, Malaysia, Myanmar, Singapore, Sri Lanka, Thailand, Vietnam].

The roots and leaves are used medicinally, and the fruit are edible.

Chrysophyllum lanceolatum var. lanceolatum occurs in Indonesia.

Flora of China 15: 208. 1996.